



Dornbracht specification book 2022 EXPORT

gross prices –
does not include
statutory VAT

Valid from 01.04.2022



Finishes



	chrome	platinum matt	platinum	brushed Durabrass 23 C Gold	Durabrass 23 C Gold	Dark Platinum matt	matt black
Colour Code	-00	-06	-08	-28	-09	-99	-33
RAL classification							similar to RAL 9005
Manufacturing process	Electroplating					PVD technique	
Multiplier (Base: chrom 00) for ○	-	x 1,8	x 1,8	x 2	x 2	x 1,8	x 1,55

Bathroom

CL.1	●	●	○	○	○	●△	○△
CYO	●	●	○	●	○	●△	○△
IMO	●	●	●○	●○	○	●△	○△
Lissé	●	●	○	○	○	△	●
LULU	●	●	○	○	○	△	○
Madison	●	●	●	●	●	●△	○△
MEM	●	●	●	●	○	●△	○△
Meta	●	●	●○	●○	○	●△	●
Symetrics	●	●	●	●	○	●△	○
Tara.	●	●	●	●	○	●△	●
VAIA	●	●	●	●	○	●△	-
supplementary products	●	●	●	●	○	●△	●

Kitchen

Elio	●	●	●	●	○	●	△
eno	●	●	●	●	○	●	△
Lot	●	●	●	●	○	●	△
Meta.02	●	●	●	●	○	●	●
Sync	●	●	●	●	●	●	△
Tara.*	●	●	●	●	●	●	●
Tara Ultra*	●	●	●	●	●	●	●
Miscellaneous*	●	●	●	●	●	●	●

● standard

○ variant, order via Customer Service / Multi = Price multiplier based on chrome prices.

△ Feasibility check and price in the x-tra Service

- not realisable

●○ Some items are available as standard versions, the rest as variants

●△ Some items are available as standard versions, the rest after checking with the x-tra Service


○△ Some items are available as variants, the rest after checking with the x-tra Service

* without Profi fittings

** The comparable finish to matt chrome (-93) for all kitchen products is its equivalent, the stainless steel look finish (-91).

Need a more individual solution? We provide unlimited choices on request. Special designs, made-to-measure, logo and signage, and custom finishes just to name a few. Our x-TRA SERVICE team is here to make your vision into a reality.

Further finishes
and individual
solutions are available
through our
x-TRA SERVICE
See back cover



	matt white	light grey	dark grey	pastel green	light rosa	yellow	graublau	matt chrome **	Champagne 22 C Gold
	-10	-63	-66	-54	-55	-59	-61	-93	-47
011		equivalent RAL 7012	equivalent RAL 7022	equivalent RAL 6019	equivalent RAL 3015	equivalent RAL 1016	equivalent RAL 5008		

Powder and wet paint coating							Electroplating		
	x 1,55	x 1,55	x 1,55	x 1,55	x 1,55	x 1,55	x 1,55	x 1,4	x 2,0

	○ △	○ △	○ △	○ △	○ △	○ △	○ △	○ △	○
	○ △	○ △	○ △	○ △	○ △	○ △	○ △	○ △	○
	○ △	○ △	○ △	○ △	○ △	○ △	○ △	● △	○
	○	○	○	○	○	○	○	● △	○
	○	○	○	○	○	○	○	○ △	○
	○ △	○ △	○ △	○ △	○ △	○ △	○ △	○ △	○
	○ △	△	○ △	○ △	○ △	○ △	○ △	○ △	○
	○	○	○	○	○	○	○	● △	○
	○	○	○	○	○	○	○	○ △	○
	●	○	○	○	○	○	○	● △	○
	-	-	-	-	-	-	-	○ △	○
	●	○	○	○	○	○	○	○ △	○

	△	△	△	△	△	△	△	●	○
	△	△	△	△	△	△	△	●	○
	△	△	△	△	△	△	△	○	○
	△	△	△	△	△	△	△	○	○
	△	△	△	△	△	△	△	●	○
	△	△	△	△	△	△	△	●	○
	△	△	△	△	△	△	△	●	○
	△	△	△	△	△	△	△	●	○
	△	△	△	△	△	△	△	●	○


Valid from 01.04.2022 | Errors and omissions excepted.
All previous overviews shall become ineffective with the publication of this overview.

ble
E.
r.


Curated finishes for more individuality

With our carefully curated finishes, we offer sophisticated solutions for a variety of interiors. You will find the right finish for any style world. Especially our collections Urban, Architecture and Fashion offer you completely new design possibilities.


Our selections are characterized by impressive intensity, depth of color, and brilliance.




chrome -00




chrome matt -93




platinum -08



platinum matt -06



Durabrace -09




brushed Durabrace -28



Dark Platinum matt -99

Availability
of the surfaces
by series on
the inside.

Architecture



matt black -33



matt white -10



light grey -63



dark grey -66

Fashion



pastel green -54



light rosa -55



yellow -59



grey blue -61

specification book 2022

gross prices – does not include statutory VAT

5 YEARS
WARRANTY

For detailed warranty terms and conditions, see dornbracht.com/warranty

gross prices – does not include statutory VAT.

Models, programmes and technical modifications as well as errors are excepted.

All previous price lists shall become ineffective with the publication of this price list.

List of contents

Modifications 2022 IV - VIII

Finishes IV


Index X - XXX

General information 743 - 746



CL.1

001 - 054




CYO

055 - 118



IMO

119 - 160



Lissé

161 - 198



LULU

199 - 236



Madison

237 - 274



MEM

275 - 328



Meta

329 - 394



Symetrics

395 - 440



Tara.

441 - 510



VAIA

511 - 564




Shower

565 - 680



Miscellaneous installation items

707 - 720



Concealed articles

681 - 706



Kitchen

721 - 742

Modifications 2022

Programme additions

Lissé LISSÉ is perfect for setting the tone in the bathroom. The series fitting combines a clear, practical body with an ornamental and playful lever design. The addition of the MATT BLACK finish (-33) to the LISSÉ series deliberately brings a balanced contrast to your bathroom.

Touchfree The new Touchfree products combine hygiene and performance. They speak a coherent design language that fits seamlessly into the concept of the existing series.

IMO	New article number	Name	Instockfrom
	44 511 670-FF	Washstand fitting with electronic opening and closing function without pop-up waste	Firstquarter
	44 515 670-FF	Washstand fitting with electronic opening and closing function without pop-up waste	Firstquarter
	44 521 670-FF	Washstand fitting with electronic opening and closing function without pop-up waste	Firstquarter

MEM	New article number	Name	Instockfrom
	44 521 782-FF	Washstand fitting with electronic opening and closing function without pop-up waste	Firstquarter

META	New article number	Name	Instockfrom
	44 511 660-FF	Washstand fitting with electronic opening and closing function without pop-up waste	Firstquarter
	44 515 660-FF	Washstand fitting with electronic opening and closing function without pop-up waste	Firstquarter
	44 521 660-FF	Washstand fitting with electronic opening and closing function without pop-up waste	Firstquarter

VAIA	New article number	Name	Instockfrom
	44 521 809-FF	Washstand fitting with electronic opening and closing function without pop-up waste	Firstquarter

New rain showers Rain showers with two flow modes and integrated lighting will be available from the second quarter of the year. They can be combined with the control elements of all the design series.

New article number	Name	Instockfrom
28 031 970-FF	Rain shower for ceiling fixing	Secondquarter
35 041 970 90	Concealed ceiling installation box with ceiling fixing	Secondquarter
28 032 970-FF	Rain shower for ceiling fixing with light	Secondquarter
35 042 970 90	Concealed ceiling installation box for ceiling fixing with light	Secondquarter
28 033 970-FF	Rain shower for ceiling installation	Secondquarter
35 033 970 90	Concealed ceiling installation box for ceiling installation	Secondquarter
28 034 970-FF	Rain shower for ceiling installation with light	Secondquarter
35 034 970 90	Concealed ceiling installation box for ceiling installation with light	Secondquarter
28 041 980-FF	Rain shower for ceiling fixing	Secondquarter
35 041 970 90	Concealed ceiling installation box with ceiling fixing	Secondquarter
28 042 980-FF	Rain shower for ceiling fixing with light	Secondquarter
35 042 970 90	Concealed ceiling installation box for ceiling fixing with light	Secondquarter
28 043 980-FF	Rain shower for ceiling installation	Secondquarter
35 043 970 90	Concealed ceiling installation box for ceiling installation	Secondquarter
28 044 980-FF	Rain shower for ceiling installation with light	Secondquarter
35 044 970 90	Concealed ceiling installation box for ceiling installation with light	Secondquarter

AQUAMOON/
RAINMOON The new AQUAMOON EMBRACE rain panel adds another flow mode to the product family. All products of the AQUAMOON family (RAINMOON; AQUAMOON; AQUAMOON EMBRACE) are now available with coloured lighting and can be controlled via an IoT interface. They can be combined with control elements from all the series.

New article number	Name	Instockfrom
41 630 979-FF	Rain panel	Firstquarter
35 630 970 90	Concealed rain panel	Firstquarter

Modifications 2022

Programme modifications

The following items will be repositioned at the end of the third quarter in the course of product range modification:

The new two-way and three-way diverters and the new concealed single-lever mixer with cover plate for LISSÉ and VAIA will be available from the second quarter of the year.

CL.1	New article number	Name	replaces article number	Name
	29 140 670-FF	Two-way diverter for bath rim or tile edge installation	29 126 705-FF	wo-way diverter
	29 140 670-FF	Two-way diverter for bath rim or tile edge installation	29 127 705-FF	Two-way diverter
	29 140 670-FF	Two-way diverter for bath rim or tile edge installation	29 128 705-FF	Two-way diverter
	29 140 670-FF	Two-way diverter for bath rim or tile edge installation	29 126 740-FF	Two-way diverter
	36 200 705-FF	Concealed two-way diverter	36 104 705-FF	Concealed two- and three-way diverter
	36 210 705-FF	Concealed three-way diverter	36 104 705-FF	Concealed two- and three-way diverter
	36 201 705-FF	Concealed two-way diverter	36 101 705-FF	Concealed two- and three-way diverter
	36 211 705-FF	Concealed three-way diverter	36 101 705-FF	Concealed two- and three-way diverter
	36 202 705-FF	Concealed two-way diverter	36 102 705-FF	Concealed two- and three-way diverter
	36 212 705-FF	Concealed three-way diverter	36 102 705-FF	Concealed two- and three-way diverter
	36 200 740-FF	Concealed two-way diverter	36 125 740-FF	Concealed two-way diverter
	36 210 740-FF	Concealed three-way diverter	36 125 740-FF	Concealed two-way diverter
	IMO	New article number	Name	replaces article number
36 060 670-FF		Concealed single-lever mixer with cover plate	36 020 670-FF	Concealed single-lever mixer without diverter
Lissé	New article number	Name	replaces article number	Name
	36 060 845-FF	Concealed single-lever mixer with cover plate	36 020 845-FF	Concealed single-lever mixer without diverter
	27 412 845-FF	Three-hole single-lever bath mixer for bath rim or tile edge installation	29 300 845-FF	Single-lever bath mixer for bath rim or tile edge installation
LULU	New article number	Name	replaces article number	Name
	33 500 710-FF	Single-lever basin mixer with pop-up waste	33 505 710-FF	Single-lever basin mixer with pop-up waste
	27 412 710-FF	Three-hole single-lever bath mixer for bath rim or tile edge installation	27 702 710-FF	Hand shower set for bath rim or tile edge installation
	27 412 710-FF	Three-hole single-lever bath mixer for bath rim or tile edge installation	29 140 710-FF	Two-way diverter for bath rim or tile edge installation
	27 412 710-FF	Three-hole single-lever bath mixer for bath rim or tile edge installation	29 300 710-FF	Single-lever bath mixer for bath rim or tile edge installation
	36 060 710-FF	Concealed single-lever mixer with cover plate	36 022 710-FF	Concealed single-lever mixer without diverter
	36 200 710-FF	Concealed two-way diverter	36 104 710-FF	Concealed two- and three-way diverter
	36 210 710 -FF	Concealed three-way diverter	36 104 710-FF	Concealed two- and three-way diverter

Modifications 2022

Programme modifications

	New article number	Name	replaces article number	Name
Madison	27 502 360-FF	Bath shower set for bath rim or tile edge installation	27 703 360-FF	Hand shower set for bath rim or tile edge installation
	27 502 360-FF	Bath shower set for bath rim or tile edge installation	20 000 360-FF	Deck valve clockwise closing cold or hot
	27 502 360-FF	Bath shower set for bath rim or tile edge installation	29 140 360-FF	Two-way diverter for bath rim or tile edge installation
	36 607 361-FF	Wall valve clockwise closing 1/2"	36 607 371-FF	Wall valve clockwise closing 1/2"
	36 608 361-FF	Wall valve clockwise closing 3/4"	36 608 371-FF	Wall valve clockwise closing 3/4"
	36 200 361-FF	Concealed two-way diverter	36 104 361-FF	Concealed two- and three-way diverter
	36 210 361-FF	Concealed three-way diverter	36 104 361-FF	Concealed two- and three-way diverter
	36 200 371-FF	Concealed two-way diverter	36 104 371-FF	Concealed two- and three-way diverter
	36 210 371-FF	Concealed three-way diverter	36 104 371-FF	Concealed two- and three-way diverter
MEM	New article number	Name	replaces article number	Name
	27 702 980-FF	Hand shower set for bath rim or tile edge installation	27 708 780-FF	Hand shower set for bath rim or tile edge installation
	36 200 782 -FF	Concealed two-way diverter	36 104 782-FF	Concealed two- and three-way diverter
	36 210 782-FF	Concealed three-way diverter	36 104 782-FF	Concealed two- and three-way diverter
Meta	New article number	Name	replaces article number	Name
	36 060 660-FF	Concealed single-lever mixer with cover plate	36 020 660-FF	Concealed single-lever mixer without diverter
	36 200 740-FF	Concealed two-way diverter	36 125 740-FF	Concealed two-way diverter
	36 210 740-FF	Concealed three-way diverter	36 125 740-FF	Concealed two-way diverter
	29 140 670-FF	Two-way diverter for bath rim or tile edge installation	29 126 740-FF	Two-way diverter
Symetrics	New article number	Name	replaces article number	Name
	13 430 740-FF	Bath cascade spout for wall mounting	13 430 730-FF	Bath cascade spout for wall mounting
	13 630 740-FF	Bath cascade spout without diverter for deck mounting	13 630 730-FF	Bath cascade spout without diverter for deck mounting
	29 140 670-FF	Two-way diverter for bath rim or tile edge installation	29 125 980-FF	Two-way diverter
	29 140 670-FF	Two-way diverter for bath rim or tile edge installation	29 125 985-FF	Two-way diverter
	36 200 980-FF	Concealed two-way diverter	36 128 980-FF	Concealed two-way diverter
	36 210 980-FF	Concealed three-way diverter	37 128 980-FF	Concealed two-way diverter
	36 200 985-FF	Concealed two-way diverter	36 128 985-FF	Concealed two-way diverter
	36 210 985-FF	Concealed three-way diverter	37 128 985-FF	Concealed two-way diverter
Tara.	New article number	Name	replaces article number	Name
	27 512 882-FF	Bath shower set for bath rim or tile edge installation	20 000 883-FF	Deck valve anti-clockwise closing
	27 512 882-FF	Bath shower set for bath rim or tile edge installation	20 000 882-FF	Deck valve clockwise closing
	36 200 892-FF	Concealed two-way diverter	36 104 892-FF	Concealed two- and three-way diverter
	36 210 892-FF	Concealed three-way diverter	36 104 892-FF	Concealed two- and three-way diverter
	36 200 882-FF	Concealed two-way diverter	36 104 882-FF	Concealed two- and three-way diverter
	36 210 882-FF	Concealed three-way diverter	36 104 882-FF	Concealed two- and three-way diverter

Modifications 2022

Programme modifications

Vaia

New article number	Name	replaces article number	Name
34 442 979-FF	Shower thermostat for wall mounting	26 100 809-FF	Shower mixer for wall mounting
34 442 979-FF	Shower thermostat for wall mounting	26 100 819-FF	Shower mixer for wall mounting
36 060 809-FF	Concealed single-lever mixer with cover plate	36 020 809-FF	Concealed single-lever mixer without diverter
27 522 809-FF	Five-hole bath mixer for deck mounting with diverter	13 612 809-FF	bath spout without diverter for deck mounting
27 522 819-FF	Five-hole bath mixer for deck mounting with diverter	20 000 818-FF	Deck valve clockwise closing hot
27 522 819-FF	Five-hole bath mixer for deck mounting with diverter	20 000 819-FF	Deck valve anti-clockwise closing cold
36 200 809-FF	Concealed two-way diverter	36 104 809-FF	Concealed two- and three-way diverter
36 210 809-FF	Concealed three-way diverter	36 104 809-FF	Concealed two- and three-way diverter
36 200 819-FF	Concealed two-way diverter	36 104 819-FF	Concealed two- and three-way diverter
36 210 819-FF	Concealed three-way diverter	36 104 819-FF	Concealed two- and three-way diverter

Series-various

New article number	Name	replaces article number	Name
12 360 970 90	Installation track 555 mm	12 310 970 90	Installation track 510 mm
12 360 970 90	Installation track 555 mm	12 315 970 90	Installation track 750 mm
12 360 970 90	Installation track 555 mm	12 320 970 90	Installation track 990 mm
12 614 970 90	Perfecto installation kit	12 630 970 90	Installation plate
35 700 970 90	Concealed wall-mounted mixer Centred spout	35 707 970 90	Concealed wall-mounted mixer Centred spout
35 720 970 90	Concealed wall-mounted mixer variable positioning	35 712 970 90	Concealed wall-mounted mixer variable positioning
35 202 970 90	Concealed two-way diverter	35 124 970 90	Concealed two-way diverter
35 202 970 90	Concealed two-way diverter	35 125 970 90	Concealed two-way diverter
35 202 970 90	Concealed two-way diverter	35 128 970 90	Concealed two-way diverter
35 203 970 90	Concealed three-way diverter	35 104 970 90	Concealed three-way diverter
39 807 970 90	Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above	39 806 970 90	Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above
39 121 970 90	Drybox Concealed single-lever mixer with and without diverter	39 120 970 90	Drybox Concealed single-lever mixer with and without diverter

Modifications 2022

Discontinuations

The yellow, pale green, light pink, dark grey, light grey and grey-blue finishes are being discontinued.
The items will remain in stock until 30.09.2022.

The following items are being discontinued within the individual series.
The items will remain in stock until 30.09.2022.

LULU	Article number discontinued	Name
	13 716 710-FF	Deck-mounted basin spout without pop-up waste
	13 800 710-FF	Wall-mounted basin spout without pop-up waste

MEM	Article number discontinued	Name
	25 963 979-FF	Single-lever bath mixer with cascade spout for free-standing assembly with hand shower set
	25 964 979-FF	Single-lever bath mixer with cascade spout for free-standing assembly with hand shower set

Symetrics	Article number discontinued	Name
	13 710 740-FF	Deck-mounted basin spout with pop-up waste
	13 713 980-FF	Deck-mounted basin spout with pop-up waste
	13 721 980-FF	Deck-mounted basin spout without pop-up waste
	36 325 980-FF	Mixer valve with volume control for wall mounting
	36 325 985-FF	Mixer valve with volume control for wall mounting
35 691 970 90	Concealed mixer valve with volume control	

Vaia	Article number discontinued	Name
	25 133 809-FF	Bath mixer for wall mounting with hand shower set
	25 133 819-FF	Bath mixer for wall mounting with hand shower set

Series-various	Article number discontinued	Name
	12 300 970 90	Connecting kit
	35 713 970 90	Concealed wall-mounted mixer spout on left
	35 714 970 90	Concealed wall-mounted mixer spout on right
	12 508 970 90	Hose extension

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.
Also go to www.dornbracht.com/care for information on cleaning, caring for and maintaining your product.

Finishes

Descriptions of the finishes

Dornbracht products are designed to retain their special aesthetic quality and reliability over many years. This is why we attach great importance to maintaining a high standard of quality throughout the production process. This starts with selecting the right raw materials. Then the pieces are formed and polished. After numerous further stages and strict quality controls, the fittings are given their exquisite finishes in the electroplating shop. They then undergo a further check and are carefully packed, so that our exclusive, hand-made products can be safely transported.

Plated finishes	Description	Production
chrome -00 chrome matt -93	A timeless, classic, high-gloss or matt finish that is cool in character.	<ol style="list-style-type: none"> 1. Basic material: brass / ABS (plastic) / die-cast zinc 2.1 Surface work: rough grinding and regrinding, polishing, superfine polishing 2.2 Surface work: rough grinding and regrinding, polishing, matt finishing 3. Preparatory treatment: cleaning, ultrasonic cleaning 4.1 First plated coating: shiny nickel 4.2 First plated coating: matt nickel 5. Second plated coating: chrome
platinum -08 platinum matt -06	A timeless, classic high-gloss or matt finish with a warm undertone.	<ol style="list-style-type: none"> 1. Basic material: brass / ABS (plastic) / die-cast zinc 2.1 Surface work: rough grinding and regrinding, polishing, superfine polishing 2.2 Surface work: rough grinding and regrinding, polishing, matt finishing 3. Preparatory treatment: cleaning, ultrasonic cleaning 4.1 First plated coating: shiny nickel 4.2 First plated coating: matt nickel 5. Second plated coating: palladium nickel
Durabross -09 brushed Durabross -28	A warm, modern, golden colour in a gloss or matt finish.	<ol style="list-style-type: none"> 1. Basic material: brass / ABS (plastic) / die-cast zinc 2.1 Surface work: rough grinding and regrinding, polishing, superfine polishing 2.2 Surface work: rough grinding and regrinding, polishing, matt finishing 3. Preparatory treatment: cleaning, ultrasonic cleaning 4.1 First plated coating: shiny nickel 4.2 First plated coating: matt nickel 5. Second plated coating: palladium nickel, only when the basic material is ABS/die-cast zinc; no palladium nickel coating when the basic material is brass 6. Third plated coating: 23-carat gold
Champagne -47	A light, modern, golden colour in a gloss finish.	<ol style="list-style-type: none"> 1. Basic material: brass / ABS (plastic) / die-cast zinc 2. Surface work: rough grinding and regrinding, polishing, superfine polishing 3. Preparatory treatment: cleaning, ultrasonic cleaning 4. First plated coating: shiny nickel 5. Second plated coating: palladium nickel 6. Third plated coating: 22-carat gold
PVD finishes	Description	Production
Dark Platinum matt	Sensuous, mystic finishes in dark colours that exude a natural warmth.	<ol style="list-style-type: none"> 1. Basic material: brass / ABS (plastic) / die-cast zinc 2. Surface work: rough grinding and regrinding, polishing, matt finishing 3. Preparatory treatment: cleaning, ultrasonic cleaning 4. First plated coating: matt nickel 5. Second plated coating: chrome 6. Sealing PVD coat
Paint finishes	Description	Production
Matt black Matt white light grey dark grey pastel green light rosa yellow grey blue	Elegant matt finishes ranging from subtle, neutral tones to vibrant colours.	<ol style="list-style-type: none"> 1. Basic material: brass / ABS (plastic) / die-cast zinc 2. Surface work: rough grinding and regrinding, polishing, matt finishing 3. Sealing Powder coating or wet paint coating

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
08			10 110 970-00	47.00	711	11 183 811-00	45.60	072
08 18 50 600 90	12.30	053, 159, 197, 274, 393, 564	-06	75.10	711	-06	73.10	072
08 18 50 601 90	27.90	052, 053, 116, 117, 159, 197, 198, 234, 326, 327, 393, 394, 438, 439, 509, 564	-08	75.10	711	-08	73.10	072
08 90 00 008 82	38.40	051, 115, 157, 195, 232, 272, 325, 391, 437, 507, 562	-09	93.10	711	-09	90.40	072
08 90 00 008 84	38.40	051, 115, 157, 195, 232, 233, 272, 324, 325, 391, 437, 507, 562	-10	63.40	711	-28	90.40	072
08 90 00 017 82	50.20	507	-28	93.10	711	-99	82.20	072
08 90 04 000 82	73.90	274	-33	63.40	711	11 184 811-00	45.60	072
08 90 04 008 82	50.20	052, 053, 116, 159, 197, 234, 326, 393, 509, 564	-99	84.50	711	-06	73.10	072
09			10 125 970-00	72.10	709	-08	73.10	072
09 30 02 072-00	114.70	718	-06	115.40	709	-09	90.40	072
-06	193.60	718	-08	115.40	709	-28	90.40	072
-08	193.60	718	-09	142.90	709	-99	82.20	072
-09	213.00	718	-10	97.40	709	11 185 811-00	45.60	073
-10	143.30	718	-28	142.90	709	-06	73.10	073
-28	222.90	718	-33	97.30	709	-08	73.10	073
-33	143.30	718	-99	129.80	709	-09	90.40	073
-99	193.60	718	10 126 970-00	72.50	709	-28	90.40	073
10			-06	116.00	709	-99	82.20	073
10 040 970-00	392.70	710	-08	116.00	709	11 186 811-00	45.60	073
-06	628.10	710	-09	143.70	709	-06	73.10	073
-08	628.10	710	-10	98.00	709	-08	73.10	073
-09	777.40	710	-28	143.70	709	-09	90.40	073
-28	777.40	710	-33	98.00	709	-28	90.40	073
-99	706.90	710	-99	130.70	709	-99	82.20	073
10 050 970-00	70.00	710	10 200 970-00	131.30	709	11 187 811-00	45.60	077, 098, 099, 100, 103, 104, 105, 107, 661, 662, 666, 669
-06	111.90	710	-06	210.00	709	-06	73.10	077, 098, 099, 100, 103, 104, 105, 107, 661, 662, 666, 669
-08	111.90	710	-08	210.00	709	-28	90.40	077, 098, 099, 100, 103, 104, 105, 107, 661, 662, 666, 669
-09	138.50	710	-09	260.10	709	-99	82.20	077, 098, 099, 100, 103, 104, 105, 107, 661, 662, 666, 669
-10	94.60	710	-10	177.40	709	11 188 811-00	45.60	060, 072
-28	138.50	710	-28	260.10	709	-06	73.10	060, 072
-33	94.60	710	-33	177.10	709	-08	73.10	072
-99	126.00	710	-99	236.40	709	-09	90.40	072
10 060 780-00	311.80	710	10 300 970-00	63.30	709	-28	90.40	060, 072
-06	498.90	710	-06	101.30	709	-99	82.20	060, 072
-08	498.90	710	-08	101.30	709	11 189 811-00	45.60	072
-28	617.30	710	-09	125.40	709	-06	73.10	072
-33	421.10	710	-10	85.50	709	-08	73.10	072
-99	561.20	710	-28	125.40	709	-09	90.40	072
10 060 970-00	272.50	708	-33	85.50	709	-28	90.40	072
-06	436.20	708	-99	113.80	709	-99	82.20	072
-08	436.20	708	10 710 970-00	155.60	741	11 283 811-00	91.30	061, 062, 064, 065, 073, 110
-09	539.60	708	-06	248.90	741	-06	146.00	061, 062, 064, 065, 073, 110
-10	367.90	708	-08	248.90	741	-08	146.00	073
-28	539.60	708	-09	308.10	741	-09	180.80	073
-33	368.00	708	-28	308.00	741	-28	180.80	073
-99	490.50	708	-93	186.70	741	-99	164.40	061, 062, 064, 065, 073, 110
10 100 970-00	35.70	710	-99	233.30	741	11 284 811-00	91.30	073
-06	56.90	710	10 712 970-00	155.60	741	-06	146.00	073
-08	56.90	710	-06	248.90	741	-08	146.00	073
-09	70.60	710	-08	248.90	741	-09	180.80	073
-10	48.20	710	-09	308.10	741	-28	180.80	073
-28	70.60	710	-28	308.00	741	-99	164.40	073
10 105 970-00	47.00	710	-93	186.70	741	11 285 811-00	91.30	073
-06	75.10	710	-99	233.30	741	-06	146.00	073
-08	75.10	710	11			-08	146.00	073
-09	93.10	710	11 000 980-00	224.80	717	-09	180.80	073
-10	63.40	710	-06	224.80	717	-28	180.80	073
-28	93.10	710	-33	224.80	717	11 288 811-00	45.60	072
-33	63.40	710	11 001 980-00	79.50	717	-06	73.10	072
-99	63.40	710	-06	127.50	717	-08	73.10	072
			-33	107.50	717	-09	90.40	072
			11 170 370-00	92.00	240, 242, 268	-28	90.40	072
			-06	147.30	240, 242, 268	-99	82.20	072
			-08	147.30	240, 242, 268	11 181 811-00	45.60	072
			-09	182.40	240, 242, 268	-06	73.10	072
			-12	92.00	242	-08	73.10	072
			-28	182.40	240, 242, 268	-09	90.40	072
			-99	165.70	240, 242, 268	-28	90.40	072
			11 182 811-00	45.60	072	-99	82.20	072
			-06	73.10	072	-06	45.60	072
			-08	73.10	072	-08	73.10	072
			-09	90.40	072	-09	90.40	072
			-28	90.40	072	-28	90.40	072
			-99	90.40	072	-99	416.50	251, 590
			11 182 811-00	45.60	072			
			-06	73.10	072			
			-08	73.10	072			
			-09	90.40	072			
			-28	90.40	072			
			-99	90.40	072			

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
12			12 720 660-00	68.70	719	13 425 979-00	972.20	028, 092, 147, 185, 219, 256, 304, 370, 420, 481, 541, 629
12 010 970 90	51.00	683, 684, 695, 696, 697, 698, 699, 700, 701, 702	-06	110.10	719	-06	1,555.60	028, 092, 147, 185, 219, 256, 304, 370, 420, 481, 541, 629
12 012 970 90	51.00	690, 691, 693, 695, 696	-08	110.10	719	-08	1,555.60	256, 304, 370, 420, 481, 541, 629
12 120 970-00	150.20	719	-10	90.80	719	-28	1,924.80	092, 256, 304, 370, 420, 481, 541, 629
-06	240.20	719	-28	136.00	719	-33	1,312.50	185, 370, 481, 629
-08	240.20	719	-33	90.80	719	-99	1,749.90	028, 092, 256, 304, 370, 420, 481, 541, 629
-09	297.30	719	-99	123.80	719	13 430 740-00	1,364.10	320, 434
-10	202.80	719	12 720 980-00	85.20	719	-06	2,182.50	320, 434
-28	297.30	719	-06	136.70	719	-08	2,182.50	320, 434
-33	202.80	719	-08	136.70	719	-28	2,700.90	320, 434
-99	270.30	719	-28	168.70	719	-99	2,455.30	320, 434
12 177 970 90	49.10	703	12 801 970-00	44.70	153, 190, 228, 267, 268, 318, 319, 386, 499, 500, 557	13 612 705-00	974.50	046
12 178 970 90	49.10	703	-06	71.60	153, 190, 228, 267, 268, 318, 319, 386, 499, 500, 557	-06	1,559.20	046
12 179 970 90	158.60	702	-08	71.60	267, 268, 318, 319, 499, 500, 557	-99	1,754.20	046
12 190 970 90	176.20	703	-09	88.50	267, 268	13 630 740-00	1,830.60	319, 434
12 191 970 90	210.40	703	-10	60.40	499, 500	-06	2,929.00	319, 434
12 202 979-00	40.30	717	-28	88.50	267, 268, 318, 319, 499, 500, 557	-08	2,928.90	319, 434
-06	64.80	717	-33	60.60	190, 386, 499, 500	-28	3,624.60	319, 434
-08	64.80	717	-99	80.40	267, 268, 318, 319, 499, 500, 557	-99	3,295.10	319, 434
-10	53.40	717	12 869 970 90	171.10	702	13 672 661-00	1,437.40	385
-28	80.00	717	12 870 970 90	171.10	702	-06	2,299.80	385
-33	53.40	717	12 880 970 90	171.10	702	-33	1,940.40	385
-99	72.60	717	12 940 979-85	389.20	610	13 672 780-00	1,966.60	318
12 305 970 90	29.00	704	-86	389.20	610	-06	3,146.70	318
12 340 970 90	90.90	704	13			-08	3,146.70	318
12 350 970 90	43.20	717	13 415 979-00	915.90	027, 091, 146, 184, 218, 255, 303, 370, 419, 480, 540, 628	-28	3,893.80	318
12 351 970 90	65.20	717	-06	1,465.30	027, 091, 146, 184, 218, 255, 303, 370, 419, 480, 540, 628	13 700 845-00	327.40	165, 166, 167
12 358 970 90	60.60	270	-08	1,465.30	255, 303, 370, 419, 480, 540, 628	-33	442.00	165, 166, 167
12 360 970 90	90.30	704	-28	1,813.40	091, 255, 303, 370, 419, 480, 540, 628	13 714 705-00	673.70	005, 006
12 370 970 90	158.00	704	-33	1,236.30	184, 370, 480, 628	-06	1,078.00	005, 006
12 380 970 90	225.80	704	-99	1,648.50	027, 091, 255, 303, 370, 419, 480, 540, 628	-99	1,212.80	005, 006
12 506 970 90	158.90	005, 006, 061, 062, 123, 165, 202, 240, 278, 279, 339, 445, 446, 515	13 420 979-00	1,308.50	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629	13 715 705-00	730.20	006, 009
12 509 970 90	198.70	046	-06	2,093.90	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629	-06	1,168.10	006, 009
12 570 970-00	110.20	715	-08	2,093.90	255, 303, 370, 419, 481, 540, 629	-99	1,314.30	006, 009
-06	176.60	715	-28	2,590.80	092, 255, 303, 370, 419, 481, 540, 629	13 715 782-00	849.20	279
-08	176.60	715	-33	1,766.60	184, 370, 481, 629	-06	1,358.90	279
-10	148.90	715	13 415 979-00	915.90	027, 091, 146, 184, 218, 255, 303, 370, 419, 480, 540, 628	-08	1,358.90	279
-28	218.50	715	-06	1,465.30	027, 091, 146, 184, 218, 255, 303, 370, 419, 480, 540, 628	-28	1,681.60	279
-33	149.00	715	-08	1,465.30	255, 303, 370, 419, 480, 540, 628	-99	1,528.70	279
-99	198.60	715	-28	1,813.40	091, 255, 303, 370, 419, 480, 540, 628	13 715 811-00	730.20	062, 066, 067
12 580 970-00	110.20	715	-33	1,236.30	184, 370, 480, 628	-06	1,168.10	062, 066, 067
-06	176.60	715	-99	1,648.50	027, 091, 255, 303, 370, 419, 480, 540, 628	-08	1,445.70	062, 066, 067
-08	176.60	715	13 420 979-00	1,308.50	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629	-28	1,445.70	062, 066, 067
-10	148.90	715	-06	2,093.90	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629	-36	1,168.10	062, 066, 067
-28	218.50	715	-08	2,093.90	255, 303, 370, 419, 481, 540, 629	13 716 670-00	468.10	125, 126
-33	149.00	715	-28	2,590.80	092, 255, 303, 370, 419, 481, 540, 629	13 716 782-00	830.40	283, 284
-99	198.60	715	-33	1,766.60	184, 370, 481, 629	-06	1,328.60	283, 284
12 614 970 90	1,443.90	153, 190, 228, 267, 268, 318, 319, 386, 499, 500, 557	13 420 979-00	1,308.50	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629	-08	1,328.60	283, 284
12 660 979-00	686.00	053, 117, 159, 198, 235, 274, 327, 394, 439, 510, 564	-06	2,093.90	184, 219, 255, 303, 370, 419, 481, 540, 629	-28	1,644.10	283, 284
-06	1,097.80	053, 117, 159, 198, 235, 274, 327, 394, 439, 510, 564	-08	2,093.90	255, 303, 370, 419, 481, 540, 629	-99	1,494.70	283, 284
-08	1,097.80	274, 327, 394, 439, 510, 564	-28	2,590.80	092, 255, 303, 370, 419, 481, 540, 629	13 716 809-00	730.20	517
-28	1,358.40	117, 274, 327, 394, 439, 510, 564	-33	1,766.60	184, 370, 481, 629	-06	1,168.10	517
-33	926.10	198, 394, 510	13 420 979-00	1,308.50	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629	-08	1,168.30	517
-99	1,234.90	053, 117, 274, 327, 394, 439, 510, 564	-06	2,093.90	255, 303, 370, 419, 481, 540, 629	-28	1,445.70	517
12 715 970-00	34.60	709	-08	2,093.90	255, 303, 370, 419, 481, 540, 629	-99	1,314.20	517
-06	55.40	709	-28	2,590.80	092, 255, 303, 370, 419, 481, 540, 629	13 716 882-00	513.00	343, 344, 450
-08	55.40	709	-33	1,766.60	184, 370, 481, 629	-28	1,015.70	343, 344, 450
-09	68.70	709	13 420 979-00	1,308.50	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629	-99	923.30	343, 344, 450
-10	46.80	709	-06	2,093.90	184, 219, 255, 303, 370, 419, 481, 540, 629	13 717 705-00	917.60	006, 007
-28	68.70	709	-08	2,093.90	255, 303, 370, 419, 481, 540, 629	-06	1,468.10	006, 007
-33	46.90	709	-28	2,590.80	092, 255, 303, 370, 419, 481, 540, 629	-99	1,651.70	006, 007
-99	62.50	709	-33	1,766.60	184, 370, 481, 629	13 717 811-00	766.70	063, 067, 068
			13 425 979-00	972.20	028, 092, 147, 185, 219, 256, 304, 370, 420, 481, 541, 629	-06	1,226.50	063, 067, 068
			-06	110.10	719	-28	1,518.10	063, 067, 068
			-08	110.10	719	-36	1,226.50	063, 067, 068
			-10	90.80	719	-38	1,518.10	063, 067, 068
			-28	136.00	719	-99	1,380.10	063, 067, 068
			-33	90.80	719	13 800 670-00	460.90	126, 127
			-99	123.80	719			
			12 720 980-00	85.20	719			
			-06	136.70	719			
			-08	136.70	719			
			-28	168.70	719			
			-99	153.60	719			
			12 801 970-00	44.70	153, 190, 228, 267, 268, 318, 319, 386, 499, 500, 557			
			-06	71.60	153, 190, 228, 267, 268, 318, 319, 386, 499, 500, 557			
			-08	71.60	267, 268, 318, 319, 499, 500, 557			
			-09	88.50	267, 268			
			-10	60.40	499, 500			
			-28	88.50	267, 268, 318, 319, 499, 500, 557			
			-33	60.60	190, 386, 499, 500			
			-99	80.40	267, 268, 318, 319, 499, 500, 557			
			12 869 970 90	171.10	702			
			12 870 970 90	171.10	702			
			12 880 970 90	171.10	702			
			12 940 979-85	389.20	610			
			-86	389.20	610			
			13					
			13 415 979-00	915.90	027, 091, 146, 184, 218, 255, 303, 370, 419, 480, 540, 628			
			-06	1,465.30	027, 091, 146, 184, 218, 255, 303, 370, 419, 480, 540, 628			
			-08	1,465.30	255, 303, 370, 419, 480, 540, 628			
			-28	1,813.40	091, 255, 303, 370, 419, 480, 540, 628			
			-33	1,236.30	184, 370, 480, 628			
			-99	1,648.50	027, 091, 255, 303, 370, 419, 480, 540, 628			
			13 420 979-00	1,308.50	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629			
			-06	2,093.90	028, 092, 146, 184, 219, 255, 303, 370, 419, 481, 540, 629			

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
13 800 705-00	630.50	008, 010	13 805 980-00	650.00	398, 401	20 000 892-00	181.00	494, 673
-06	1,008.90	008, 010	-06	1,040.10	398, 401	-06	289.50	494, 673
-99	1,134.90	008, 010	-08	1,040.10	398	-08	289.50	494, 673
13 800 740-00	484.90	398, 399	-28	1,287.10	398	-10	244.20	494, 673
-06	775.70	398	-99	1,170.10	398	-28	358.30	494, 673
-08	775.80	398				-33	244.30	494, 673
-28	960.10	398	17			-99	325.60	494, 673
-99	872.80	398	17 500 660-00	312.30	339	20 000 980-00	260.00	432, 673
13 800 782-00	615.90	282, 284, 285	-06	499.80	339	-06	416.00	432, 673
-06	985.10	282, 284, 285	-33	421.60	339	-08	416.00	432, 673
-08	985.10	282, 284, 285	17 500 661-00	331.60	339	-28	514.90	432, 673
-28	1,219.50	282, 284, 285	-06	530.60	339	-99	468.10	432, 673
-99	1,108.70	282, 284, 285	-33	447.50	339	20 000 985-00	292.50	431, 672
13 800 809-00	630.50	518, 519	17 500 892-00	328.00	446	-06	468.00	431, 672
-06	1,008.90	518, 519	-06	524.70	446	-08	468.10	431, 672
-08	1,008.80	518, 519	-10	524.70	446	-28	579.10	431, 672
-28	1,248.50	518, 519	-28	649.30	446	-99	526.40	431, 672
-99	1,134.80	518, 519	-33	442.80	446	20 000 986-00	292.50	431, 672
13 800 811-00	551.70	066, 068, 069	-28	649.30	446	-06	468.00	431, 672
-06	882.80	066, 068, 069	-33	442.80	446	-08	468.10	431, 672
-28	1,092.50	066, 068, 069	-99	590.30	446	-28	579.10	431, 672
-36	882.80	066, 068, 069				-99	526.40	431, 672
-38	1,092.50	066, 068, 069	20			20 001 705-00	321.50	042, 670
-99	993.10	066, 068, 069	20 000 705-00	264.90	042, 046, 669	-06	514.30	042, 670
13 800 882-00	433.20	344, 345, 451, 452	-06	423.80	042, 046, 669	-99	578.60	042, 670
-28	857.80	344, 345, 451, 452	-99	476.80	042, 046, 669	20 001 706-00	321.50	042, 670
-99	779.80	344, 345, 451, 452	20 000 706-00	264.90	046	-06	514.30	042, 670
			-06	423.80	046	-99	578.60	042, 670
13 800 980-00	603.40	398, 400	-99	476.80	046	20 002 705-00	321.50	042, 670
-06	965.70	398, 400	20 000 715-00	321.50	043, 107, 671	-06	514.30	042, 670
-08	965.50	398	-06	514.30	043, 107, 671	-99	578.60	042, 670
-28	1,194.80	398	-99	578.60	043, 107, 671	20 002 706-00	321.50	042, 670
-99	1,086.10	398	20 000 716-00	321.50	043, 107, 671	-06	514.30	042, 670
13 801 380-00	884.50	268	-06	514.30	043, 107, 671	-99	578.60	042, 670
-06	1,415.20	268	-28	636.70	108, 671	20 004 705-00	264.90	005, 006, 042, 670
-08	1,415.20	268	-99	578.60	043, 107, 671	-06	423.80	005, 006, 042, 670
-09	1,751.20	268	20 000 740-00	258.70	043, 108, 432, 673	-99	476.80	005, 006, 042, 670
-28	1,751.20	268	-06	413.80	043, 108, 432, 673			
-99	1,592.00	268	-08	414.00	432, 673	20 004 706-00	264.90	005, 006
13 801 660-00	455.50	386	-28	512.20	108, 432, 673	-06	423.80	005, 006
-06	728.60	386	-33	349.00	673	-99	476.80	005, 006
-33	615.00	386	-99	465.60	043, 108, 432, 673	20 004 715-00	321.50	043, 108, 671
13 801 670-00	516.80	153	20 000 741-00	258.70	043, 108, 432, 673	-06	514.30	043, 108, 671
-06	826.70	153	-06	413.80	043, 108, 432, 673	-28	636.70	108, 671
13 801 705-00	657.10	047	-28	512.20	108, 432, 673	-99	578.60	043, 108, 671
-06	1,051.20	047	-33	349.00	673	20 004 716-00	321.50	043, 108, 671
-99	1,182.70	047	-99	465.60	043, 108, 432, 673	-06	514.30	043, 108, 671
13 801 710-00	520.00	229	20 000 782-00	264.90	317, 672	-28	636.70	108, 671
-06	831.80	229	-06	423.80	317, 672	-99	578.60	043, 108, 671
13 801 782-00	588.40	319	-08	423.80	317, 672	20 005 705-00	321.50	042, 670
-06	941.60	319	-28	524.40	317, 672	-06	514.30	042, 670
-08	941.60	319	-99	476.80	317, 672	-99	578.60	042, 670
-28	1,165.00	319	20 000 783-00	264.90	317, 672	20 005 706-00	321.50	042, 670
-99	1,059.10	319	-06	423.80	317, 672	-06	514.30	042, 670
13 801 809-00	538.80	558	-08	423.80	317, 672	-99	578.60	042, 670
-06	862.00	558	-28	524.40	317, 672	20 006 705-00	321.50	043, 671
-08	862.10	558	-99	476.80	317, 672	-06	514.30	043, 671
-28	1,066.80	558	20 000 808-00	217.20	554, 672	-99	578.60	043, 671
-99	969.80	558	-06	347.40	554, 672	20 006 706-00	321.50	043, 671
13 801 811-00	657.10	110	-08	347.60	554, 672	-06	514.30	043, 671
-06	1,051.40	110	-28	430.10	554, 672	-99	578.60	043, 671
-28	1,301.10	110	-99	390.90	554, 672	20 700 360-00	1,257.10	240
-99	1,182.80	110	20 000 809-00	217.20	554, 672	-06	2,011.40	240
13 801 845-00	468.70	190	-06	347.40	554, 672	-08	2,011.40	240
-06	750.00	190	-08	347.60	554, 672	-09	2,489.10	240
-33	632.80	190	-28	430.10	554, 672	-28	2,489.10	240
13 801 892-00	503.00	500	-99	390.90	554, 672	-99	2,262.90	240
-06	804.90	500	20 000 811-00	258.70	107, 669	20 700 370-00	1,225.60	240
-08	804.90	500	-06	413.80	107, 669	-06	1,960.80	240
-10	679.10	500	-28	512.20	107, 669	-08	1,960.80	240
-28	996.10	500	-36	413.80	107, 669	-09	2,426.60	240
-33	679.00	500	-38	512.20	107, 669	-28	2,426.60	240
-99	905.60	500	-99	465.60	107, 669	-99	2,206.00	240
13 805 811-00	583.20	066, 070, 071				20 710 811-00	1,208.60	061
-06	933.20	066, 070, 071				-06	1,933.80	061
-28	1,154.70	066, 070, 071				-28	2,393.00	061
-36	933.20	066, 070, 071				-36	1,933.80	061
-38	1,154.70	066, 070, 071				-38	2,393.00	061
-99	1,049.80	066, 070, 071				-99	2,175.50	061

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
20 710 882-00	1,058.70	445	22 512 892-00	572.90	444	25		
-06	1,693.90	445	-06	916.60	444	25 023 360-00	1,374.80	266
-08	1,693.90	445	-08	916.60	444	-06	2,199.40	266
-10	1,429.20	445	-10	773.40	444	-08	2,199.40	266
-28	2,096.30	445	-28	1,134.40	444	-09	2,722.10	266
-33	1,429.10	445	-33	773.30	444	-28	2,722.10	266
-99	1,905.70	445	-99	1,031.30	444	-99	2,474.60	266
20 710 892-00	962.40	445	22 513 892-00	606.90	444	25 100 892-00	800.40	498
-06	1,539.80	445	-06	971.00	444	-06	1,280.50	498
-08	1,539.80	445	-08	971.00	444	-08	1,280.50	498
-10	1,299.40	445	-10	819.50	444	-10	1,080.60	498
-28	1,905.70	445	-28	1,201.80	444	-28	1,584.90	498
-33	1,299.30	445	-33	819.10	444	-33	1,080.40	498
-99	1,732.40	445	-99	1,092.50	444	-99	1,440.80	498
20 713 661-00	901.80	339	22 533 892-00	799.30	444	25 133 882-00	1,326.30	499
-06	1,443.00	339	-06	1,279.10	444	-06	2,121.70	499
-33	1,217.40	339	-08	1,279.10	444	-08	2,121.70	499
20 713 670-00	946.90	123	-10	1,079.10	444	-10	1,790.50	499
-06	1,515.20	123	-28	1,582.70	444	-28	2,625.90	499
20 713 710-00	1,080.00	202	-33	1,079.20	444	-33	1,790.00	499
-06	1,728.10	202	-99	1,438.80	444	-99	2,387.20	499
20 713 782-00	1,316.40	278	22 815 892-00	490.70	726	25 133 892-00	1,212.00	498
-06	2,106.50	278	-06	785.10	726	-06	1,939.70	498
-08	2,106.50	278	-08	785.10	726	-08	1,939.70	498
-28	2,606.60	278	-09	971.60	726	-10	1,636.30	498
-99	2,369.60	278	-28	971.60	726	-28	2,399.90	498
20 713 809-00	1,121.90	515	-33	662.50	726	-33	1,636.40	498
-06	1,794.90	515	-93	588.90	726	-99	2,181.80	498
-08	1,795.00	515	-99	736.10	726	25 863 661-00	2,669.20	384, 497
-28	2,221.40	515	22 900 360-00	172.30	708	-06	4,270.90	384, 497
-99	2,019.30	515	-06	275.80	708	-28	5,285.20	384, 497
20 713 811-00	1,272.30	062	-08	275.80	708	-33	3,604.30	384, 497
-06	2,035.60	062	-09	341.10	708	-99	4,804.70	384, 497
-28	2,519.10	062	-28	341.10	708	25 863 705-00	3,910.70	046
-36	2,035.60	062	-99	310.10	708	-06	6,257.10	046
-38	2,519.10	062	22 900 361-00	172.30	708	-99	7,039.20	046
-99	2,290.10	062	-06	275.80	708	25 863 710-00	3,910.70	227
20 713 819-00	1,121.90	515	-08	275.80	708	-06	6,257.10	227
-06	1,794.90	515	-09	341.10	708	25 863 809-00	3,915.90	556
-08	1,795.00	515	-28	341.10	708	-06	6,265.60	556
-28	2,221.40	515	-99	310.10	708	-08	6,265.40	556
-99	2,019.30	515	22 900 892-00	165.90	708	-28	7,753.50	556
20 713 845-00	692.50	165	-06	265.40	708	-99	7,048.60	556
-06	1,107.90	165	-08	265.40	708	25 863 811-00	3,910.70	109
-33	934.90	165	-10	224.00	708	-06	6,257.10	109
20 713 882-00	1,103.80	446	-28	328.50	708	-28	7,743.10	109
-06	1,766.40	446	-33	224.00	708	-99	7,039.20	109
-08	1,766.40	446	-99	298.60	708	25 943 360-00	3,376.10	266
-10	1,490.20	446	22 901 782-00	173.10	708	-06	5,401.60	266
-28	2,185.60	446	-06	277.00	708	-08	5,401.60	266
-33	1,490.40	446	-08	277.00	708	-09	6,684.60	266
-99	1,986.90	446	-28	342.80	708	-28	6,684.60	266
20 713 892-00	1,019.90	445	-33	233.90	708	-99	6,077.10	266
-06	1,631.70	445	-99	311.70	708	25 943 809-00	3,414.10	556
-08	1,631.70	445	22 901 979-00	151.80	167, 203, 345, 519	-06	5,462.40	556
-10	1,376.90	445	-06	242.80	167, 203, 345, 519	-08	5,462.50	556
-28	2,019.50	445	-08	242.80	345, 519	-28	6,760.00	556
-33	1,376.80	445	-28	300.50	345, 519	-99	6,145.50	556
-99	1,835.90	445	-33	204.90	167, 345	25 943 819-00	3,414.10	557
20 715 782-00	1,378.90	279	-99	273.10	345, 519	-06	5,462.40	557
-06	2,206.30	279	24			-08	5,462.50	557
-08	2,206.30	279	24 510 360-00	988.80	243	-28	6,760.00	557
-28	2,730.40	279	-06	1,581.90	243	-99	6,145.50	557
-99	2,482.20	279	-08	1,581.90	243	25 943 882-00	3,380.10	498
22			-09	1,957.90	243	-06	5,408.00	498
22 302 892-00	544.00	444	-28	1,957.90	243	-08	5,408.00	498
-06	870.20	444	-99	1,779.90	243	-10	4,563.10	498
-08	870.20	444	24 510 892-00	715.50	453	-28	6,692.70	498
-10	734.40	444	-06	1,144.90	453	-33	4,563.20	498
-28	1,077.10	444	-08	1,144.90	453	-99	6,084.30	498
-33	734.30	444	-10	965.90	453	25 943 892-00	3,103.70	497
-99	979.20	444	-28	1,416.60	453	-06	4,965.80	497
22 500 360-00	791.00	240	-33	966.10	453	-08	4,965.80	497
-06	1,265.80	240	-99	1,287.80	453	-10	4,190.00	497
-08	1,265.80	240				-28	6,145.20	497
-09	1,566.30	240				-33	4,189.90	497
-28	1,566.30	240				-99	5,586.50	497
-99	1,423.80	240						

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
26			26 413 980-00	564.90	013, 020, 075,	27 512 892-00	1,747.90	499
26 024 661-00	4,036.10	361, 471, 534, 595			082, 136, 287,	-06	2,796.60	499
-06	6,457.70	361, 471, 534, 595	-06	903.50	290, 295, 404, 411, 576	-08	2,796.60	499
-08	6,457.80	361, 471, 534, 595			013, 020, 075,	-10	2,359.60	499
-28	7,991.40	361, 471, 534, 595	-08	903.50	082, 136, 287,	-28	3,460.80	499
-33	5,448.70	361, 471, 595			290, 295, 404, 411, 576	-33	2,359.50	499
-99	7,265.00	361, 471, 534, 595	-28	1,118.30	290, 295, 404, 411, 576	-99	3,146.20	499
26 100 892-00	645.10	454, 485, 641	-08	903.50	287, 290, 295,	27 522 809-00	2,621.70	558
-06	1,032.40	454, 485, 641			404, 411, 576	-06	4,194.90	558
-08	1,032.40	454, 485, 641	-33	762.40	075, 082, 287,	-08	4,194.80	558
-10	871.00	454, 485, 641	-99	1,016.50	290, 295, 404, 411, 576	-28	5,191.00	558
-28	1,277.50	454, 485, 641			411, 576	-99	4,719.00	558
-33	871.10	454, 485, 641	26 632 360-00	2,564.40	246, 250, 586	27 522 819-00	2,621.70	558
-99	1,161.30	454, 485, 641	-06	4,103.00	246, 250, 586	-06	4,194.90	558
26 101 360-00	672.70	244, 258, 641	-08	4,103.00	246, 250, 586	-08	4,194.80	558
-06	1,075.80	244, 258, 641	-09	5,077.50	246, 250, 586	-28	5,191.00	558
-08	1,075.80	244, 258, 641	-28	5,077.50	246, 250, 586	-99	4,719.00	558
-09	1,331.80	244, 258, 641	-99	4,615.90	246, 250, 586	27 523 811-00	2,621.70	110
-28	1,331.80	244, 258, 641	26 632 809-00	2,381.20	530, 589	-06	4,194.90	110
-99	1,210.60	244, 258, 641	-06	3,809.80	530, 589	-28	5,191.00	110
26 413 360-00	621.50	244, 248, 573	-08	3,809.80	530, 589	-99	4,719.00	110
-06	994.50	244, 248, 573	-28	4,714.70	530, 589	27 532 782-00	2,106.80	319
-08	994.50	244, 248, 573	-99	4,286.20	530, 589	-06	3,370.80	319
-09	1,230.50	244, 248, 573	26 632 892-00	2,381.60	456, 466, 587	-08	3,370.80	319
-28	1,230.60	244, 248, 573	-06	3,810.20	456, 466, 587	-28	4,171.40	319
-99	1,118.60	244, 248, 573	-08	3,810.20	456, 466, 587	-99	3,792.20	319
26 413 370-00	621.50	244, 249, 574	-10	3,215.10	456, 466, 587	27 632 661-00	1,493.00	386
-06	994.50	244, 249, 574	-28	4,715.50	456, 466, 587	-06	2,388.70	386
-08	994.50	244, 249, 574	-33	3,214.90	456, 466, 587	-33	2,014.60	386
-09	1,230.50	244, 249, 574	-99	4,286.90	456, 466, 587	27 632 809-00	1,844.20	557
-28	1,230.60	244, 249, 574	26 633 892-00	2,327.50	467, 588	-06	2,950.80	557
-99	1,118.60	244, 249, 574	-06	3,723.40	467, 588	-08	2,950.80	557
26 413 625-00	564.20	347, 349, 355, 462, 575	-08	3,723.40	467, 588	-28	3,651.70	557
-06	902.90	347, 349, 355, 462, 575	-10	3,142.10	467, 588	-99	3,319.90	557
-08	902.90	355, 462, 575	-28	4,608.50	467, 588	27 632 811-00	1,936.50	109
-28	1,117.20	355, 462, 575	-33	3,141.80	467, 588	-06	3,098.40	109
-33	761.40	347, 349, 355, 462, 575	-99	4,189.40	467, 588	-28	3,834.30	109
-99	1,015.80	355, 462, 575	27			-99	3,485.70	109
26 413 710-00	565.00	205, 211, 572	27 412 670-00	1,836.60	153	27 701 670-00	260.00	012, 128, 168, 204, 243, 286, 403, 453, 520
-06	903.60	205, 211, 572	-06	2,938.50	153	-06	416.00	012, 128, 168, 204, 243, 286, 403, 453, 520
-08	903.80	572	27 412 710-00	1,788.30	228	-08	416.00	243, 286, 403, 453, 520
-28	1,118.30	572	-06	2,861.40	228	-28	514.90	243, 286, 403, 453, 520
-33	762.40	572	27 412 782-00	2,219.50	318	-99	468.10	012, 243, 286, 403, 453, 520
-99	1,016.60	572	-06	3,551.50	318	27 701 970-00	260.00	012, 128, 168, 204, 243, 286, 346, 403, 453, 520
26 413 809-00	564.80	527, 578	-08	3,551.50	318	-06	416.00	012, 128, 168, 204, 243, 286, 346, 403, 453, 520
-06	903.60	527, 578	-28	4,394.60	318	-08	416.00	243, 286, 346, 403, 453, 520
-08	903.50	527, 578	-99	3,995.10	318	-09	514.90	243, 453
-28	1,118.10	527, 578	27 412 845-00	1,542.60	190	-28	514.90	243, 286, 346, 403, 453, 520
-99	1,016.40	527, 578	-06	2,468.10	190	-99	468.10	012, 243, 286, 346, 403, 453, 520
26 413 892-00	564.80	454, 463, 577	-33	2,082.50	190	27 702 660-00	378.40	386
-06	903.40	454, 463, 577	27 502 360-00	2,658.50	267	-06	605.20	386
-08	903.40	454, 463, 577	-06	4,253.60	267	-33	510.90	386
-10	762.40	454, 463, 577	-08	4,253.60	267	27 702 809-00	514.10	558
-28	1,118.10	454, 463, 577	-09	5,264.00	267	-06	822.40	558
-33	762.30	454, 463, 577	-28	5,264.00	267	-08	822.60	558
-99	1,016.40	454, 463, 577	-99	4,785.40	267	-28	1,018.00	558
26 413 979-00	338.40	021, 083, 129, 131, 137, 169, 172, 176, 212, 296, 356, 412, 464, 528, 579	27 502 370-00	2,602.40	268	-99	925.40	558
-06	551.80	021, 083, 129, 131, 137, 169, 172, 176, 212, 296, 356, 412, 464, 528, 579	-06	4,163.90	268	27 702 979-00	467.40	191, 501
-08	541.30	021, 083, 129, 131, 137, 169, 172, 176, 212, 296, 356, 412, 464, 528, 579	-08	4,163.90	268	-06	747.70	191, 501
-10	456.70	021, 083, 129, 131, 137, 169, 172, 176, 212, 296, 356, 412, 464, 528, 579	-09	5,152.70	268	-08	747.70	501
-28	669.90	083, 296, 356, 412, 464, 528, 579	-28	5,152.70	268	-09	925.60	501
-33	465.50	169, 172, 176, 356, 464, 579	-99	4,684.30	268	-10	631.00	501
-99	608.90	021, 083, 296, 356, 412, 464, 528, 579	27 512 710-00	1,787.70	228	-28	925.60	501
			-06	2,860.40	228	-33	631.00	191, 501
			-08	1,873.40	500	-99	841.40	501
			-06	2,997.50	500			
			-08	2,997.50	500			
			-10	2,529.00	500			
			-28	3,709.10	500			
			-33	2,529.20	500			
			-99	3,372.00	500			

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
27 702 980-00	459.50	046, 047, 110, 153, 320, 434	27 805 625-00	264.30	366, 476, 618	27 821 979-00	551.60	029, 093, 147, 305, 421, 631
-06	735.20	046, 047, 110, 153, 320, 434	-06	422.90	366, 476, 618	-06	882.60	029, 093, 147, 305, 421, 631
-08	735.20	320, 434	-28	523.40	366, 476, 618	-08	882.60	305, 421, 631
-28	909.80	110, 320, 434	-33	356.80	366, 476, 618	-28	1,092.40	093, 305, 421, 631
-99	827.10	046, 047, 110, 320, 434	27 806 625-00	272.50	367, 477, 622	-99	993.00	029, 093, 305, 421, 631
27 802 660-00	366.40	350, 366, 476, 537, 617	-06	436.30	367, 477, 622	27 822 979-00	467.00	029, 093, 148, 306, 422, 632
-06	586.50	350, 366, 476, 537, 617	-28	539.60	367, 477, 622	-06	747.20	029, 093, 148, 306, 422, 632
-08	586.50	366, 476, 537, 617	-33	367.50	367, 477, 622	-08	747.20	306, 422, 632
-10	494.70	476, 617	27 808 710-00	553.00	206, 207, 216, 618	-28	924.80	093, 306, 422, 632
-28	725.50	366, 476, 537, 617	-06	884.80	206, 207, 216, 618	-99	840.70	029, 093, 306, 422, 632
-33	494.90	350, 366, 476, 617	27 808 809-00	541.30	521, 522, 523, 538, 620	27 823 979-00	474.40	186, 220, 257, 373, 484, 543, 633
-99	659.30	366, 476, 537, 617	-06	866.10	521, 522, 523, 538, 620	-06	759.10	186, 220, 257, 373, 484, 543, 633
27 802 845-00	397.10	171, 181, 618	-08	866.10	521, 522, 523, 538, 620	-08	759.10	257, 373, 484, 543, 633
-06	635.30	171, 181, 618	-28	1,071.70	521, 522, 523, 538, 620	-10	640.50	484, 633
-33	536.20	171, 181, 618	-99	974.30	521, 522, 523, 538, 620	-28	939.30	257, 373, 484, 543, 633
27 802 892-00	492.00	457, 477, 619	27 808 980-00	570.30	014, 015, 024, 076, 077, 088, 143, 288, 289, 300, 416, 620	-33	640.50	186, 373, 484, 633
-06	787.40	457, 477, 619	-06	912.50	014, 015, 024, 076, 077, 088, 143, 288, 289, 300, 416, 620	-99	854.00	257, 373, 484, 543, 633
-08	787.40	457, 477, 619	-08	912.50	288, 289, 300, 416, 620	27 838 979-00	726.80	028, 092, 147, 304, 420, 629
-10	664.20	457, 477, 619	-28	1,129.00	076, 077, 088, 288, 289, 300, 416, 620	-06	1,162.70	028, 092, 147, 304, 420, 629
-28	974.20	457, 477, 619	-33	770.00	014, 015, 024, 076, 077, 088, 289, 300, 416, 620	-08	1,162.70	304, 420, 629
-33	664.40	457, 477, 619	-99	1,026.40	076, 077, 088, 289, 300, 416, 620	-28	1,438.90	092, 304, 420, 629
-99	885.60	457, 477, 619	27 809 980-00	717.30	025, 089, 300, 416, 621	-99	1,308.10	028, 092, 304, 420, 629
27 802 970-00	378.00	024, 088, 130, 132, 143, 299, 415, 617	-06	1,147.70	025, 089, 300, 416, 621	28		
-06	604.10	024, 088, 130, 132, 143, 299, 415, 617	-08	1,147.50	300, 416, 621	28 002 970-00	246.30	244, 246, 248, 249, 250, 573, 574, 586, 613
-08	604.10	299, 415, 617	-28	1,420.10	089, 300, 416, 621	-00 0010	246.30	613
-28	748.30	088, 299, 415, 617	-99	1,291.00	025, 089, 300, 416, 621	-06	393.90	244, 246, 248, 249, 250, 573, 574, 586, 613
-33	510.40	617	27 809 985-00	748.60	025, 089, 300, 416, 621	-06 0010	393.90	613
-99	680.00	024, 088, 299, 415, 617	-06	1,197.90	025, 089, 300, 416, 621	-08	393.90	244, 246, 248, 249, 250, 573, 574, 586, 613
27 803 361-00	548.00	245, 247, 252, 619	-08	1,197.70	300, 416, 621	-08 0010	393.90	613
-06	876.50	245, 247, 252, 619	-28	1,482.10	089, 300, 416, 621	-09	487.70	244, 246, 248, 249, 250, 573, 574, 586, 613
-08	876.50	245, 247, 252, 619	-99	1,347.40	025, 089, 300, 416, 621	-09 0010	487.70	613
-09	1,085.30	245, 247, 252, 619	27 818 980-00	678.10	025, 089, 144, 301, 405, 406, 417, 622	-28	487.70	244, 246, 248, 249, 250, 573, 574, 586, 613
-28	1,085.30	245, 247, 252, 619	-06	1,084.70	025, 089, 144, 301, 405, 406, 417, 622	-28 0010	487.70	613
-99	986.60	245, 247, 252, 619	-08	1,085.10	301, 405, 406, 417, 622	-99	443.20	244, 246, 248, 249, 250, 573, 574, 586, 613
27 803 371-00	523.30	253, 619	-28	1,342.60	089, 301, 405, 406, 417, 622	-99 0010	443.20	613
-06	837.20	253, 619	-33	915.30	406, 417, 622	28 002 978-00	190.00	251, 590, 615
-08	837.20	253, 619	-99	1,220.50	025, 089, 301, 405, 406, 417, 622	-00 0010	190.00	615
-09	1,035.90	253, 619	27 820 979-00	400.10	185, 219, 256, 371, 482, 541, 630	-06	304.00	251, 590, 615
-28	1,035.90	253, 619	-06	640.20	185, 219, 256, 371, 482, 541, 630	-06 0010	304.00	615
-99	941.80	253, 619	-08	640.20	256, 371, 482, 541, 630	-08	304.00	251, 590, 615
27 803 660-00	355.10	348, 366, 476, 537, 617	-10	540.10	482, 630	-08 0010	304.00	615
-06	567.90	348, 366, 476, 537, 617	-28	792.10	256, 371, 482, 541, 630	-09	376.20	251, 590, 615
-08	567.90	366, 476, 537, 617	-33	540.10	185, 371, 482, 630	-09 0010	376.20	615
-10	479.30	476, 617	-99	720.10	256, 371, 482, 541, 630	-28	376.20	251, 590, 615
-28	703.10	366, 476, 537, 617				-28 0010	376.20	615
-33	478.70	348, 366, 476, 617				-99	342.00	251, 590, 615
-99	638.40	366, 476, 537, 617				-99 0010	342.00	615
27 803 845-00	383.50	170, 182, 620						
-06	613.70	170, 182, 620						
-33	517.60	170, 182, 620						
27 803 892-00	482.30	455, 477, 621						
-06	771.50	455, 477, 621						
-08	771.50	455, 477, 621						
-10	651.20	455, 477, 621						
-28	955.00	455, 477, 621						
-33	651.00	455, 477, 621						
-99	868.20	455, 477, 621						

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
28 012 979-00	190.00	013, 017, 020, 075, 079, 082, 134, 136, 205, 211, 287, 292, 295, 404, 408, 411, 527, 569, 572, 576, 578, 615	28 013 979-00 0010	191.10	022, 085, 139, 140, 178, 214, 297, 358, 359, 360, 413, 466, 467, 468, 469, 470, 531, 532, 533, 587, 588, 591, 592, 593, 594, 613	28 015 979-00	101.60	076, 084, 085, 129, 130, 131, 138, 139, 169, 170, 172, 177, 178, 213, 214, 347, 348, 349, 357, 358, 359, 465, 468, 469, 529, 531, 532, 585, 591, 593, 613
-00 0010	190.00	615	-06 0010	305.90	022, 085, 139, 140, 178, 214, 297, 358, 359, 360, 413, 466, 467, 468, 469, 470, 531, 532, 533, 587, 588, 591, 592, 593, 594, 613	-00 0010	101.60	613
-06	304.00	013, 017, 020, 075, 079, 082, 134, 136, 205, 211, 287, 292, 295, 404, 408, 411, 527, 569, 572, 576, 578, 615	-08 0010	305.90	297, 358, 359, 360, 413, 466, 467, 468, 469, 470, 531, 532, 533, 587, 588, 591, 592, 593, 594, 613	-06	162.70	076, 084, 085, 129, 130, 131, 138, 139, 169, 170, 172, 177, 178, 213, 214, 347, 348, 349, 357, 358, 359, 465, 468, 469, 529, 531, 532, 585, 591, 593, 613
-06 0010	304.00	615	-10 0010	258.10	466, 467, 587, 588, 613	-06 0010	162.60	613
-08	304.00	287, 292, 295, 404, 408, 411, 527, 569, 572, 576, 578, 615	-28 0010	396.00	085, 297, 358, 359, 360, 413, 466, 467, 468, 469, 470, 531, 532, 533, 587, 588, 591, 592, 593, 594, 613	-08	162.70	357, 358, 359, 465, 468, 469, 529, 531, 532, 585, 591, 593, 613
-08 0010	304.00	615	-33 0010	258.10	178, 358, 359, 360, 466, 467, 468, 469, 470, 587, 588, 591, 592, 593, 594, 613	-08 0010	162.60	613
-10	256.60	615	-99 0010	305.90	022, 085, 297, 358, 359, 360, 413, 466, 467, 468, 469, 470, 531, 532, 533, 587, 588, 591, 592, 593, 594, 613	-10	137.00	613
-10 0010	256.60	615				-10 0010	137.00	613
-28	376.20	075, 079, 082, 287, 292, 295, 404, 408, 411, 527, 569, 572, 576, 578, 615				-28	201.10	076, 084, 085, 357, 358, 359, 465, 468, 469, 529, 531, 532, 585, 591, 593, 613
-28 0010	376.20	615				-28 0010	201.20	613
-33	256.40	572, 576, 615				-33	137.10	169, 170, 172, 177, 178, 347, 348, 349, 357, 358, 359, 465, 468, 469, 585, 591, 593, 613
-33 0010	256.40	615				-33 0010	137.10	613
-99	342.00	013, 017, 020, 075, 079, 082, 287, 292, 295, 404, 408, 411, 527, 569, 572, 576, 578, 615				-99	182.90	076, 084, 085, 357, 358, 359, 465, 468, 469, 529, 531, 532, 585, 591, 593, 613
-99 0010	342.00	615	28 014 979-00 0010	109.20	614	28 016 979-00	157.60	290, 454, 614
			-06 0010	174.80	614	-00 0010	157.60	614
			-08 0010	174.80	614	-06	252.40	290, 454, 614
			-10 0010	147.50	614	-06 0010	252.30	614
			-28 0010	216.20	614	-08	252.40	290, 454, 614
			-33 0010	147.50	614	-08 0010	252.30	614
			-99 0010	196.60	614	-10	212.80	454, 614
						-10 0010	212.90	614
						-28	312.10	290, 454, 614
						-28 0010	312.10	614
						-33	212.90	454, 614
						-33 0010	212.90	614
						-99	283.70	290, 454, 614
						-99 0010	283.70	614

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
28 017 979-00	146.40	016, 018, 078, 080, 133, 135, 173, 174, 208, 209, 291, 293, 351, 353, 407, 409, 458, 460, 524, 525, 567, 570, 614	-28 0010	289.60	079, 081, 082, 083, 292, 294, 295, 296, 352, 354, 355, 356, 361, 408, 410, 411, 412, 459, 461, 462, 463, 464, 471, 526, 527, 528, 530, 534, 568, 569, 571, 572, 575, 576, 577, 578, 579, 589, 595, 614	28 018 979-00	109.20	014, 019, 021, 022, 081, 083, 085, 135, 137, 139, 140, 175, 176, 178, 206, 210, 212, 214, 288, 294, 296, 297, 352, 354, 355, 356, 360, 405, 410, 412, 413, 456, 459, 461, 462, 463, 464, 466, 467, 470, 526, 528, 533, 568, 571, 575, 577, 579, 587, 588, 592, 594, 614
-00 0010	146.40	017, 019, 020, 021, 079, 081, 082, 083, 134, 135, 136, 137, 175, 176, 210, 211, 212, 292, 294, 295, 296, 352, 354, 355, 356, 361, 408, 410, 411, 412, 459, 461, 462, 463, 464, 471, 526, 527, 528, 530, 534, 568, 569, 571, 572, 575, 576, 577, 578, 579, 589, 595, 614	-33	197.70	173, 174, 351, 353, 458, 460, 567, 570, 614	-06	174.80	014, 019, 021, 022, 081, 083, 085, 135, 137, 139, 140, 175, 176, 178, 206, 210, 212, 214, 288, 294, 296, 297, 352, 354, 355, 356, 360, 405, 410, 412, 413, 456, 459, 461, 462, 463, 464, 466, 467, 470, 526, 528, 533, 568, 571, 575, 577, 579, 587, 588, 592, 594, 614
-06	234.30	016, 018, 078, 080, 133, 135, 173, 174, 208, 209, 291, 293, 351, 353, 407, 409, 458, 460, 524, 525, 567, 570, 614	-33 0010	197.70	175, 176, 352, 354, 355, 356, 361, 459, 461, 462, 463, 464, 471, 568, 571, 572, 575, 576, 577, 579, 595, 614	-06	174.80	014, 019, 021, 022, 081, 083, 085, 135, 137, 139, 140, 175, 176, 178, 206, 210, 212, 214, 288, 294, 296, 297, 352, 354, 355, 356, 360, 405, 410, 412, 413, 456, 459, 461, 462, 463, 464, 466, 467, 470, 526, 528, 533, 568, 571, 575, 577, 579, 587, 588, 592, 594, 614
-06 0010	234.10	017, 019, 020, 021, 079, 081, 082, 083, 134, 135, 136, 137, 175, 176, 210, 211, 212, 292, 294, 295, 296, 352, 354, 355, 356, 361, 408, 410, 411, 412, 459, 461, 462, 463, 464, 471, 526, 527, 528, 530, 534, 568, 569, 571, 572, 575, 576, 577, 578, 579, 589, 595, 614	-99	263.50	016, 018, 078, 080, 291, 293, 351, 353, 407, 409, 458, 460, 524, 525, 567, 570, 614	-08	174.80	288, 294, 296, 297, 352, 354, 355, 356, 360, 405, 410, 412, 413, 456, 459, 461, 462, 463, 464, 466, 467, 470, 526, 528, 533, 568, 571, 575, 577, 579, 587, 588, 592, 594, 614
-08	234.30	291, 293, 351, 353, 407, 409, 458, 460, 524, 525, 567, 570, 614	-99 0010	263.30	017, 019, 020, 021, 079, 081, 082, 083, 292, 294, 295, 296, 352, 354, 355, 356, 361, 408, 410, 411, 412, 459, 461, 462, 463, 464, 471, 526, 527, 528, 530, 534, 568, 569, 571, 572, 575, 576, 577, 578, 579, 589, 595, 614	-10	147.40	456, 459, 463, 464, 466, 467, 568, 577, 579, 587, 588, 614
-08 0010	234.10	292, 294, 295, 296, 352, 354, 355, 356, 361, 408, 410, 411, 412, 459, 461, 462, 463, 464, 471, 526, 527, 528, 530, 534, 568, 569, 571, 572, 575, 576, 577, 578, 579, 589, 595, 614				-28	216.20	081, 083, 085, 288, 294, 296, 297, 352, 354, 355, 356, 360, 405, 410, 412, 413, 456, 459, 461, 462, 463, 464, 466, 467, 470, 526, 528, 533, 568, 571, 575, 577, 579, 587, 588, 592, 594, 614
-10	197.60	458, 567, 614				-33	147.50	175, 176, 178, 352, 354, 355, 356, 360, 456, 459, 461, 462, 463, 464, 466, 467, 470, 568, 571, 575, 577, 579, 587, 588, 592, 594, 614
-10 0010	197.70	459, 463, 464, 568, 577, 579, 614						
-28	289.80	078, 080, 291, 293, 351, 353, 407, 409, 458, 460, 524, 525, 567, 570, 614						

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
-99	196.60	014, 019, 021, 022, 081, 083, 085, 288, 294, 296, 297, 352, 354, 355, 356, 360, 405, 410, 412, 413, 456, 459, 461, 462, 463, 464, 466, 467, 470, 526, 528, 533, 568, 571, 575, 577, 579, 587, 588, 592, 594, 614	28 041 980-00	601.10	023, 087, 142, 215, 298, 414, 602	28 060 970-00	159.20	715
		361, 471, 530, 534, 589, 595, 613	-06	961.80	023, 087, 142, 215, 298, 414, 602	-06	254.90	715
28 019 979-00	191.10	361, 471, 530, 534, 589, 595, 613	-08	961.80	298, 414, 602	-08	254.90	715
-06	305.90	361, 471, 530, 534, 589, 595, 613	-10	811.50	602	-10	215.00	715
-08	305.90	361, 471, 530, 534, 589, 595, 613	-28	1,190.20	087, 298, 414, 602	-28	315.30	715
-10	258.10	361, 471, 530, 534, 589, 595, 613	-33	811.50	602	-33	215.10	715
-28	378.50	361, 471, 530, 534, 589, 595, 613	-99	1,082.00	298, 414, 602	-99	286.60	715
-33	258.10	361, 471, 595, 613	28 042 980-00	903.20	023, 087, 142, 216, 299, 415, 602	28 104 970-00	114.70	718
-99	344.10	361, 471, 530, 534, 589, 595, 613	-06	1,445.10	023, 087, 142, 216, 299, 415, 602	-06	193.60	718
28 031 970-00	601.10	180, 364, 474, 536, 601	-08	1,445.10	299, 415, 602	-08	193.60	718
-06	961.80	180, 364, 474, 536, 601	-10	1,219.30	602	-10	143.30	718
-08	961.80	364, 474, 536, 601	-28	1,788.30	087, 299, 415, 602	-28	222.90	718
-10	811.50	474, 601	-33	1,219.30	602	-33	143.30	718
-28	1,190.20	364, 474, 536, 601	-99	1,625.80	023, 087, 299, 415, 602	-99	193.60	718
-33	811.50	180, 364, 474, 601	28 043 980-00	1,205.20	024, 088, 142, 216, 299, 415, 603	28 204 970-00	143.30	718
-99	1,082.00	364, 474, 536, 601	-06	1,928.30	024, 088, 142, 216, 299, 415, 603	-06	251.00	718
28 032 970-00	903.20	181, 365, 475, 536, 602	-08	1,928.30	299, 415, 603	-08	251.00	718
-06	1,445.10	181, 365, 475, 536, 602	-10	1,627.00	603	-08	276.10	718
-08	1,445.10	365, 475, 536, 602	-28	2,386.30	088, 299, 415, 603	-09	193.60	718
-10	1,219.30	475, 602	-33	1,627.00	603	-10	276.10	718
-28	1,788.30	365, 475, 536, 602	-99	2,169.40	024, 088, 299, 415, 603	-28	193.60	718
-33	1,219.30	181, 365, 475, 602	28 044 980-00	1,809.30	024, 088, 143, 216, 299, 415, 604	-33	193.60	718
-99	1,625.80	365, 475, 536, 602	-06	2,894.90	024, 088, 143, 216, 299, 415, 604	-99	251.00	718
28 033 970-00	1,205.20	181, 365, 475, 537, 603	-08	2,894.90	299, 415, 604	28 285 979-00	84.40	029, 093, 147, 148, 185, 186, 219, 220, 256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633
-06	1,928.30	181, 365, 475, 537, 603	-10	2,442.60	604	-06	135.10	029, 093, 147, 148, 185, 186, 219, 220, 256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633
-08	1,928.30	365, 475, 537, 603	-28	3,582.40	088, 299, 415, 604	-08	135.00	256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633
-10	1,627.00	475, 603	-33	2,442.60	604	-10	113.90	482, 484, 630, 633
-28	2,386.30	365, 475, 537, 603	-99	3,256.70	024, 088, 299, 415, 604	-28	167.00	093, 256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633
-33	1,627.00	181, 365, 475, 603	28 050 625-00	130.00	714	-33	113.90	185, 186, 371, 373, 482, 484, 630, 633
-99	2,169.40	365, 475, 537, 603	-06	208.20	714	-99	151.90	029, 093, 256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633
28 034 970-00	1,809.30	181, 365, 475, 537, 603	-28	257.40	714			
-06	2,894.90	181, 365, 475, 537, 603	-33	175.60	714			
-08	2,894.90	365, 475, 537, 603	-06	184.70	714			
-10	2,442.60	475, 603	-08	295.80	714			
-28	3,582.40	365, 475, 537, 603	-28	164.00	715			
-33	2,442.60	181, 365, 475, 603	-06	263.10	715			
-99	3,256.70	365, 475, 537, 603	-08	262.50	715			
			-28	324.90	715			
			-33	295.50	715			
			-99	124.80	714			
			28 050 845-00	199.60	714			
			-06	168.40	714			
			-33	149.20	715			
			28 050 892-00	149.20	715			
			-06	238.90	715			
			-08	238.90	715			
			-10	201.30	715			
			-28	295.50	715			
			-33	201.50	715			
			-99	268.60	715			
			28 050 980-00	172.60	715			
			-06	276.40	715			
			-08	276.40	715			
			-28	341.70	715			
			-33	233.10	715			
			-99	310.70	715			

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
28 286 979-00	84.40	029, 093, 147, 148, 185, 186, 219, 220, 256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633	28 450 809-00	108.00	713	28 508 979-00	532.60	179, 362, 455, 472, 535, 582
-06	135.10	029, 093, 147, 148, 185, 186, 219, 220, 256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633	-06	172.50	713	-06	852.00	179, 362, 455, 472, 535, 582
-08	135.00	256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 484, 541, 543, 630, 631, 632, 633	-08	172.80	713	-08	852.00	362, 455, 472, 535, 582
-10	113.90	482, 484, 630, 633	-28	213.90	713	-10	719.00	455, 472, 582
-28	167.00	093, 256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633	-99	194.40	713	-28	1,054.30	362, 455, 472, 535, 582
-33	113.90	185, 186, 371, 373, 482, 484, 630, 633	28 450 845-00	96.90	712	-33	719.00	179, 362, 455, 472, 582
-99	151.90	029, 093, 256, 257, 305, 306, 371, 373, 421, 422, 482, 484, 541, 543, 630, 631, 632, 633	-06	155.00	712	-99	958.50	362, 455, 472, 535, 582
28 304 970-00	126.80	718	-33	130.80	712	28 508 980-00	547.60	022, 086, 130, 140, 298, 414, 582
-06	203.50	718	-99	212.90	714	-06	876.00	022, 086, 130, 140, 298, 414, 582
-08	203.50	718	-08	212.90	714	-08	876.20	298, 414, 582
-09	251.10	718	-28	263.30	714	-28	1,084.40	086, 298, 414, 582
-10	167.50	718	-33	179.50	714	-99	985.80	022, 086, 298, 414, 582
-28	251.10	718	-99	239.30	714	28 518 360-00	296.40	253, 625
-33	167.50	718	28 490 660-00	181.00	712	-06	474.30	253, 625
-99	228.50	718	-06	289.40	712	-08	474.30	253, 625
28 322 970-00	114.70	718	-08	289.40	712	-09	586.90	253, 625
-06	193.60	718	-10	244.20	712	-28	586.90	253, 625
-08	193.60	718	-28	358.30	712	-99	533.40	253, 625
-09	213.00	718	-33	244.50	712	28 518 710-00	282.50	217, 625
-10	143.30	718	-99	325.40	712	-06	452.00	217, 625
-28	222.90	718	28 490 970-00	191.90	712	28 518 782-00	304.60	026, 090, 144, 301, 417, 625
-33	143.30	718	-06	307.20	712	-06	487.50	026, 090, 144, 301, 417, 625
-99	206.30	718	-08	307.20	712	-08	487.50	301, 417, 625
28 323 970-00	143.30	717	-28	379.90	712	-28	603.20	090, 301, 417, 625
-06	415.70	717	-33	242.80	712	-99	548.40	026, 090, 301, 417, 625
-08	415.70	717	-99	345.00	712	28 518 979-00	251.90	182, 367, 478, 538, 626
-09	457.30	717	28 504 670-00	493.40	014, 022, 076, 086, 140, 288, 297, 405, 413, 581	-06	403.20	182, 367, 478, 538, 626
-10	189.80	717	-06	783.00	014, 022, 076, 086, 140, 288, 297, 405, 413, 581	-08	403.20	367, 478, 538, 626
-28	80.00	717	-08	789.40	288, 297, 405, 413, 581	-09	498.80	478, 626
-33	54.50	717	-28	976.90	076, 086, 288, 297, 405, 413, 581	-10	340.00	478, 626
-99	253.00	717	-99	888.10	014, 022, 076, 086, 297, 405, 413, 581	-28	498.80	367, 478, 538, 626
28 450 370-00	95.10	713	28 504 979-00	476.20	179, 361, 471, 521, 534, 581	-33	340.00	182, 367, 478, 626
-06	152.10	713	-06	762.10	179, 361, 471, 521, 534, 581	-99	453.40	367, 478, 538, 626
-08	152.10	713	-08	762.00	521, 534, 581	28 545 977-00	990.50	252, 597
-09	188.30	713	-10	642.90	361, 471, 521, 534, 581	-06	1,584.70	252, 597
-28	188.30	713	-28	943.00	361, 471, 521, 534, 581	-08	1,584.70	252, 597
-99	171.10	713	-33	642.90	179, 361, 471, 581	-09	1,961.30	252, 597
28 450 410-00	86.00	713	-99	857.30	361, 471, 521, 534, 581	-28	1,961.30	252, 597
-06	137.50	713	28 505 979-00	296.80	170, 179, 348, 362, 472, 535, 583	-99	1,782.80	252, 597
-08	137.50	713	-06	474.90	170, 179, 348, 362, 472, 535, 583	28 565 977-00	748.60	247, 252, 599
-09	170.30	713	-08	474.90	362, 472, 535, 583	-06	1,197.90	247, 252, 599
-28	170.30	713	-10	400.70	472, 583	-08	1,197.90	247, 252, 599
-99	154.70	713	-28	587.70	362, 472, 535, 583	-09	1,482.10	247, 252, 599
28 450 625-00	93.10	714	-33	400.70	170, 179, 348, 362, 472, 583	-28	1,482.10	247, 252, 599
-06	149.00	714	-99	534.30	362, 472, 535, 583	-99	1,347.40	247, 252, 599
-08	149.00	714	28 508 360-00	532.60	245, 251, 582	28 649 670-00	821.00	077, 086, 131, 132, 141, 597
-10	125.70	714	-06	852.10	245, 251, 582	-06	1,313.70	077, 086, 131, 132, 141, 597
-28	184.40	714	-08	852.10	245, 251, 582	-08	1,313.70	597
-33	125.50	714	-09	1,054.30	245, 251, 582	-28	1,625.80	077, 086, 597
-99	167.60	714	-28	1,054.30	245, 251, 582	-99	1,477.90	077, 086, 597
28 450 710-00	138.90	712	-99	958.50	245, 251, 582			
-06	222.00	712	28 508 710-00	529.40	206, 215, 581			
			-06	847.30	206, 215, 581			

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
28 649 970-00	775.90	172, 180, 350, 363, 473, 535, 598	28 765 980-00	1,230.30	015, 023, 141, 290, 298, 406, 414, 599	29 300 660-00	492.60	387
-06	1,241.50	172, 180, 350, 363, 473, 535, 598	-06	1,968.50	015, 023, 141, 290, 298, 406, 414, 599	-06	788.20	387
-08	1,241.50	363, 473, 535, 598	-08	1,968.50	290, 298, 406, 414, 599	-33	665.10	387
-10	1,047.50	473, 598	-28	2,436.00	290, 298, 406, 414, 599	29 300 670-00	544.00	047, 111, 153, 320, 434
-28	1,536.30	363, 473, 535, 598	-33	1,661.00	599	-06	870.20	047, 111, 153, 320, 434
-33	1,047.60	172, 180, 350, 363, 473, 598	-99	2,214.60	015, 023, 290, 298, 406, 414, 599	-08	870.20	320, 434
-99	1,396.70	363, 473, 535, 598	28 775 980-00	1,045.80	023, 142, 289, 298, 414, 601	-28	1,077.10	111, 320, 434
28 659 970-00	1,600.40	522	-06	1,673.30	023, 142, 289, 298, 414, 601	-99	979.20	047, 111, 320, 434
-06	2,560.60	522	-08	1,673.30	289, 298, 414, 601	29 300 809-00	652.70	559
-08	2,560.60	522	-28	2,070.70	289, 298, 414, 601	-06	1,043.90	559
-10	2,160.60	473, 598	-33	1,411.80	601	-08	1,044.20	559
-28	3,168.70	522	-99	1,882.40	023, 289, 298, 414, 601	-28	1,292.30	559
-33	2,160.50	180, 363, 473, 598	28 786 710-00	1,189.20	207, 215, 598	-99	1,174.70	559
-99	2,880.60	522	-06	1,902.90	207, 215, 598	30		
28 669 970-00	659.40	087, 141, 171, 180, 349, 364, 474, 536, 600	-08	1,902.60	598	30 010 892-00	346.80	449
-06	1,055.30	087, 141, 171, 180, 349, 364, 474, 536, 600	-28	2,354.50	598	-06	555.00	449
-08	1,055.30	364, 474, 536, 600	-99	2,140.50	598	-08	555.00	449
-10	890.30	474, 600	28 796 710-00	1,011.00	215, 600	-10	468.30	449
-28	1,305.70	087, 364, 474, 536, 600	-06	1,617.60	215, 600	-28	686.90	449
-33	890.50	171, 180, 349, 364, 474, 600	-08	1,617.70	600	-33	468.20	449
-99	1,186.90	087, 364, 474, 536, 600	-28	2,001.90	600	-99	624.40	449
28 679 670-00	963.50	086, 141, 597	-99	1,819.90	600	33		
-06	1,541.60	086, 141, 597	29			33 200 660-00	618.60	384
-08	1,734.30	597	29 140 660-00	519.40	387	-06	989.60	384
-28	1,907.80	086, 597	-06	831.20	387	-33	835.00	384
-99	1,734.30	086, 597	-33	701.30	387	33 200 710-00	959.80	227
28 679 970-00	914.10	457	29 140 670-00	701.80	046, 111, 154, 320, 434	-06	1,535.90	227
-06	1,462.90	457	-06	1,123.00	046, 111, 154, 320, 434	33 200 845-00	649.40	190
-08	1,462.90	457	-08	1,123.00	320, 434	-06	1,039.00	190
-10	1,234.20	457	-28	1,389.60	111, 320, 434	-33	876.60	190
-28	1,810.00	457	-99	1,263.30	046, 111, 320, 434	33 233 660-00	915.80	384
-33	1,234.40	457	29 140 809-00	710.90	559	-06	1,465.40	384
-99	1,645.50	457	-06	1,137.40	559	-33	1,236.80	384
28 689 970-00	777.40	087, 141, 180, 364, 474, 536, 600	-08	1,137.50	559	33 233 710-00	1,440.50	227
-06	1,243.50	087, 141, 180, 364, 474, 536, 600	-28	1,407.50	559	-06	2,304.90	227
-08	1,243.50	364, 474, 536, 600	-99	1,279.60	559	33 300 660-00	554.30	347, 374, 641
-10	1,049.50	474, 600	29 140 892-00	646.30	501	-06	886.80	347, 374, 641
-28	1,539.30	087, 364, 474, 536, 600	-06	1,034.00	501	-33	749.60	347, 374, 641
-33	1,049.30	180, 364, 474, 600	-08	1,034.00	501	33 300 845-00	554.30	169, 187, 641
-99	1,399.30	087, 364, 474, 536, 600	-10	872.50	501	-06	886.80	169, 187, 641
28 699 970-00	1,431.10	523	-28	1,279.50	501	-33	748.30	169, 187, 641
-06	2,289.80	523	-33	872.50	501	33 301 670-00	554.50	129, 150, 641
-08	2,289.80	523	-99	1,163.20	501	-06	886.70	129, 150, 641
-10	1,932.00	474, 600	29 140 979-00	641.80	501	-33	886.70	335
-28	2,833.70	523	-06	1,026.80	501	33 500 661-00	633.70	335
-33	1,932.00	180, 364, 474, 600	-08	1,026.80	501	-06	1,013.90	335
-99	2,576.00	523	-10	866.30	501	-33	855.50	335
29 210 782-00	416.30	308, 641	-28	1,270.70	501	33 500 665-00	633.70	336
-06	665.90	308, 641	-33	866.30	501	-06	1,013.90	336
-08	665.90	308, 641	-99	1,155.20	501	-33	855.50	336
-28	824.30	308, 641	29 210 811-00	1,049.70	060	33 500 670-00	532.50	122
-33	1,932.00	180, 364, 474, 600	-06	1,679.50	060	-06	851.90	122
-99	2,576.00	523	-28	2,078.40	060	-08	851.90	122
29 217 811-00	1,049.70	060	-36	1,679.50	060	-28	1,054.10	122
-06	1,679.50	060	-38	2,078.40	060	-99	958.30	122
-28	2,078.40	060	-99	1,889.50	060	33 500 710-00	790.80	202
-36	1,679.50	060	29 218 811-00	1,113.20	060	-06	1,265.30	202
-38	2,078.40	060	-06	1,781.10	060	33 500 782-00	1,002.70	278
-99	1,889.50	060	-28	2,204.20	060	-06	1,604.20	278
29 218 811-00	1,113.20	060	-36	1,781.10	060	-08	1,604.20	278
-06	1,781.10	060	-38	2,204.20	060	-28	1,985.20	278
-28	2,204.20	060	-99	2,003.80	060	-99	1,804.70	278
-36	1,781.10	060				33 500 809-00	732.10	514
-38	2,204.20	060				-06	1,171.00	514
-99	2,003.80	060				-08	1,171.30	514
						-28	1,449.50	514
						-99	1,317.60	514
						33 500 811-00	998.80	059
						-06	1,598.30	059
						-28	1,977.80	059
						-99	1,798.00	059
						33 500 845-00	441.30	164
						-06	705.90	164
						-33	595.70	164
						33 501 660-00	393.60	333
						-06	629.80	333
						-33	531.10	333

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
33 501 662-00	463.10	333	33 525 664-00	381.10	334	33 600 660-00	554.00	346
-06	740.90	333	-06	609.70	334	-06	886.20	346
-08	740.90	333	-33	514.50	334	-33	747.80	346
-28	916.90	333	33 525 665-00	550.40	335	33 600 670-00	665.40	128, 403
-33	625.10	333	-06	880.60	335	-06	1,064.60	128, 403
-99	833.50	333	-33	743.00	335	-08	1,064.60	403
33 501 664-00	463.10	334	33 525 809-00	635.70	514	-28	1,317.50	403
-06	740.90	334	-06	1,017.10	514	-99	1,197.70	403
-33	625.10	334	-08	1,017.10	514	33 600 705-00	1,236.50	012
33 501 782-00	1,049.70	278	-28	1,258.70	514	-06	1,978.30	012
-06	1,679.40	278	-99	1,144.20	514	-99	2,225.70	012
-08	1,679.40	278	33 525 811-00	1,003.60	059	33 600 710-00	988.80	204
-28	2,078.40	278	-06	1,606.00	059	-06	1,581.90	204
-99	1,889.50	278	-28	1,987.20	059	33 600 782-00	1,236.50	074, 286
33 502 660-00	430.10	333	-99	1,806.50	059	-06	1,978.40	074, 286
-06	688.00	333	33 526 660-00	366.10	333	-08	1,978.40	286
-33	580.10	333	-06	585.70	333	-28	2,448.30	074, 286
33 505 661-00	584.70	335	-33	493.90	333	-99	2,225.70	074, 286
-06	935.30	335	33 526 662-00	430.70	333	33 600 809-00	910.10	520
-33	789.40	335	-06	689.20	333	-06	1,456.10	520
33 505 665-00	584.70	336	-33	581.40	333	-08	1,456.10	520
-06	935.30	336	33 526 664-00	430.70	334	-28	1,802.00	520
-33	789.40	336	-06	689.20	334	-99	1,638.10	520
33 505 811-00	1,046.60	059	-33	581.40	334	33 600 845-00	665.40	168
-06	1,674.80	059	33 526 670-00	740.00	122	-06	1,064.50	168
-28	2,072.30	059	-06	1,184.00	122	-33	898.20	168
-99	1,883.90	059	33 526 782-00	1,000.40	278	33 800 760-00	470.20	724
33 506 845-00	740.00	164	-06	1,601.00	278	-06	752.30	724
-06	1,184.00	164	-08	1,601.00	278	-08	752.30	724
-33	999.10	164	-28	1,981.00	278	-28	931.00	724
33 507 670-00	505.80	122	-99	1,800.80	278	-93	564.20	724
-06	809.20	122	33 526 845-00	644.10	164	-99	705.40	724
-08	809.20	122	-06	1,030.60	164	33 800 790-00	635.50	724
-28	1,001.50	122	-33	869.50	164	-06	1,016.70	724
-99	910.40	122	33 527 670-00	465.70	122	-08	1,016.70	724
33 510 661-00	599.40	334	-06	745.20	122	-28	1,258.20	724
-33	809.20	334	33 534 661-00	822.30	338	-93	762.60	724
33 510 665-00	599.40	335	-06	1,315.70	338	-99	953.30	724
-06	959.10	335	-33	1,110.30	338	33 800 875-00	573.30	727
-33	809.20	335	33 534 665-00	822.30	338	-06	917.40	727
33 510 809-00	692.30	514	-06	1,315.70	338	-08	917.40	727
-06	1,107.60	514	-33	1,110.30	338	-09	1,135.20	727
-08	1,107.60	514	33 534 705-00	1,051.60	005	-28	1,135.20	727
-28	1,370.80	514	-06	1,682.60	005	-33	774.00	727
-99	1,246.10	514	-99	1,892.80	005	-93	688.00	727
33 521 670-00	492.20	122	33 534 710-00	1,068.40	202	-99	860.00	727
-06	787.60	122	-06	1,709.60	202	33 800 888-00	698.70	725
33 521 705-00	955.90	005	33 534 809-00	949.80	514	-06	1,118.00	725
-06	1,529.50	005	-06	1,519.60	514	-08	1,118.00	725
-99	1,720.60	005	-08	1,519.70	514	-09	1,383.50	725
33 521 710-00	751.10	202	-28	1,880.60	514	-28	1,383.60	725
-06	1,202.10	202	-99	1,709.60	514	-33	943.30	725
33 521 782-00	955.90	278	33 537 660-00	536.80	336	-93	838.50	725
-06	1,529.60	278	-06	859.00	336	-99	1,048.20	725
-08	1,529.60	278	-33	724.50	336	33 810 625-00	639.20	725
-28	1,892.60	278	33 537 662-00	631.60	337	-06	1,022.80	725
-99	1,720.60	278	-06	1,010.50	337	-08	1,022.80	725
33 521 809-00	675.30	514	-33	852.60	337	-28	1,265.70	725
-06	1,080.30	514	33 537 664-00	631.60	337	-99	958.90	725
-08	1,080.50	514	-06	1,010.50	337	33 815 888-00	698.70	726
-28	1,337.20	514	-33	852.60	337	-06	1,118.00	726
-99	1,215.50	514	33 537 670-00	745.20	122	-08	1,118.00	726
33 521 811-00	955.90	059	-06	1,192.40	122	-09	1,383.50	726
-06	1,529.50	059	33 537 845-00	822.90	164	-28	1,383.60	726
-28	1,892.60	059	-06	1,316.90	164	-33	943.30	726
-99	1,720.60	059	-33	1,111.00	164	-93	838.50	726
33 521 845-00	382.70	164	33 539 660-00	566.10	336	-99	1,048.20	726
-06	612.40	164	-06	905.90	336	33 816 875-00	588.40	727
-33	516.70	164	-33	763.90	336	-06	941.30	727
33 522 660-00	400.00	333	33 539 662-00	666.00	337	-08	941.30	727
-06	639.80	333	-06	1,065.70	337	-09	1,165.00	727
-33	539.80	333	-33	899.10	337	-28	1,165.00	727
33 525 660-00	323.90	333	33 539 664-00	666.00	338	-33	794.40	727
-06	518.20	333	-06	1,065.70	338	-93	706.00	727
-08	518.30	333	-33	899.10	338	-99	882.60	727
-28	641.40	333	33 560 661-00	633.70	335	33 840 760-00	533.40	731
-33	437.20	333	-06	1,013.90	335	-06	853.40	731
-99	583.10	333	-33	855.50	335	-08	853.40	731
33 525 661-00	550.40	334	33 565 661-00	584.70	335	-28	1,056.10	731
-06	880.60	334	-06	935.30	335	-93	640.10	731
-33	743.00	334	-33	789.40	335	-99	800.10	731

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
33 840 790-00	671.70	730	34 442 979-00	564.60	150, 187, 221, 308, 374, 424, 485, 544, 642	35 042 970 90	602.10	701
-06	1,074.80	730				35 043 970 90	803.50	700
-08	1,074.80	730				35 044 970 90	1,206.20	701
-28	1,330.10	730	-06	903.20	150, 187, 221, 308, 374, 424, 485, 544, 642	35 050 970 90	258.30	130, 684
-93	806.10	730				35 085 970 90	98.80	014, 015, 076, 130, 131, 132, 170, 171, 172, 206, 207, 245, 247, 288, 289, 290, 348, 349, 350, 405, 406, 455, 457, 521, 522, 523, 697, 702
-99	1,007.70	730	-08	903.20	485, 544, 642			700
33 845 760-00	592.40	731						049, 112, 155, 192, 230, 269, 322, 388, 435, 503, 560, 716
-06	947.70	731	-10	762.10	485, 544, 642	35 087 970 90	117.20	700
-08	947.70	731	-28	1,117.80	308, 374, 424, 485, 544, 642	35 150 970 90	253.30	049, 112, 155, 192, 230, 269, 322, 388, 435, 503, 560, 716
-28	1,172.80	731						696
-93	710.90	731	-33	762.00	187, 374, 485, 642	35 202 970 90	238.20	696
-99	888.60	731	-99	1,016.00	308, 374, 424, 485, 544, 642	35 203 970 90	290.00	696
33 845 875-00	1,111.00	728	34 459 360-00	2,560.90	251, 590	35 205 970 90	179.50	698
-06	1,777.50	728	-06	4,097.60	251, 590	35 206 970 90	242.80	698
-08	1,777.50	728	-08	4,097.60	251, 590	35 227 970 90	144.30	048, 112, 154, 191, 229, 269, 321, 388, 435, 502, 560, 716
-09	2,199.80	728	-09	5,070.70	251, 590			049, 112, 155, 192, 230, 269, 322, 388, 435, 503, 560, 716
-28	2,199.60	728	-28	5,070.50	251, 590	35 425 970 90	350.80	688
-93	1,333.20	728	-99	4,609.70	251, 590	35 426 970 90	368.40	688
-99	1,666.50	728	34 459 892-00	2,480.20	348, 358, 468, 531, 591	35 427 970 90	367.50	689
33 860 875-00	1,221.80	737	-06	3,968.40	348, 358, 468, 531, 591	35 428 970 90	385.50	689
-06	1,954.90	737	-08	3,968.40	358, 468, 531, 591	35 503 970 90	695.90	690
-08	1,954.90	737	-28	4,910.90	358, 468, 531, 591	35 511 970 90	570.10	691
-93	1,466.10	737	-33	3,348.30	348, 358, 468, 591	35 521 970 90	950.30	692
33 865 895-00	1,015.30	736	-99	4,464.40	358, 468, 531, 591	35 524 970 90	939.90	693
-06	1,624.40	736	34 459 979-00	2,089.80	076, 085, 139, 170, 178, 214, 359, 469, 532, 593	35 531 970 90	1,021.20	694
-08	1,624.40	736				35 534 970 90	1,106.40	695
-09	2,010.20	736	-06	3,268.60	076, 085, 139, 170, 178, 214, 359, 469, 532, 593	35 607 970 90	73.20	695
-28	2,010.20	736	-08	3,268.60	359, 469, 532, 593	35 608 970 90	95.90	696
-93	1,218.30	736	-28	4,137.90	076, 085, 359, 469, 532, 593	35 610 970 90	5,761.10	700
-99	1,522.70	736	-33	2,758.10	170, 178, 359, 469, 593	35 620 970 90	6,135.10	608
33 870 760-00	568.50	732	-99	3,677.30	076, 085, 359, 469, 532, 593	35 630 970 90	6,135.10	610
-06	909.60	732	34 459 980-00	2,478.40	014, 022, 139, 206, 288, 297, 405, 413, 592	35 696 970 90	582.50	696
-08	909.60	732				35 700 970 90	155.60	683
-28	1,125.50	732	-06	3,965.40	014, 022, 139, 206, 288, 297, 405, 413, 592	35 720 970 90	124.10	683
-93	682.20	732	-08	3,965.30	288, 297, 405, 413, 592	35 740 970 90	252.50	699
-99	852.80	732	-28	4,907.20	288, 297, 405, 413, 592	35 741 970 90	252.50	699
33 870 790-00	706.70	730	-33	3,345.90	014, 022, 288, 297, 405, 413, 592	35 742 970 90	229.40	700
-06	1,130.60	730	-99	4,461.00	085, 140, 178, 214, 360, 470, 533, 594	35 743 970 90	229.40	699
-08	1,130.60	730	34 460 979-00	2,201.20	085, 140, 178, 214, 360, 470, 533, 594	35 749 970 90	252.50	699
-28	1,399.30	730				35 771 970 90	155.60	683
-93	848.00	730	-06	3,521.90	085, 140, 178, 214, 360, 470, 533, 594	35 816 970 90	310.30	684
-99	1,060.00	730	-08	3,521.70	360, 470, 533, 594	35 860 970 90	180.80	205, 287, 404, 685
33 870 875-00	706.70	734	-28	4,358.30	085, 360, 470, 533, 594	35 944 970 90	433.00	697
-06	1,130.60	734	-33	2,971.60	178, 360, 470, 594	35 945 970 90	676.20	697
-08	1,130.60	734	-99	3,962.00	085, 360, 470, 533, 594	35 948 970 90	676.20	697
-09	1,399.30	734	35			36		
-28	1,399.30	734	35 003 970 90	258.30	013, 075, 129, 347, 683	36 002 970-00	605.30	016, 078, 133, 173, 208, 291, 351, 407, 458, 524, 567
-33	954.10	734						016, 078, 133, 173, 208, 291, 351, 407, 458, 524, 567
-93	848.00	734	-06	3,521.90	085, 140, 178, 214, 360, 470, 533, 594	-06	968.50	016, 078, 133, 173, 208, 291, 351, 407, 458, 524, 567
-99	1,059.80	734	-08	3,521.70	360, 470, 533, 594	-08	969.00	291, 351, 407, 458, 524, 567
33 870 895-00	780.90	733	-28	4,358.30	085, 360, 470, 533, 594	-10	817.10	458, 567
-06	1,249.30	733	-33	2,971.60	178, 360, 470, 594	-28	1,198.60	078, 291, 351, 407, 458, 524, 567
-08	1,249.30	733	-99	3,962.00	085, 360, 470, 533, 594	-33	817.20	173, 351, 458, 567
-09	1,546.20	733	35 020 970 90	190.70	687	-99	1,089.50	016, 078, 291, 351, 407, 458, 524, 567
-28	1,546.00	733	35 021 970 90	272.40	686			
-93	937.10	733	35 033 970 90	803.50	700			
-99	1,171.40	733	35 034 970 90	1,206.20	701			
33 875 760-00	627.20	732	35 041 970 90	400.70	701			
-06	1,003.60	732						
-08	1,003.60	732						
-28	1,242.00	732						
-93	752.70	732						
-99	940.90	732						
33 875 895-00	780.90	733						
-06	1,249.30	733						
-08	1,249.30	733						
-09	1,546.20	733						
-28	1,546.00	733						
-93	937.10	733						
-99	1,171.40	733						
33 880 888-00	1,450.00	736						
-06	2,320.10	736						
-08	2,320.10	736						
-93	1,739.90	736						
34								
34 201 979-00	775.70	385						
-06	1,241.10	385						
-33	1,047.10	385						
34 234 979-00	1,096.30	385						
-06	1,754.00	385						
-33	1,480.00	385						

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
36 013 660-00	767.20	352, 459, 568	36 060 845-00	332.20	187, 642	36 120 809-00	461.40	521, 545, 559, 645
-06	1,227.30	352, 459, 568	-06	531.50	187, 642	-06	737.90	521, 545, 559, 645
-08	1,228.00	352, 459, 568	36 110 970-00	721.60	018, 080, 135, 174, 209, 293, 353, 409, 460, 525, 570	-08	738.40	521, 545, 559, 645
-10	1,035.80	459, 568	-06	1,154.20	018, 080, 135, 174, 209, 293, 353, 409, 460, 525, 570	-28	913.90	521, 545, 559, 645
-28	1,519.10	352, 459, 568	-08	1,154.90	293, 353, 409, 460, 525, 570	-99	830.70	521, 545, 559, 645
-33	1,035.80	352, 459, 568	-28	1,428.60	080, 293, 353, 409, 460, 525, 570	36 120 845-00	431.00	170, 188, 191, 644
-99	1,380.80	352, 459, 568	-33	974.10	174, 353, 460, 570	-06	689.70	170, 188, 191, 644
36 013 970-00	749.00	017, 079, 134, 292, 408, 569	-99	1,298.40	018, 080, 293, 353, 409, 460, 525, 570	-33	581.90	170, 188, 191, 644
-06	1,208.60	017, 079, 134, 292, 408, 569	36 111 970-00	826.10	019, 081, 135, 175, 210, 294, 354, 410, 461, 526, 571	36 122 710-00	727.60	206, 221, 229, 645
-08	1,197.20	292, 408, 569	-06	1,321.60	019, 081, 135, 175, 210, 294, 354, 410, 461, 526, 571	-06	1,164.30	206, 221, 229, 645
-28	1,483.00	079, 292, 408, 569	-08	1,322.40	294, 354, 410, 461, 526, 571	36 150 970-00	73.80	049, 112, 155, 192, 230, 269, 322, 388, 435, 503, 560, 716
-99	1,347.60	017, 079, 292, 408, 569	-28	1,635.60	081, 294, 354, 410, 461, 526, 571	-06	118.10	049, 112, 155, 192, 230, 269, 322, 388, 435, 503, 560, 716
36 045 660-00	358.20	347, 375, 486, 644	-33	1,115.30	175, 354, 461, 571	-08	118.10	269, 322, 388, 435, 503, 560, 716
-06	572.90	347, 375, 486, 644	-99	1,486.70	019, 081, 294, 354, 410, 461, 526, 571	-09	146.00	269, 503, 716
-08	573.10	375, 486, 644	36 112 970-00	1,931.30	084, 130, 138, 177, 213, 357, 465, 529, 585	-10	99.50	503, 716
-10	483.60	486, 644	-06	3,090.10	084, 130, 138, 177, 213, 357, 465, 529, 585	-28	146.00	112, 269, 322, 388, 435, 503, 560, 716
-28	709.20	375, 486, 644	-08	3,021.40	357, 465, 529, 585	-33	99.70	192, 388, 503, 716
-33	483.90	347, 375, 486, 644	-28	3,823.90	084, 357, 465, 529, 585	-99	132.80	049, 112, 269, 322, 388, 435, 503, 560, 716
-99	644.70	375, 486, 644	-33	2,607.30	177, 357, 465, 585	36 200 361-00	444.80	265, 674
36 045 970-00	384.90	013, 031, 075, 095, 129, 150, 309, 424, 644	-99	3,399.20	084, 357, 465, 529, 585	-06	711.60	265, 674
-06	615.60	013, 031, 075, 095, 129, 150, 309, 424, 644	36 120 660-00	450.20	348, 375, 387, 486, 502, 646	-08	711.60	265, 674
-08	615.60	309, 424, 644	-06	720.00	348, 375, 387, 486, 502, 646	-09	880.70	265, 674
-28	762.20	075, 095, 309, 424, 644	-08	720.30	375, 387, 486, 502, 646	-28	880.70	265, 674
-33	520.00	644	-10	607.80	387, 486, 502, 646	-99	800.60	265, 674
-99	693.20	013, 031, 075, 095, 309, 424, 644	-28	891.30	375, 387, 486, 502, 646	36 200 661-00	455.10	382, 675
36 050 970-00	373.40	031, 095, 150, 187, 221, 258, 308, 374, 424, 485, 544, 643	-33	608.00	348, 375, 387, 486, 502, 646	-06	728.10	382, 675
-06	597.20	031, 095, 150, 187, 221, 258, 308, 374, 424, 485, 544, 643	-99	810.30	375, 387, 486, 502, 646	-33	614.30	382, 675
-08	597.20	258, 308, 374, 424, 485, 544, 643	36 120 670-00	485.00	014, 032, 048, 076, 096, 111, 130, 151, 154, 288, 309, 321, 425, 647	36 200 705-00	524.10	043, 673
-10	504.10	485, 643	-06	776.00	014, 032, 048, 076, 096, 111, 130, 151, 154, 288, 309, 321, 425, 647	-06	838.50	043, 673
-28	739.40	095, 258, 308, 374, 424, 485, 544, 643	-08	960.30	048, 111, 154, 288, 309, 321, 425, 647	-99	943.40	043, 673
-33	504.40	187, 374, 485, 643	-28	873.00	014, 032, 048, 076, 096, 111, 154, 288, 309, 321, 425, 647	36 200 710-00	500.00	226, 674
-99	672.50	031, 095, 258, 308, 374, 424, 485, 544, 643	-99	873.00	014, 032, 048, 076, 096, 111, 154, 309, 321, 425, 647	-06	800.00	226, 674
36 060 660-00	298.40	374, 485, 643	36 060 809-00	343.00	544, 642	36 200 740-00	275.10	044, 108, 382, 676
-06	477.20	374, 485, 643	-06	548.80	544, 642	-06	440.20	044, 108, 382, 676
-08	477.20	374, 485, 643	-08	548.80	544, 642	-33	371.40	382, 676
-10	403.10	485, 643	-28	679.00	544, 642	-99	495.20	044, 108, 382, 676
-28	591.20	374, 485, 643	-99	617.40	544, 642	36 200 782-00	515.60	317, 674
-33	402.90	374, 485, 643				-06	825.00	317, 674
-99	537.40	374, 485, 643				-08	825.00	317, 674
36 060 670-00	378.10	031, 095, 150, 287, 308, 404, 424, 643				-28	1,021.00	317, 674
-06	610.50	031, 095, 150, 287, 308, 404, 424, 643				-99	928.10	317, 674
-08	610.50	287, 308, 404, 424, 643				36 200 809-00	399.50	554, 676
-28	748.60	095, 287, 308, 404, 424, 643				-06	639.10	554, 676
-99	680.60	031, 095, 287, 308, 404, 424, 643				-28	791.00	554, 676
36 060 710-00	452.80	205, 221, 642				-99	719.10	554, 676
-06	724.80	205, 221, 642				36 200 819-00	399.50	555, 676
36 060 809-00	343.00	544, 642				-06	639.10	555, 676
-06	548.80	544, 642				-08	791.00	555, 676
-08	548.80	544, 642				-99	719.10	555, 676
-28	679.00	544, 642				36 200 882-00	440.50	495, 675
-99	617.40	544, 642				-06	704.90	495, 675
						-08	704.90	495, 675
						-10	594.70	495, 675
						-28	872.30	495, 675
						-33	594.70	495, 675
						-99	793.00	495, 675

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
36 200 892-00	381.20	495, 676	36 243 970-00	177.90	716	36 426 970-00	644.70	350, 377, 455,
-06	610.00	495, 676	-06	284.80	716			488, 546, 653
-08	610.00	495, 676	-08	284.80	716	-06	1,031.30	350, 377, 455,
-10	514.70	495, 676	-09	352.20	716			488, 546, 653
-28	754.90	495, 676	-10	240.10	716	-08	1,031.30	377, 455, 488,
-33	514.70	495, 676	-28	352.20	716			546, 653
-99	686.20	495, 676	-33	240.40	716	-10	870.40	455, 488, 653
36 200 980-00	260.00	432, 675	-99	320.20	716	-28	1,276.60	377, 455, 488,
-06	416.00	432, 675	36 247 970-00	269.10	716			546, 653
-28	514.80	432, 675	-06	430.70	716	-33	870.10	350, 377, 455,
-99	468.00	432, 675	-08	430.70	716			488, 653
36 200 985-00	298.70	432, 675	-09	532.80	716	36 426 977-00	733.50	245, 259, 651
-06	478.00	432, 675	-10	363.20	716	-06	1,173.10	245, 259, 651
-28	591.60	432, 675	-28	532.80	716	-08	1,173.10	245, 259, 651
-99	537.80	432, 675	-33	363.30	716	-09	1,452.20	245, 259, 651
36 201 705-00	610.50	044, 673	-99	484.40	716	-28	1,452.10	245, 259, 651
-06	976.80	044, 673	36 337 980-00	605.40	430, 656	-99	1,320.10	245, 259, 651
-99	1,098.90	044, 673	-06	968.90	430, 656	36 427 670-00	765.00	033, 097, 152,
36 202 705-00	610.50	044, 674	-08	968.70	430, 656			311, 426, 655
-06	976.80	044, 674	-28	1,198.80	430, 656	-06	1,235.10	033, 097, 152,
-99	1,098.90	044, 674	-99	1,089.80	430, 656	-08	1,199.00	311, 426, 655
36 210 361-00	444.80	265, 678	36 425 670-00	608.50	032, 096, 151,	-28	1,514.60	097, 311, 426,
-06	711.60	265, 678			310, 425, 649			655
-08	711.60	265, 678	-06	982.40	032, 096, 151,	-33	1,042.20	655
-09	880.70	265, 678	-08	982.40	310, 425, 649	-99	1,376.90	033, 097, 311,
-28	880.70	265, 678	-28	1,204.80	096, 310, 425,			426, 655
-99	800.60	265, 678			649	36 427 710-00	835.80	223, 654
36 210 661-00	455.10	382, 678	-33	829.30	649	-06	1,337.30	223, 654
-06	728.10	382, 678	-99	1,095.30	032, 096, 310,	36 427 845-00	777.50	189, 653
-33	614.30	382, 678			425, 649	-06	1,244.10	189, 653
36 210 705-00	524.10	044, 677	36 425 710-00	680.70	222, 648	-33	1,049.70	189, 653
-06	838.50	044, 677	-06	1,089.10	222, 648	36 427 970-00	672.70	378, 489, 546,
-99	943.40	044, 677	36 425 845-00	632.10	188, 647			656
36 210 710-00	500.00	226, 677	-06	1,011.60	188, 647	-06	1,076.30	378, 489, 546,
-06	800.00	226, 677	-33	853.30	188, 647	-08	1,076.30	656
36 210 740-00	275.10	045, 108, 383,	36 425 970-00	542.50	376, 487, 545,	-10	908.10	489, 656
		680			650	-28	1,331.90	378, 489, 546,
-06	440.20	045, 108, 383,	-06	868.00	376, 487, 545,	-33	908.60	656
		680	-08	868.00	376, 487, 545,	-99	1,210.90	378, 489, 546,
-33	371.40	383, 680	-10	732.60	487, 650			656
-99	495.20	045, 108, 383,	-28	1,074.50	376, 487, 545,	36 427 977-00	762.40	260, 654
		680			650	-06	1,219.50	260, 654
36 210 782-00	515.60	317, 678	-33	732.50	376, 487, 650	-09	1,509.50	260, 654
-06	825.00	317, 678	-99	976.70	376, 487, 545,	-28	1,509.40	260, 654
-08	825.00	317, 678			650	-99	1,372.30	260, 654
-28	1,021.00	317, 678	36 425 977-00	613.30	258, 648	36 501 710-00	1,052.30	223, 225
-99	928.10	317, 678	-06	981.10	258, 648	-06	1,683.30	223, 225
36 210 809-00	399.50	555, 679	-08	981.10	258, 648	36 501 780-00	1,039.40	034, 037, 098,
-06	639.10	555, 679	-09	1,214.20	258, 648			101, 312, 315,
-28	791.00	555, 679	-28	1,214.10	258, 648	-06	1,663.30	429
-99	719.10	555, 679	-99	1,103.90	258, 648	-08	1,663.30	312, 315, 429
36 210 819-00	399.50	555, 680	36 426 670-00	721.50	033, 097, 131,	-28	2,058.10	098, 101, 312,
-06	639.10	555, 680			132, 152, 290,	-99	1,871.00	315, 429
-28	791.00	555, 680	-06	1,165.00	310, 405, 426,			034, 037, 098,
-99	719.10	555, 680	-08	1,165.00	652			101, 312, 315,
36 210 882-00	440.50	495, 679	-28	1,428.40	033, 097, 131,	36 501 977-00	915.70	261, 264
-06	704.90	495, 679	-33	983.20	132, 152, 290,	-06	1,465.10	261, 264
-08	704.90	495, 679	-99	1,298.50	310, 405, 426,	-08	1,465.10	261, 264
-10	594.70	495, 679			652	-09	1,813.00	261, 264
-28	872.30	495, 679	36 426 710-00	805.40	290, 310, 405,	-28	1,813.00	261, 264
-33	594.70	495, 679	-06	1,288.80	426, 652	-99	1,648.20	261, 264
-99	793.00	495, 679	36 426 845-00	749.70	097, 290, 310,			
36 210 892-00	381.20	496, 679			405, 426, 652			
-06	610.00	496, 679	-06	1,199.60	171, 172, 189,			
-08	610.00	496, 679	-33	1,012.10	650			
-10	514.70	496, 679			171, 172, 189,			
-28	754.90	496, 679			650			
-33	514.70	496, 679			171, 172, 189,			
-99	686.20	496, 679			650			
36 210 980-00	260.00	433, 678			171, 172, 189,			
-06	416.00	433, 678			650			
-28	514.80	433, 678			171, 172, 189,			
-99	468.00	433, 678			650			
36 210 985-00	298.70	433, 679			171, 172, 189,			
-06	478.00	433, 679			650			
-28	591.40	433, 679			171, 172, 189,			
-99	537.60	433, 679			650			
36 211 705-00	610.60	044, 677			171, 172, 189,			
-06	977.00	044, 677			650			
-99	1,099.10	044, 677			171, 172, 189,			
36 212 705-00	610.60	045, 677			650			
-06	977.00	045, 677			171, 172, 189,			
-99	1,099.10	045, 677			650			

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
36 501 979-00	914.60	378, 381, 490, 493, 547, 548, 553, 635	36 512 979-00	663.40	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	36 517 979-00	683.30	026, 090, 145, 183, 217, 254, 302, 368, 418, 479, 539, 627
-06	1,463.30	378, 381, 490, 493, 547, 548, 553, 635	-06	1,061.80	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	-06	1,093.50	026, 090, 145, 183, 217, 254, 302, 368, 418, 479, 539, 627
-08	1,463.30	381, 490, 493, 547, 548, 553	-08	1,061.80	255, 303, 369, 419, 480, 540, 628	-08	1,093.50	254, 302, 368, 418, 479, 539, 627
-09	1,810.90	493	-28	1,313.50	091, 255, 303, 369, 419, 480, 540, 628	-28	1,352.80	090, 254, 302, 368, 418, 479, 539, 627
-10	1,234.70	490, 493	-33	913.30	184, 369, 480, 628	-33	940.70	183, 368, 479, 627
-28	1,811.00	381, 490, 493, 547, 548, 553	-99	1,194.00	027, 091, 255, 303, 369, 419, 480, 540, 628	-99	1,229.80	026, 090, 254, 302, 368, 418, 479, 539, 627
-33	1,234.90	378, 381, 490, 493, 635	36 513 979-00	663.40	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	36 607 361-00	232.80	261, 262, 263, 264, 663
-99	1,646.20	381, 490, 493, 547, 548, 553	-06	1,061.80	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	-06	372.50	261, 262, 263, 264, 663
36 501 985-00	1,062.10	037, 101, 316, 430	-08	1,061.80	091, 255, 303, 369, 419, 480, 540, 628	-08	372.50	261, 262, 263, 264, 663
-06	1,699.40	037, 101, 316, 430	-99	1,194.00	027, 091, 255, 303, 369, 419, 480, 540, 628	-09	460.90	261, 262, 263, 264, 663
-08	1,699.40	316, 430	36 514 979-00	889.20	027, 091, 145, 183, 218, 254, 302, 369, 418, 479, 539, 627	36 607 705-00	224.50	034, 035, 036, 039, 660
-28	2,102.90	101, 316, 430	-06	1,061.80	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	-06	359.40	034, 035, 036, 039, 660
-99	1,911.70	037, 101, 316, 430	-28	1,313.50	091, 255, 303, 369, 419, 480, 540, 628	-99	404.10	034, 035, 036, 039, 660
36 503 710-00	1,052.30	224, 225	-33	913.30	184, 369, 480, 628	36 607 706-00	224.50	008, 038, 658
-06	1,683.30	224, 225	-99	1,194.00	027, 091, 255, 303, 369, 419, 480, 540, 628	-06	359.40	008, 038, 658
36 503 780-00	1,039.40	015, 035, 036, 077, 099, 100, 289, 313, 314, 427, 428	36 515 979-00	442.50	026, 090, 144, 182, 217, 253, 301, 368, 417, 478, 538, 626	-99	470.30	039, 102, 659
-06	1,663.30	015, 035, 036, 077, 099, 100, 289, 313, 314, 427, 428	-06	1,422.70	027, 091, 145, 183, 218, 254, 302, 369, 418, 479, 539, 627	-06	418.20	039, 102, 659
-08	1,663.30	289, 313, 314, 427, 428	-08	1,422.70	254, 302, 369, 418, 479, 539, 627	-28	517.30	102, 660
-28	2,058.10	077, 099, 100, 289, 313, 314, 427, 428	-28	1,760.60	091, 254, 302, 369, 418, 479, 539, 627	-99	470.30	040, 102, 660
-99	1,871.00	015, 035, 036, 077, 099, 100, 289, 313, 314, 427, 428	-33	1,200.30	183, 369, 479, 627	36 607 716-00	261.30	039, 102, 659
36 503 977-00	915.70	247, 262, 263	-99	1,600.60	027, 091, 254, 302, 369, 418, 479, 539, 627	-06	418.20	039, 102, 659
-06	1,465.10	247, 262, 263	36 515 979-00	442.50	026, 090, 144, 182, 217, 253, 301, 368, 417, 478, 538, 626	-28	517.30	102, 659
-08	1,465.10	247, 262, 263	-06	707.70	026, 090, 144, 182, 217, 253, 301, 368, 417, 478, 538, 626	-99	470.30	039, 102, 659
-09	1,813.00	247, 262, 263	-08	707.70	253, 301, 368, 417, 478, 538, 626	36 607 717-00	261.30	039, 102, 659
-28	1,813.00	247, 262, 263	-28	876.00	090, 253, 301, 368, 417, 478, 538, 626	-06	418.20	039, 102, 659
-99	1,648.20	247, 262, 263	-28	876.00	090, 253, 301, 368, 417, 478, 538, 626	-99	470.30	039, 102, 659
36 503 979-00	914.60	349, 379, 380, 457, 491, 492, 522, 523, 549, 550, 551, 552, 636, 637	-33	597.30	182, 368, 478, 626	36 607 740-00	231.90	040, 105, 378, 379, 380, 381, 635, 636, 637, 664
-06	1,463.30	349, 379, 380, 457, 491, 492, 522, 523, 549, 550, 551, 552, 636, 637	-99	796.40	026, 090, 253, 301, 368, 417, 478, 538, 626	-06	371.00	040, 105, 378, 379, 380, 381, 635, 636, 637, 664
-08	1,463.30	457, 491, 492, 522, 523, 549, 550, 551, 552	36 517 979-00	683.40	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	-28	459.20	105, 381, 664
-09	1,810.90	493	-06	1,061.80	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	-33	313.00	378, 379, 380, 381, 635, 636, 637, 664
-10	1,234.70	457, 491, 492	-08	1,061.80	255, 303, 369, 419, 480, 540, 628	-99	417.40	040, 105, 381, 664
-28	1,811.00	457, 491, 492, 522, 523, 549, 550, 551, 552	-99	1,194.00	027, 091, 255, 303, 369, 419, 480, 540, 628	36 607 741-00	242.20	038, 102, 658
-33	1,234.90	349, 379, 380, 457, 491, 492, 636, 637	36 517 979-00	683.40	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	-06	387.40	038, 102, 658
-99	1,646.20	457, 491, 492, 522, 523, 549, 550, 551, 552	-06	1,061.80	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	-28	479.60	102, 658
36 503 985-00	1,062.10	406, 427, 428	-08	1,061.80	255, 303, 369, 419, 480, 540, 628	-33	313.00	658
-06	1,699.40	406, 427, 428	-99	1,194.00	027, 091, 255, 303, 369, 419, 480, 540, 628	-99	436.00	038, 102, 658
-08	1,699.40	406, 427, 428	36 517 979-00	683.40	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	36 607 742-00	242.20	038, 102, 658
-28	2,102.90	406, 427, 428	-06	1,061.80	027, 091, 146, 184, 218, 255, 303, 369, 419, 480, 540, 628	-06	387.40	038, 102, 658
-99	1,911.70	406, 427, 428	-08	1,061.80	255, 303, 369, 419, 480, 540, 628	-33	313.00	658
			-99	1,194.00	027, 091, 255, 303, 369, 419, 480, 540, 628	-99	436.00	038, 102, 658

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
36 607 782-00	220.90	312, 313, 314,	36 608 361-00	232.80	265, 667	36 627 706-00	261.30	039, 659
-06	353.30	316, 663	-06	372.50	265, 667	-06	418.20	039, 659
-08	353.30	312, 313, 314,	-08	372.50	265, 667	-99	470.30	039, 659
-28	437.50	316, 663	-09	460.90	265, 667	36 627 707-00	261.30	039, 659
-99	397.50	312, 313, 314,	-28	461.00	265, 667	-06	418.20	039, 659
		316, 663	-99	418.90	265, 667	-99	470.30	039, 659
36 607 809-00	188.10	312, 313, 314,	36 608 705-00	224.50	040, 665	36 628 705-00	261.30	041, 665
-06	301.10	316, 663	-06	359.40	040, 665	-06	418.20	041, 665
-08	301.00	548, 550, 552,	-99	404.10	040, 665	-99	470.30	041, 665
-28	372.50	553, 663	36 608 710-00	211.00	226, 666	36 707 782-00	1,010.70	281
-99	338.50	548, 550, 552,	-06	337.30	226, 666	-06	1,617.20	281
		553, 663	36 608 715-00	261.30	041, 105, 666	-08	1,617.20	281
36 607 811-00	231.90	548, 550, 552,	-06	418.20	041, 105, 666	-28	2,001.30	281
-06	371.00	553, 663	-28	517.30	105, 666	-99	1,819.40	281
-08	459.20	548, 550, 552,	-99	470.30	041, 105, 666	36 707 811-00	922.80	064
-36	371.10	553, 663	36 608 740-00	231.90	041, 106, 382,	-06	1,476.50	064
-38	459.20	553, 663	-06	371.00	668	-28	1,827.20	064
-99	417.50	548, 550, 552,	-28	459.20	041, 106, 382,	-36	1,476.50	064
		553, 663	-33	313.00	668	-38	1,827.20	064
36 607 812-00	231.90	077, 098, 099,	-99	417.40	106, 382, 668	-99	1,661.00	064
-06	371.00	100, 103, 661	36 608 782-00	220.90	316, 667	36 707 882-00	833.80	448
-28	459.20	077, 098, 099,	-06	353.30	316, 667	-06	1,334.30	448
-36	371.10	100, 103, 661	-08	353.30	316, 667	-08	1,334.30	448
-38	459.20	103, 661	-28	437.50	316, 667	-10	1,125.60	448
-99	417.50	077, 098, 099,	-28	397.50	316, 667	-28	1,650.90	448
		100, 103, 661	-99	188.10	554, 667	-33	1,125.80	448
36 607 819-00	188.10	104, 662	36 608 809-00	301.10	554, 667	-99	1,500.80	448
-06	301.10	104, 662	-06	301.10	554, 667	36 707 892-00	769.20	446
-08	301.00	459.20	-08	301.00	554, 667	-06	1,230.80	446
-28	372.50	459.20	-28	372.50	554, 667	-08	1,230.80	446
-99	338.50	459.20	-99	338.50	554, 667	-10	1,038.30	446
		459.20	36 608 811-00	231.90	105, 666	-28	1,522.90	446
36 607 882-00	183.10	494, 664	-06	371.10	105, 666	-33	1,038.30	446
-06	293.10	494, 664	-28	459.20	105, 666	-99	1,384.40	446
-08	293.10	494, 664	-36	371.10	105, 666	36 712 361-00	1,039.70	241
-10	247.20	494, 664	-38	459.20	105, 666	-06	1,663.50	241
-28	362.50	494, 664	-99	417.50	105, 666	-08	1,663.50	241
-33	247.50	494, 664	36 608 819-00	188.10	554, 668	-09	2,058.60	241
-99	329.60	494, 664	-06	301.10	554, 668	-28	2,058.60	241
36 607 892-00	160.20	490, 491, 492,	-08	293.10	494, 668	-99	1,871.50	241
-06	256.60	493, 659	-10	247.20	494, 668	36 712 782-00	1,056.50	282
-08	256.60	490, 491, 492,	-28	362.50	494, 668	-06	1,690.30	282
-10	216.20	493, 659	-33	247.50	494, 668	-08	1,690.30	282
-28	317.10	490, 491, 492,	-99	329.60	494, 668	-28	2,091.80	282
-33	216.40	493, 659	36 608 892-00	160.20	494, 665	-99	1,901.60	282
-99	288.40	490, 491, 492,	-06	256.60	494, 665	36 712 809-00	860.30	516
		493, 659	-08	256.60	494, 665	-06	1,376.30	516
36 607 980-00	217.20	427, 428, 430,	-10	216.20	494, 665	-08	1,376.60	516
-06	347.10	656	-28	317.10	494, 665	-28	1,703.50	516
-08	347.60	427, 428, 430,	-33	216.40	494, 665	-99	1,548.80	516
-28	430.10	656	-99	288.40	494, 665	36 712 811-00	971.40	065
-99	391.00	427, 428, 430,	36 608 980-00	217.10	431, 657	-06	1,554.30	065
		656	-06	347.20	431, 657	-28	1,923.40	065
36 607 985-00	250.20	427, 428, 431,	-08	347.40	431, 657	-36	1,554.30	065
-06	400.30	657	-28	429.80	431, 657	-38	1,923.40	065
-08	400.40	427, 428, 431,	-99	390.80	431, 657	-99	1,748.50	065
-28	495.50	657	36 608 985-00	250.20	431, 657	36 712 819-00	860.30	516
-99	450.50	427, 428, 431,	-06	400.30	431, 657	-06	1,376.30	516
		657	-08	400.40	431, 657	-08	1,376.60	516
		657	-28	495.50	431, 657	-28	1,703.50	516
		657	-99	450.50	431, 657	-99	1,548.80	516
		657	36 617 705-00	261.30	039, 660	36 712 882-00	864.20	448
		657	-06	418.20	039, 660	-06	1,382.70	448
		657	-99	470.30	039, 660	-08	1,382.70	448
		657	36 617 706-00	261.30	038, 658	-10	1,166.60	448
		657	-06	418.20	038, 658	-28	1,711.00	448
		657	-99	470.30	038, 658	-33	1,166.60	448
		657	36 617 707-00	261.30	038, 658	-99	1,555.70	448
		657	-06	418.20	038, 658	36 712 892-00	803.60	447
		657	-99	470.30	038, 658	-06	1,285.40	447
		657	36 618 705-00	261.30	041, 665	-08	1,285.40	447
		657	-06	418.20	041, 665	-10	1,084.70	447
		657	-99	470.30	041, 665	-28	1,591.10	447
		657	36 627 705-00	261.30	040, 660	-33	1,084.50	447
		657	-06	418.20	040, 660	-99	1,446.40	447
		657	-99	470.30	040, 660	36 717 782-00	1,101.00	282
		657				-06	1,761.20	282
		657				-08	1,761.20	282
		657				-28	2,180.00	282
		657				-99	1,981.90	282

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
82 482 970-33	53.80	158, 196, 392, 508	83 060 892-00	323.50	504	83 211 892-00	195.20	504
-51	53.80	158, 196, 392, 508	-06	517.40	504	-06	312.40	504
-52	53.80	158, 196, 392, 508	-08	517.40	504	-08	312.40	504
-53	53.80	158, 196, 392, 508	-10	436.70	504	-10	263.50	504
83			-28	640.60	504	-28	386.50	504
83 020 705-00	339.50	050	-33	436.70	504	-33	263.60	504
-06	543.10	050	-99	582.30	504	-99	351.40	504
-99	611.00	050	83 060 979-00	238.70	193, 389	83 211 979-00	136.50	193, 389
83 020 979-00	232.90	193, 389	-06	381.90	193, 389	-06	218.60	193, 389
-06	372.60	193, 389	-33	322.40	193, 389	-33	184.30	193, 389
-33	314.40	193, 389	83 061 979-00	358.00	193, 389	83 211 980-00	295.40	436
83 030 361-00	277.00	270	-06	572.90	193, 389	-06	472.40	436
-06	443.50	270	-33	483.40	193, 389	-08	472.40	436
-08	443.50	270	83 070 710-00	366.70	231	-28	584.70	436
-09	548.60	270	-06	586.80	231	-99	531.50	436
-28	548.60	270	83 080 892-00	341.60	504	83 215 979-00	125.20	193, 389
-99	498.70	270	-06	546.50	504	-06	200.60	193, 389
83 030 670-00	306.20	156	-08	546.50	504	-33	169.00	193, 389
-06	489.70	156	-10	461.20	504	83 250 970-00	30.50	271
83 030 710-00	321.00	231	-28	676.50	504	-06	48.80	271
-06	513.60	231	-33	461.10	504	-08	48.80	271
83 030 780-00	339.50	113, 323, 436	-99	615.00	504	-09	60.40	271
-06	542.90	113, 323, 436	83 080 979-00	248.50	193, 389	-28	60.40	271
-08	542.90	323, 436	-06	397.50	193, 389	-99	54.90	271
-28	672.10	113, 323, 436	-33	335.50	193, 389	83 251 220-00	36.10	050, 113, 156, 194, 231, 271, 323, 390, 436, 505, 561
-99	611.00	113, 323, 436	83 200 361-00	190.20	271	-06	57.60	050, 113, 156, 194, 231, 271, 323, 390, 436, 505, 561
83 030 809-00	300.00	561	-06	304.30	271	-08	57.60	271, 323, 390, 436, 505, 561
-06	479.90	561	-08	304.30	271	-09	71.40	271, 505
-08	479.90	561	-09	376.60	271	-10	48.70	505
-28	594.00	561	-28	376.60	271	-28	71.40	113, 271, 323, 390, 436, 505, 561
-99	540.00	561	-99	342.40	271	83 251 670-00	85.70	156
83 030 892-00	300.00	504	83 200 710-00	259.30	231	-06	136.80	156
-06	479.90	504	-06	414.80	231	83 251 710-00	87.00	231
-08	479.90	504	83 200 780-00	274.10	113, 323	-06	139.60	231
-10	405.00	504	-06	438.50	113, 323	83 251 780-00	92.30	113, 323
-28	594.00	504	-08	438.50	323	-06	147.80	113, 323
-33	405.00	504	-28	542.60	113, 323	-08	147.80	323
-99	540.00	504	-99	493.30	113, 323	-28	182.90	113, 323
83 045 361-00	301.00	270	83 200 811-00	388.20	113	-99	166.30	113, 323
-06	481.40	270	-06	621.20	113	83 251 809-00	93.10	561
-08	481.40	270	-28	621.20	113	-06	149.00	561
-09	595.90	270	-99	698.80	113	-08	149.00	561
-28	595.90	270	83 200 892-00	189.60	505	-28	184.40	561
-99	541.60	270	-06	303.40	505	-99	167.60	561
83 045 670-00	293.80	156	-08	303.40	505	83 251 970-00	29.40	271
-06	470.10	156	-10	255.90	505	-06	47.20	271
83 045 705-00	344.50	050	-28	375.30	505	-08	47.20	271
-06	551.20	050	-33	256.00	505	-09	58.40	271
-99	620.00	050	-99	341.20	505	-28	58.40	271
83 045 892-00	313.60	504	83 200 979-00	142.10	194, 390	-99	53.10	271
-06	501.80	504	-06	227.70	194, 390	83 251 979-00	59.10	194, 390, 505
-08	501.80	504	-33	201.50	194, 390	-06	94.70	194, 390, 505
-10	423.30	504	83 210 361-00	304.60	270	-28	117.10	390, 505
-28	620.90	504	-06	487.50	270	-33	83.80	194, 390, 505
-33	423.40	504	-08	487.50	270	-99	106.30	390, 505
-99	564.40	504	-09	603.20	270	83 251 980-00	99.00	050, 436
83 060 361-00	311.60	270	-28	603.20	270	-06	158.50	050, 436
-06	498.60	270	-99	548.50	270	-08	158.40	436
-08	498.60	270	83 210 780-00	344.50	113, 323	-28	196.10	436
-09	616.90	270	-06	551.30	113, 323	-99	178.30	050, 436
-28	616.90	270	-08	551.30	323	83 252 970-00	38.70	271
-99	560.80	270	-28	682.10	113, 323	-06	61.60	271
83 060 670-00	303.20	156	-99	620.00	113, 323	-08	61.60	271
-06	484.90	156	83 210 892-00	303.40	505	-09	76.60	271
83 060 705-00	388.20	050	-06	485.30	505	-28	76.60	271
-06	621.20	050	-08	485.30	505	-99	69.70	271
-99	698.70	050	-10	409.60	505	83 256 979-00	109.60	194, 390, 505
83 060 780-00	388.20	113, 323, 436	-28	600.80	505	-06	175.70	194, 390, 505
-06	621.00	113, 323, 436	-33	409.50	505	-28	217.10	390, 505
-08	621.00	323, 436	-99	546.10	505	-33	147.90	194, 390, 505
-28	768.60	113, 323, 436	83 210 979-00	260.50	193, 389	-99	197.40	390, 505
-99	698.70	113, 323, 436	-06	416.80	193, 389			
83 060 809-00	323.50	561	-33	351.70	193, 389			
-06	517.40	561	83 211 670-00	257.00	156			
-08	517.60	561	-06	411.40	156			
-28	640.60	561	83 211 705-00	308.50	050			
-99	582.30	561	-06	493.60	050			
			-99	555.30	050			
			83 211 809-00	205.00	561			
			-06	328.10	561			
			-08	328.10	561			
			-28	405.80	561			
			-99	369.10	561			

Index

Art. No.	Euro	Page	Art. No.	Euro	Page	Art. No.	Euro	Page
83 281 530-00	182.80	052, 115, 158, 196, 233, 273, 325, 392, 437, 508, 562	83 410 979-00	232.90	050, 114, 156, 194, 231, 271, 323, 390, 436, 506, 561	83 500 780-00	247.60	116, 325
-06	292.30	052, 115, 158, 196, 233, 273, 325, 392, 437, 508, 562	-06	372.60	050, 114, 156, 194, 231, 271, 323, 390, 436, 506, 561	-06	396.10	116, 325
-08	292.30	273, 325, 392, 437, 508, 562	-08	372.60	271, 323, 390, 436, 506, 561	-08	396.10	325
-09	362.00	273, 508	-09	461.20	271, 506	-08	490.30	116, 325
-10	246.70	508	-10	314.40	506	-09	445.70	116, 325
-28	362.00	115, 273, 325, 392, 437, 508, 562	-28	461.20	114, 271, 323, 390, 436, 506, 561	83 500 809-00	247.60	563
-33	246.70	196, 392, 508	-33	314.40	194, 390, 506	-06	396.10	563
-99	328.90	052, 115, 273, 325, 392, 437, 508, 562	-99	419.30	050, 114, 271, 323, 390, 436, 506, 561	-08	396.10	563
83 290 970-00	178.40	052, 116, 158, 196, 233, 273, 325, 392, 438, 508, 563	83 435 361-00	386.40	272	-09	445.70	563
-06	285.40	052, 116, 158, 196, 233, 273, 325, 392, 438, 508, 563	-06	618.20	272	-28	490.30	563
-08	285.40	273, 325, 392, 438, 508, 563	-08	618.20	272	-99	445.70	563
-09	353.30	273, 508	-09	765.10	272	83 500 892-00	189.60	509
-10	240.90	508	-28	765.10	272	-06	303.40	509
-28	353.30	116, 273, 325, 392, 438, 508, 563	-99	695.70	272	-08	303.40	509
-33	240.80	196, 392, 508	83 435 892-00	385.10	506	-10	255.90	509
-99	321.10	052, 116, 273, 325, 392, 438, 508, 563	-06	616.10	506	-28	375.30	509
83 400 780-00	301.30	051, 115, 233, 325	-08	616.10	506	-33	256.00	509
-06	482.20	051, 115, 233, 325	-10	519.90	506	-99	341.20	509
-08	482.20	325	-28	762.50	506	83 500 979-00	211.30	196, 393
-28	596.40	115, 325	-33	519.90	506	-06	338.10	196, 393
-99	542.20	051, 115, 325	-99	693.10	506	-33	285.30	196, 393
83 400 892-00	287.50	507	83 435 970-00	368.30	051, 114, 157, 195, 232, 272, 324, 391, 437, 506, 562	83 500 980-00	265.40	438
-06	459.80	507	-06	589.30	051, 114, 157, 195, 232, 272, 324, 391, 437, 506, 562	-06	424.80	438
-08	459.80	507	-08	589.30	195, 232, 272, 324, 391, 437, 506, 562	-08	424.70	438
-10	388.20	507	-10	497.30	506	-28	525.50	438
-28	569.40	507	-28	729.30	114, 272, 324, 391, 437, 506, 562	-99	477.70	438
-33	388.10	507	-33	497.30	195, 391, 506	83 510 361-00	239.00	273
-99	517.60	507	-99	663.00	051, 114, 272, 324, 391, 437, 506, 562	-06	382.50	273
83 400 979-00	224.50	051, 115, 157, 195, 232, 272, 324, 391, 437, 507, 562	83 481 970-00	106.50	158, 195, 392, 507	-08	382.50	273
-06	359.20	051, 115, 157, 195, 232, 272, 324, 391, 437, 507, 562	-06	170.40	158, 195, 392, 507	-09	473.30	273
-33	303.00	195, 391, 507	-08	170.50	392, 507	-28	473.30	273
83 401 979-00	224.50	051, 115, 157, 195, 232, 272, 325, 391, 437, 507, 562	-10	143.80	507	-99	430.40	273
-06	359.20	051, 115, 157, 195, 232, 272, 325, 391, 437, 507, 562	-28	211.00	392, 507	83 510 892-00	233.00	509
-08	359.20	272, 325, 391, 437, 507, 562	-33	143.80	195, 392, 507	-06	372.70	509
-09	444.50	272, 507	-99	191.80	392, 507	-08	372.70	509
-28	444.50	115, 272, 325, 391, 437, 507, 562	83 482 970-00	126.40	158, 196, 392, 508	-10	314.50	509
-33	303.00	195, 391, 507	-06	202.20	158, 196, 392, 508	-28	461.40	509
-99	404.00	051, 115, 272, 325, 391, 437, 507, 562	-08	202.40	392, 508	-33	314.50	509
83 410 780-00	308.00	114, 231, 324, 436	-10	170.80	508	-99	419.50	509
-06	492.40	114, 231, 324, 436	-28	250.50	392, 508	83 510 979-00	271.20	196, 393
-08	492.40	324, 436	-33	170.80	196, 392, 508	-06	433.70	196, 393
-28	609.90	114, 324, 436	-99	227.70	392, 508	-33	366.20	196, 393
-99	554.40	114, 324, 436	83 500 361-00	191.10	273	83 590 361-00	190.20	273
			-06	305.90	273	-06	304.30	273
			-08	305.90	273	-08	304.30	273
			-09	378.60	273	-09	376.60	273
			-28	378.60	273	-28	376.60	273
			-99	344.30	273	-99	342.40	273
			83 500 670-00	217.60	158	83 590 780-00	247.60	116, 233, 326
			-06	348.20	158	-06	396.10	116, 233, 326
			-06	247.60	052	-08	396.10	326
			-06	396.10	052	-28	490.30	116, 326
			-99	445.70	052	-99	445.70	116, 326
			83 500 710-00	233.90	233	83 590 809-00	189.60	563
			-06	374.30	233	-06	303.40	563
						-08	303.40	563
						-28	375.30	563
						-99	341.10	563
						83 590 892-00	189.60	509
						-06	303.40	509
						-08	303.40	509
						-10	255.90	509
						-28	375.30	509
						-33	256.00	509
						-99	341.20	509
						83 590 979-00	138.90	197, 393
						-06	222.40	197, 393
						-33	196.90	197, 393
						83 900 361-00	455.50	274
						-06	728.60	274
						-08	728.60	274
						-09	902.00	274
						-28	902.00	274
						-99	819.90	274
						83 900 710-00	362.60	234
						-06	580.10	234
						83 900 780-00	382.80	052, 116, 326
						-06	612.50	052, 116, 326
						-08	612.50	326
						-28	758.00	116, 326
						-99	689.10	052, 116, 326

Index

Art. No.	Euro	Page	Art. No.	Euro	Page
83 900 809-00	418.10	564	90		
-06	669.10	564	90 20 97 505 01-00	143.30	117, 197, 198, 234, 326, 327, 394, 438, 439
-08	669.10	564			
-28	827.90	564	-06	229.10	117, 197, 198, 234, 326, 327, 394, 438, 439
-99	752.70	564	-08	229.10	326, 327, 394, 438, 439
83 900 892-00	418.10	509	-28	283.50	117, 326, 327, 394, 438, 439
-06	669.10	509	-33	193.60	197, 198, 394
-08	669.10	509	-99	257.80	117, 326, 327, 394, 438, 439
-10	564.60	509	90 20 97 507 00-00	86.00	052, 053, 116, 159, 197, 234, 326, 393, 509, 564
-28	827.90	509			
-33	564.70	509	-06	137.60	052, 053, 116, 159, 197, 234, 326, 393, 509, 564
-99	752.60	509	-08	137.60	326, 509, 564
83 900 970-00	319.00	053, 159, 197, 393	-10	114.70	509
-06	510.20	053, 159, 197, 393	-28	170.30	116, 326, 509, 564
-33	430.70	197, 393	-33	114.70	197, 393, 509
-99	574.10	053, 393	-99	154.80	052, 053, 116, 326, 393, 509, 564
83 910 979-00	417.90	117, 197, 234, 326, 394, 438	90 28 22 538 03-00	86.00	274
-06	668.80	117, 197, 234, 326, 394, 438	-06	138.20	274
-08	668.80	326, 394, 438	-08	138.20	274
-28	827.40	117, 326, 394, 438	-09	180.50	274
-33	564.20	197, 394	-28	276.10	274
-99	752.20	117, 326, 394, 438	-99	344.50	274
84					
84 410 780-00	283.30	114, 157, 194, 232, 324, 390, 506			
-06	453.00	114, 157, 194, 232, 324, 390, 506			
-08	453.00	324, 390, 506			
-10	382.50	506			
-28	561.00	114, 324, 390, 506			
-33	382.50	194, 390, 506			
-99	509.90	114, 324, 390, 506			
84 430 811-00	368.30	114			
-06	589.30	114			
-28	729.20	114			
-99	662.90	114			
84 435 970-00	339.40	051, 115, 157, 195, 232, 272, 324, 391, 437, 506, 562			
-06	542.60	051, 115, 157, 195, 232, 272, 324, 391, 437, 506, 562			
-08	542.60	272, 324, 391, 437, 506, 562			
-10	458.20	506			
-28	672.00	115, 272, 324, 391, 437, 506, 562			
-33	458.10	195, 391, 506			
-99	610.90	051, 115, 272, 324, 391, 437, 506, 562			
84 910 979-00	378.10	117, 198, 234, 327, 394, 439			
-06	604.80	117, 198, 234, 327, 394, 439			
-08	604.80	327, 394, 439			
-28	748.60	117, 327, 394, 439			
-33	510.40	198, 394			
-99	680.50	117, 327, 394, 439			



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

CL.1

Sieger Design

Basin
from page 005

Bidet
from page 012

Shower
from page 013

Thermostats, mixers,
diverters and valves
from page 031

Bath
from page 046

Accessories
from page 050



Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Choose your individual solution:

Spouts

Washstand from page 005




Bath from page 046



Control elements

Washstand from page 005 / Bath from page 046



plain

WAVE

CASCADE

round

lever

Basin fittings overview

Single-lever basin mixer

173 mm projection



33 521 705*

with raised base

253 mm projection



33 534 705*

Deck-mounted basin spouts

160 mm projection



13 714 705*

160 mm projection



13 715 705*

200 mm projection



13 717 705*

Wall-mounted single-lever basin mixer

200 mm projection



36 860 705

Wall-mounted basin spout

200 mm projection



13 800 705



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

*without pop-up waste



CL.1

Overview of bath fittings

Free-standing bath fitting



25 863 705

Bath spouts



13 612 705



13 801 705

Hand shower set



27 702 980

Single-lever mixers



29 300 670



36 120 670

integrated bath filling



36 247 970

Miscellaneous



36 243 970



CL.1

33 521 705



Single-lever basin mixer without pop-up waste

- **173 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 226 mm
- base 56 x 52mm
- height up to aerator 212 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free

		Euro
polished chrome	33 521 705-00	955.90
platinum matt	33 521 705-06	1,529.50
Dark Platinum matt	33 521 705-99	1,720.60



CYO



IMO



Lissé



LULU



Madison

33 534 705



Single-lever basin mixer with raised base without pop-up waste

- **253 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 380 mm
- height up to aerator 365 mm
- hole diameter 35 mm
- max. flow 4 l/min
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- lead-free

		Euro
polished chrome	33 534 705-00	1,051.60
platinum matt	33 534 705-06	1,682.60
Dark Platinum matt	33 534 705-99	1,892.80



MEM



Meta



Symetrics

13 714 705 +
20 004 705 +
20 004 706



Three-hole basin mixer without pop-up waste

- **160 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 108 mm
- height up to aerator 94 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free

		Euro
polished chrome	1x 13 714 705-00	673.70
	1x 20 004 705-00	264.90
	1x 20 004 706-00	264.90
	Price	1,203.50
platinum matt	1x 13 714 705-06	1,078.00
	1x 20 004 705-06	423.80
	1x 20 004 706-06	423.80
	Price	1,925.60
Dark Platinum matt	1x 13 714 705-99	1,212.80
	1x 20 004 705-99	476.80
	1x 20 004 706-99	476.80
	Price	2,166.40



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



13 715 705 +
20 004 705 +
20 004 706



Three-hole basin mixer without pop-up waste

- **160 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free

		Euro
polished chrome	1x 13 715 705-00	730.20
	1x 20 004 705-00	264.90
	1x 20 004 706-00	264.90
	Price	1,260.00
platinum matt	1x 13 715 705-06	1,168.10
	1x 20 004 705-06	423.80
	1x 20 004 706-06	423.80
	Price	2,015.70
Dark Platinum matt	1x 13 715 705-99	1,314.30
	1x 20 004 705-99	476.80
	1x 20 004 706-99	476.80
	Price	2,267.90



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

13 717 705 +
20 004 705 +
20 004 706



Three-hole basin mixer without pop-up waste

- **200 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 343 mm
- height up to aerator 329 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free

		Euro
polished chrome	1x 13 717 705-00	917.60
	1x 20 004 705-00	264.90
	1x 20 004 706-00	264.90
	Price	1,447.40
platinum matt	1x 13 717 705-06	1,468.10
	1x 20 004 705-06	423.80
	1x 20 004 706-06	423.80
	Price	2,315.70
Dark Platinum matt	1x 13 717 705-99	1,651.70
	1x 20 004 705-99	476.80
	1x 20 004 706-99	476.80
	Price	2,605.30



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

13 714 705



Deck-mounted basin spout without pop-up waste

- **160 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 108 mm
- height up to aerator 94 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free

		Euro
polished chrome	13 714 705-00	673.70
platinum matt	13 714 705-06	1,078.00
Dark Platinum matt	13 714 705-99	1,212.80

13 715 705



Deck-mounted basin spout without pop-up waste

- **160 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free

		Euro
polished chrome	13 715 705-00	730.20
platinum matt	13 715 705-06	1,168.10
Dark Platinum matt	13 715 705-99	1,314.30



CL.1

13 717 705



Deck-mounted basin spout without pop-up waste

- **200 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 343 mm
- height up to aerator 329 mm
- hole diameter 35 mm
- max. flow 4 l/min
- 1/2" connection
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- lead-free

	Euro	
polished chrome	13 717 705-00	917.60
platinum matt	13 717 705-06	1,468.10
Dark Platinum matt	13 717 705-99	1,651.70



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 860 705



Wall-mounted single-lever basin mixer without pop-up waste

- **198 mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 80 x 80 mm
- max. flow 4.5 l/min
- lead-free

	Euro	
polished chrome	36 860 705-00	885.30
platinum matt	36 860 705-06	1,416.30
Dark Platinum matt	36 860 705-99	1,593.50



Required miscellaneous	Euro		
Concealed wall-mounted single-lever mixer	Concealed rough parts	35 860 970 90	180.80

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685



Required miscellaneous	Euro		
Concealed wall-mounted single-lever mixer mixer on right	Concealed rough parts	35 816 970 90	310.30

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684



13 800 705 +
36 607 706 +
36 607 707

**Wall-mounted basin mixer without pop-up waste**

- 200 mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter valve 35 mm
- hole diameter spout 40 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free

		Euro
polished chrome	1x 13 800 705-00	630.50
	1x 36 607 706-00	224.50
	1x 36 607 707-00	224.50
	Price	1,079.50
platinum matt	1x 13 800 705-06	1,008.90
	1x 36 607 706-06	359.40
	1x 36 607 707-06	359.40
	Price	1,727.70
Dark Platinum matt	1x 13 800 705-99	1,134.90
	1x 36 607 706-99	404.10
	1x 36 607 707-99	404.10
	Price	1,943.10



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 683


		Euro
Concealed rough parts	35 720 970 90	124.10

13 800 705

**Wall-mounted basin spout without pop-up waste**

- 200 mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- lead-free
- 1/2" connection
- plug-link mounting
- max. flow 4.5 l/min

		Euro
polished chrome	13 800 705-00	630.50
platinum matt	13 800 705-06	1,008.90
Dark Platinum matt	13 800 705-99	1,134.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1

13 715 705 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 160 mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 715 705-00	730.20
	1x 42 765 970 90	553.30
	Price	1,283.50
platinum matt	1x 13 715 705-06	1,168.10
	1x 42 765 970 90	553.30
	Price	1,721.40
Dark Platinum matt	1x 13 715 705-99	1,314.30
	1x 42 765 970 90	553.30
	Price	1,867.60



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 740 970 90	252.50

13 715 705 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 160 mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 715 705-00	730.20
	1x 42 766 970 90	461.10
	Price	1,191.30
platinum matt	1x 13 715 705-06	1,168.10
	1x 42 766 970 90	461.10
	Price	1,629.20
Dark Platinum matt	1x 13 715 705-99	1,314.30
	1x 42 766 970 90	461.10
	Price	1,775.40



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 742 970 90	229.40



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



13 800 705 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 200 mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set


Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 705-00	630.50
	1x 42 765 970 90	553.30
	Price	1,183.80
platinum matt	1x 13 800 705-06	1,008.90
	1x 42 765 970 90	553.30
	Price	1,562.20
Dark Platinum matt	1x 13 800 705-99	1,134.90
	1x 42 765 970 90	553.30
	Price	1,688.20

Required miscellaneous




eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 800 705 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting

- 200 mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set


Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 705-00	630.50
	1x 42 766 970 90	461.10
	Price	1,091.60
platinum matt	1x 13 800 705-06	1,008.90
	1x 42 766 970 90	461.10
	Price	1,470.00
Dark Platinum matt	1x 13 800 705-99	1,134.90
	1x 42 766 970 90	461.10
	Price	1,596.00

Required miscellaneous



eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 743 970 90	229.40



CL.1

22 901 782

Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection



		Euro
polished chrome	22 901 782-00	173.10
platinum matt	22 901 782-06	277.00
Dark Platinum matt	22 901 782-99	311.70



CYO



IMO



Lissé

Miscellaneous

10 060 780

Siphon for basin 1 1/4"

- rosette 78 x 78 mm



		Euro
polished chrome	10 060 780-00	311.80
platinum matt	10 060 780-06	498.90
Dark Platinum matt	10 060 780-99	561.20



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



33 600 705



Single-lever bidet mixer without pop-up waste

- 145 mm projection
- 30° pivotable spout
- rectangular, air-enriched flow
- height of mixer 190 mm
- height up to aerator 113 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 6 l/min

		Euro
polished chrome	33 600 705-00	1,236.50
platinum matt	33 600 705-06	1,978.30
Dark Platinum matt	33 600 705-99	2,225.70


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00
Dark Platinum matt	27 701 670-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00
Dark Platinum matt	27 701 970-99	468.10



Recommended miscellaneous

Concealed wall elbow


- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



Shower set solution



Shower set without hand shower

- Shower set see page 566




Hand shower 15 l/min

- Hand shower see page 612



Concealed single-lever mixer with cover plate with integrated shower connection

- More control elements can be found from page 638 onwards



Concealed wall mounting

	Euro	
polished chrome	Price	1,398.10
platinum matt	Price	2,081.40
Dark Platinum matt	Price	2,310.00

	Euro	
polished chrome	26 413 980-00	564.90

	Euro	
polished chrome	28 012 979-00	190.00

	Euro	
polished chrome	36 045 970-00	384.90

	Euro	
Concealed rough parts	35 003 970 90	258.30



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Headshower solution


		Euro
polished chrome	Price	2,162.80
platinum matt	Price	3,085.60
Dark Platinum matt	Price	3,401.60



Shower head

- Shower head see page 580

		Euro
polished chrome	28 504 670-00	493.40



Hand shower set with individual rosettes

- Hand Shower set see page 616




		Euro
polished chrome	27 808 980-00	570.30



Concealed single-lever mixer with diverter


- More control elements can be found from page 638 onwards

		Euro
polished chrome	36 120 670-00	485.00



Concealed single-lever mixer

		Euro
Concealed rough parts	35 020 970 90	190.70



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80

Showerpipe solution



		Euro
polished chrome	Price	2,587.60
platinum matt	Price	4,140.20
Dark Platinum matt	Price	4,657.60



Hand shower 15 l/min

- Hand shower see page 612

		Euro
polished chrome	28 018 979-00	109.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen



Rainshower solution



Rain shower with wall fixing

- Rain shower see page 596



Hand shower set with individual rosettes

- Hand Shower set see page 616



xTOOL Concealed thermostat without volume control 3/4"


- More control elements can be found from page 638 onwards



Wall valve clockwise closing 1/2"


- More control elements can be found from page 638 onwards

This article is needed 2x.



Concealed wall elbow

This article is needed 2x.



xTOOL Concealed thermostat module with 2 valves 3/4"



xGRID Installation track set

	Euro	
polished chrome	Price	4,662.70
platinum matt	Price	6,636.80
Dark Platinum matt	Price	7,293.90

	Euro	
polished chrome	28 765 980-00	1,230.30

	Euro	
polished chrome	27 808 980-00	570.30

	Euro	
polished chrome	36 503 780-00	1,039.40

	Euro	
polished chrome	36 607 705-00	224.50

	Euro	
Concealed rough parts	35 085 970 90	98.80

	Euro	
Concealed rough parts	35 521 970 90	950.30

	Euro	
Concealed rough parts	12 380 970 90	225.80

36 002 970 +
28 017 979**Concealed single-lever mixer with integrated shower connection with hand shower set**

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
	Price	751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
	Price	1,202.80
Dark Platinum matt	1x 36 002 970-99	1,089.50
	1x 28 017 979-99	263.50
	Price	1,353.00



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm


For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



Shower

36 013 970 +
28 012 979



Concealed single-lever mixer with integrated shower connection with shower set

- cover plate 80 x 80 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 013 970-00	749.00
	1x 28 012 979-00	190.00
	Price	939.00
platinum matt	1x 36 013 970-06	1,208.60
	1x 28 012 979-06	304.00
	Price	1,512.60
Dark Platinum matt	1x 36 013 970-99	1,347.60
	1x 28 012 979-99	342.00
	Price	1,689.60



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
Dark Platinum matt	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
Price		868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
Price		1,388.50
Dark Platinum matt	1x 36 110 970-99	1,298.40
	1x 28 017 979-99	263.50
Price		1,561.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
Dark Platinum matt	1x 36 111 970-99	1,486.70
	1x 28 018 979-99	196.60
	Price	1,683.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
Dark Platinum matt	28 012 979-99	342.00




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
Dark Platinum matt	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



26 413 980 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 413 980-00	564.90
	1x 28 012 979-00	190.00
	Price	754.90
platinum matt	1x 26 413 980-06	903.50
	1x 28 012 979-06	304.00
	Price	1,207.50
Dark Platinum matt	1x 26 413 980-99	1,016.50
	1x 28 012 979-99	342.00
	Price	1,358.50



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
Dark Platinum matt	28 018 979-99	196.60



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
Dark Platinum matt	28 017 979-99 0010	263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 980-00	133.00
	28 450 980-06	212.90
Dark Platinum matt	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

			Euro
polished chrome	1x 26 413 979-00		338.40
	1x 28 018 979-00		109.20
		Price	447.60
platinum matt	1x 26 413 979-06		551.80
	1x 28 018 979-06		174.80
		Price	726.60
Dark Platinum matt	1x 26 413 979-99		608.90
	1x 28 018 979-99		196.60
		Price	805.50



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

			Euro
polished chrome	28 012 979-00		190.00
	28 012 979-06		304.00
Dark Platinum matt	28 012 979-99		342.00



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

			Euro
polished chrome	28 017 979-00 0010		146.40
	28 017 979-06 0010		234.10
Dark Platinum matt	28 017 979-99 0010		263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

			Euro
polished chrome	28 450 980-00		133.00
	28 450 980-06		212.90
Dark Platinum matt	28 450 980-99		239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

			Euro
Concealed rough parts	35 085 970 90		98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 980 +
28 018 979**Showerpipe with shower thermostat**

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower 300 x 240mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 980-00	2,478.40
	1x 28 018 979-00	109.20
	Price	2,587.60
platinum matt	1x 34 459 980-06	3,965.40
	1x 28 018 979-06	174.80
	Price	4,140.20
Dark Platinum matt	1x 34 459 980-99	4,461.00
	1x 28 018 979-99	196.60
	Price	4,657.60

**Product alternative****Hand shower 15 l/min**

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
Dark Platinum matt	28 012 979-99	342.00

**Product alternative****Bar-type hand shower 6.8 l/min**

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612


		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
Dark Platinum matt	28 013 979-99 0010	305.90

28 504 670

**Shower head**

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 670-00	493.40
	28 504 670-06	783.00
Dark Platinum matt	28 504 670-99	888.10

**Recommended miscellaneous****Concealed wall elbow**

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items


		Euro
Concealed rough parts	35 085 970 90	98.80

28 508 980

**Shower head**

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 980-00	547.60
	28 508 980-06	876.00
Dark Platinum matt	28 508 980-99	985.80

**Recommended miscellaneous****Concealed wall elbow**

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1


28 765 980



Rain shower with wall fixing

- 450 mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 765 980-00	1,230.30
platinum matt	28 765 980-06	1,968.50
Dark Platinum matt	28 765 980-99	2,214.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


28 775 980



Rain shower with ceiling fixing

- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 775 980-00	1,045.80
platinum matt	28 775 980-06	1,673.30
Dark Platinum matt	28 775 980-99	1,882.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 041 980

NEW



Rain shower for ceiling fixing

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 041 980-00	601.10
platinum matt	28 041 980-06	961.80
Dark Platinum matt	28 041 980-99	1,082.00



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 041 970 90	400.70

28 042 980


NEW



Rain shower for ceiling fixing with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

		Euro
polished chrome	28 042 980-00	903.20
platinum matt	28 042 980-06	1,445.10
Dark Platinum matt	28 042 980-99	1,625.80



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 042 970 90	602.10



28 043 980	NEW	Rain shower for ceiling installation		Euro									
			<ul style="list-style-type: none"> rain shower 300 x 240mm Rain flow, max. flow rate 12 l/min Spray flow, max. flow rate 6 l/min min. recess depth 137,5 mm with anti-scale system 	<table border="0"> <tr> <td>polished chrome</td> <td>28 043 980-00</td> <td>1,205.20</td> </tr> <tr> <td>platinum matt</td> <td>28 043 980-06</td> <td>1,928.30</td> </tr> <tr> <td>Dark Platinum matt</td> <td>28 043 980-99</td> <td>2,169.40</td> </tr> </table>	polished chrome	28 043 980-00	1,205.20	platinum matt	28 043 980-06	1,928.30	Dark Platinum matt	28 043 980-99	2,169.40
			polished chrome	28 043 980-00	1,205.20								
			platinum matt	28 043 980-06	1,928.30								
Dark Platinum matt	28 043 980-99	2,169.40											



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

Concealed rough parts	35 043 970 90	803.50
-----------------------	----------------------	---------------

28 044 980	NEW	Rain shower for ceiling installation with light		Euro									
			<ul style="list-style-type: none"> rain shower 300 x 240mm Rain flow, max. flow rate 12 l/min Spray flow, max. flow rate 6 l/min min. recess depth 137,5 mm with anti-scale system central RGBW LED spot RGBW LED ambient lighting 	<table border="0"> <tr> <td>polished chrome</td> <td>28 044 980-00</td> <td>1,809.30</td> </tr> <tr> <td>platinum matt</td> <td>28 044 980-06</td> <td>2,894.90</td> </tr> <tr> <td>Dark Platinum matt</td> <td>28 044 980-99</td> <td>3,256.70</td> </tr> </table>	polished chrome	28 044 980-00	1,809.30	platinum matt	28 044 980-06	2,894.90	Dark Platinum matt	28 044 980-99	3,256.70
			polished chrome	28 044 980-00	1,809.30								
			platinum matt	28 044 980-06	2,894.90								
Dark Platinum matt	28 044 980-99	3,256.70											



Required miscellaneous


Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

Concealed rough parts	35 044 970 90	1,206.20
-----------------------	----------------------	-----------------

27 802 970		Hand shower set with integrated shower holder		Euro									
			<ul style="list-style-type: none"> normal flow with anti-scale system 3/8" shower outlet metal shower hose 1250mm with integrated anti-twist protection rosette 60 x 60 mm 1/2" connection max. flow 15 l/min 	<table border="0"> <tr> <td>polished chrome</td> <td>27 802 970-00</td> <td>378.00</td> </tr> <tr> <td>platinum matt</td> <td>27 802 970-06</td> <td>604.10</td> </tr> <tr> <td>Dark Platinum matt</td> <td>27 802 970-99</td> <td>680.00</td> </tr> </table>	polished chrome	27 802 970-00	378.00	platinum matt	27 802 970-06	604.10	Dark Platinum matt	27 802 970-99	680.00
			polished chrome	27 802 970-00	378.00								
			platinum matt	27 802 970-06	604.10								
Dark Platinum matt	27 802 970-99	680.00											



Recommended miscellaneous


Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

Concealed rough parts	35 085 970 90	98.80
-----------------------	----------------------	--------------

27 808 980		Hand shower set with individual rosettes		Euro									
			<ul style="list-style-type: none"> normal flow with anti-scale system 3/8" shower outlet rosette for wall elbow 60 x 60mm rosette for shower holder 60 x 60mm metal shower hose 1250mm with integrated anti-twist protection 1/2" wall elbow max. flow 15 l/min 	<table border="0"> <tr> <td>polished chrome</td> <td>27 808 980-00</td> <td>570.30</td> </tr> <tr> <td>platinum matt</td> <td>27 808 980-06</td> <td>912.50</td> </tr> <tr> <td>Dark Platinum matt</td> <td>27 808 980-99</td> <td>1,026.40</td> </tr> </table>	polished chrome	27 808 980-00	570.30	platinum matt	27 808 980-06	912.50	Dark Platinum matt	27 808 980-99	1,026.40
			polished chrome	27 808 980-00	570.30								
			platinum matt	27 808 980-06	912.50								
Dark Platinum matt	27 808 980-99	1,026.40											



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

Concealed rough parts	35 085 970 90	98.80
-----------------------	----------------------	--------------



CL.1

27 809 980




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 980-00	717.30
platinum matt	27 809 980-06	1,147.70
Dark Platinum matt	27 809 980-99	1,291.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 809 985




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 985-00	748.60
platinum matt	27 809 985-06	1,197.90
Dark Platinum matt	27 809 985-99	1,347.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 818 980




Hand shower set with cover plate

- normal flow
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 818 980-00	678.10
platinum matt	27 818 980-06	1,084.70
Dark Platinum matt	27 818 980-99	1,220.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen




28 518 782



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 782-00	304.60
platinum matt	28 518 782-06	487.50
Dark Platinum matt	28 518 782-99	548.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
Dark Platinum matt	36 515 979-99	796.40



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 517 979



WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
Dark Platinum matt	36 517 979-99	1,229.80



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

	Euro	
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
Dark Platinum matt	36 514 979-99	1,600.60

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80



CYO



IMO



Lissé

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

	Euro	
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
Dark Platinum matt	36 513 979-99	1,194.00




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

	Euro	
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
Dark Platinum matt	36 512 979-99	1,194.00

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

	Euro	
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous



xGRID Installation track 555 mm

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 340 970 90	90.90



LULU



Madison



MEM



Meta



Symetrics



Tara.

13 415 979




WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

	Euro	
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
Dark Platinum matt	13 415 979-99	1,648.50

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen




13 420 979

**WATER FALL Cascade spout for wall mounting**

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90

Recommended miscellaneous

**Concealed wall elbow**

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 425 979

**WATER FALL Cascade spout with individual jets for wall mounting**

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
Dark Platinum matt	13 425 979-99	1,749.90

Recommended miscellaneous

**Concealed wall elbow**

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 838 979


**Affusion pipe with cover plate**

- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 9.5 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 838 979-00	726.80
platinum matt	27 838 979-06	1,162.70
Dark Platinum matt	27 838 979-99	1,308.10

Recommended miscellaneous

**Concealed wall elbow**

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1

27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 821 979-00	551.60
	1x 28 285 979-00	84.40
Price		636.00
platinum matt	1x 27 821 979-06	882.60
	1x 28 285 979-06	135.10
Price		1,017.70
Dark Platinum matt	1x 27 821 979-99	993.00
	1x 28 285 979-99	151.90
Price		1,144.90




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 822 979 +
28 285 979



Kneipp wall elbow

- laminar flow
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 822 979-00	467.00
	1x 28 285 979-00	84.40
Price		551.40
platinum matt	1x 27 822 979-06	747.20
	1x 28 285 979-06	135.10
Price		882.30
Dark Platinum matt	1x 27 822 979-99	840.70
	1x 28 285 979-99	151.90
Price		992.60




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 970




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 970-00	191.90
	28 490 970-06	307.20
Dark Platinum matt	28 490 970-99	345.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



28 450 980




Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 980-00	133.00
platinum matt	28 450 980-06	212.90
Dark Platinum matt	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 980



Wall bracket

- rosette 60 x 60 mm

		Euro
polished chrome	28 050 980-00	172.60
platinum matt	28 050 980-06	276.40
Dark Platinum matt	28 050 980-99	310.70

28 060 970



Wall bracket swivel

		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
Dark Platinum matt	28 060 970-99	286.60



CL.1


36 060 670

Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm



		Euro
polished chrome	36 060 670-00	378.10
platinum matt	36 060 670-06	610.50
Dark Platinum matt	36 060 670-99	680.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 050 970


Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.



		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
Dark Platinum matt	36 050 970-99	672.50



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

36 045 970


Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate 80 x 80 mm

Intrinsic protection against back flow.



		Euro
polished chrome	36 045 970-00	384.90
platinum matt	36 045 970-06	615.60
Dark Platinum matt	36 045 970-99	693.20



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30




36 120 670

**Concealed single-lever mixer with diverter**

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704


		Euro
Concealed rough parts	12 340 970 90	90.90

36 425 670

**Concealed thermostat with one function volume control**

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 670-00	608.50
platinum matt	36 425 670-06	982.40
Dark Platinum matt	36 425 670-99	1,095.30




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1


36 426 670



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 670-00	721.50
platinum matt	36 426 670-06	1,165.00
Dark Platinum matt	36 426 670-99	1,298.50




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 427 670



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 670-00	765.00
platinum matt	36 427 670-06	1,235.10
Dark Platinum matt	36 427 670-99	1,376.90




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen




36 501 780 +
36 607 705

**xTOOL Thermostat module with 1 valve**

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

36 501 985-FF can also be used as an alternative.

		Euro
polished chrome	1x 36 501 780-00	1,039.40
	1x 36 607 705-00	224.50
	Price	1,263.90
platinum matt	1x 36 501 780-06	1,663.30
	1x 36 607 705-06	359.40
	Price	2,022.70
Dark Platinum matt	1x 36 501 780-99	1,871.00
	1x 36 607 705-99	404.10
	Price	2,275.10



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 691

		Euro
Concealed rough parts	35 511 970 90	570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1

36 503 780 +
2x 36 607 705




xTOOL Thermostat module with 2 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

36 501 985-FF can also be used as an alternative.

			Euro
polished chrome	1x 36 503 780-00		1,039.40
	2x 36 607 705-00		224.50
		Price	1,488.40
platinum matt	1x 36 503 780-06		1,663.30
	2x 36 607 705-06		359.40
		Price	2,382.10
Dark Platinum matt	1x 36 503 780-99		1,871.00
	2x 36 607 705-99		404.10
		Price	2,679.20




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 692

			Euro
Concealed rough parts	35 521 970 90		950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 693

			Euro
Concealed rough parts	35 524 970 90		939.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen




36 503 780 +
3x 36 607 705

**xTOOL Thermostat module with 3 valves**

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

		Euro
polished chrome	1x 36 503 780-00	1,039.40
	3x 36 607 705-00	224.50
	Price	1,712.90
platinum matt	1x 36 503 780-06	1,663.30
	3x 36 607 705-06	359.40
	Price	2,741.50
Dark Platinum matt	1x 36 503 780-99	1,871.00
	3x 36 607 705-99	404.10
	Price	3,083.30




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 694

		Euro
Concealed rough parts	35 531 970 90	1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 534 970 90	1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1

36 501 780



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Euro	
polished chrome	36 501 780-00	1,039.40
platinum matt	36 501 780-06	1,663.30
Dark Platinum matt	36 501 780-99	1,871.00



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

	Euro	
polished chrome	36 503 780-00	1,039.40
platinum matt	36 503 780-06	1,663.30
Dark Platinum matt	36 503 780-99	1,871.00



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 690

	Euro	
Concealed rough parts	35 503 970 90	695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 340 970 90	90.90

36 501 985



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Euro	
polished chrome	36 501 985-00	1,062.10
platinum matt	36 501 985-06	1,699.40
Dark Platinum matt	36 501 985-99	1,911.70



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

	Euro	
polished chrome	36 503 985-00	1,062.10
platinum matt	36 503 985-06	1,699.40
Dark Platinum matt	36 503 985-99	1,911.70



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 690

	Euro	
Concealed rough parts	35 503 970 90	695.90



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 340 970 90	90.90



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



36 607 741

**Wall valve clockwise closing cold 1/2"**

- without rosette
- handle Ø 60mm
- with cold marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 741-00	242.20
platinum matt	36 607 741-06	387.40
Dark Platinum matt	36 607 741-99	436.00


Product alternative

**Wall valve anti-clockwise closing hot 1/2"**

- with hot marking

		Euro
polished chrome	36 607 742-00	242.20
platinum matt	36 607 742-06	387.40
Dark Platinum matt	36 607 742-99	436.00

Required miscellaneous

**Wall valve 1/2"**

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 706

**Wall valve clockwise closing cold 1/2"**

- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 706-00	224.50
platinum matt	36 607 706-06	359.40
Dark Platinum matt	36 607 706-99	404.10


Product alternative

**Wall valve anti-clockwise closing hot 1/2"**

- with hot marking

		Euro
polished chrome	36 607 707-00	224.50
platinum matt	36 607 707-06	359.40
Dark Platinum matt	36 607 707-99	404.10

Required miscellaneous

**Wall valve 1/2"**

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 617 706

**Wall valve clockwise closing cold 1/2"**

- with WAVES structure
- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 617 706-00	261.30
platinum matt	36 617 706-06	418.20
Dark Platinum matt	36 617 706-99	470.30


Product alternative

**Wall valve anti-clockwise closing hot 1/2"**

- with hot marking

		Euro
polished chrome	36 617 707-00	261.30
platinum matt	36 617 707-06	418.20
Dark Platinum matt	36 617 707-99	470.30

Required miscellaneous

**Wall valve 1/2"**

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL.1

36 627 706



Wall valve clockwise closing cold 1/2"

- with CASCADE structure
- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 627 706-00	261.30
platinum matt	36 627 706-06	418.20
Dark Platinum matt	36 627 706-99	470.30




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 627 707-00	261.30
platinum matt	36 627 707-06	418.20
Dark Platinum matt	36 627 707-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 716



Wall valve clockwise closing cold 1/2"

- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 716-00	261.30
platinum matt	36 607 716-06	418.20
Dark Platinum matt	36 607 716-99	470.30




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 607 717-00	261.30
platinum matt	36 607 717-06	418.20
Dark Platinum matt	36 607 717-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 607 705



Wall valve clockwise closing 1/2"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 705-00	224.50
platinum matt	36 607 705-06	359.40
Dark Platinum matt	36 607 705-99	404.10



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 617 705



Wall valve clockwise closing 1/2"

- with WAVES structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 617 705-00	261.30
platinum matt	36 617 705-06	418.20
Dark Platinum matt	36 617 705-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen




36 627 705



Wall valve clockwise closing 1/2"

- with **CASCADE structure**
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 627 705-00	261.30
platinum matt	36 627 705-06	418.20
Dark Platinum matt	36 627 705-99	470.30



Required miscellaneous

- Wall valve 1/2"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 607 715



Wall valve clockwise closing 1/2"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 715-00	261.30
platinum matt	36 607 715-06	418.20
Dark Platinum matt	36 607 715-99	470.30



Required miscellaneous

- Wall valve 1/2"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 607 740



Wall valve clockwise closing 1/2"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 740-00	231.90
platinum matt	36 607 740-06	371.00
Dark Platinum matt	36 607 740-99	417.40



Required miscellaneous

- Wall valve 1/2"**
- min. recess depth 85 mm
 - max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 608 705



Wall valve clockwise closing 3/4"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 705-00	224.50
platinum matt	36 608 705-06	359.40
Dark Platinum matt	36 608 705-99	404.10



Required miscellaneous

- Wall valve 3/4"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90



CL.1


36 618 705



Wall valve clockwise closing 3/4"

- with WAVES structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 618 705-00	261.30
platinum matt	36 618 705-06	418.20
Dark Platinum matt	36 618 705-99	470.30



Required miscellaneous

- Wall valve 3/4"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 628 705



Wall valve clockwise closing 3/4"

- with CASCADE structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 628 705-00	261.30
platinum matt	36 628 705-06	418.20
Dark Platinum matt	36 628 705-99	470.30



Required miscellaneous

- Wall valve 3/4"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90


36 608 715



Wall valve clockwise closing 3/4"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 715-00	261.30
platinum matt	36 608 715-06	418.20
Dark Platinum matt	36 608 715-99	470.30



Required miscellaneous

- Wall valve 3/4"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90


36 608 740



Wall valve clockwise closing 3/4"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 740-00	231.90
platinum matt	36 608 740-06	371.00
Dark Platinum matt	36 608 740-99	417.40



Required miscellaneous

- Wall valve 3/4"**
- min. recess depth 85 mm
 - max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90



	20 000 705 Deck valve clockwise closing cold <ul style="list-style-type: none"> • hole diameter valve 32 mm • rosette 60 x 60 mm • with cold marking 			Euro
		polished chrome	20 000 705-00	264.90
		platinum matt	20 000 705-06	423.80
		Dark Platinum matt	20 000 705-99	476.80



Product alternative				Euro
	Deck valve anti-clockwise closing hot <ul style="list-style-type: none"> • with hot marking 			Euro
		polished chrome	20 000 706-00	264.90
		platinum matt	20 000 706-06	423.80
Dark Platinum matt	20 000 706-99	476.80		

	20 001 705 Deck valve clockwise closing cold <ul style="list-style-type: none"> • with WAVES structure • hole diameter 32 mm • rosette 60 x 60 mm • with cold marking 			Euro
		polished chrome	20 001 705-00	321.50
		platinum matt	20 001 705-06	514.30
		Dark Platinum matt	20 001 705-99	578.60



Product alternative				Euro
	Deck valve anti-clockwise closing hot <ul style="list-style-type: none"> • with hot marking 			Euro
		polished chrome	20 001 706-00	321.50
		platinum matt	20 001 706-06	514.30
Dark Platinum matt	20 001 706-99	578.60		

	20 002 705 Deck valve clockwise closing cold <ul style="list-style-type: none"> • with CASCADE structure • hole diameter 32 mm • rosette 60 x 60 mm • with cold marking 			Euro
		polished chrome	20 002 705-00	321.50
		platinum matt	20 002 705-06	514.30
		Dark Platinum matt	20 002 705-99	578.60



Product alternative				Euro
	Deck valve anti-clockwise closing hot <ul style="list-style-type: none"> • with hot marking 			Euro
		polished chrome	20 002 706-00	321.50
		platinum matt	20 002 706-06	514.30
Dark Platinum matt	20 002 706-99	578.60		

	20 004 705 Deck valve clockwise closing cold <ul style="list-style-type: none"> • hole diameter 32 mm • rosette 60 x 47 mm • with cold marking 			Euro
		polished chrome	20 004 705-00	264.90
		platinum matt	20 004 705-06	423.80
		Dark Platinum matt	20 004 705-99	476.80



Product alternative				Euro
	Deck valve anti-clockwise closing hot <ul style="list-style-type: none"> • with hot marking 			Euro
		polished chrome	20 004 706-00	264.90
		platinum matt	20 004 706-06	423.80
Dark Platinum matt	20 004 706-99	476.80		

	20 005 705 Deck valve clockwise closing cold <ul style="list-style-type: none"> • with WAVES structure • hole diameter 32 mm • rosette 60 x 47 mm • with cold marking 			Euro
		polished chrome	20 005 705-00	321.50
		platinum matt	20 005 705-06	514.30
		Dark Platinum matt	20 005 705-99	578.60



Product alternative				Euro
	Deck valve anti-clockwise closing hot <ul style="list-style-type: none"> • with hot marking 			Euro
		polished chrome	20 005 706-00	321.50
		platinum matt	20 005 706-06	514.30
Dark Platinum matt	20 005 706-99	578.60		



CL.1

20 006 705



Deck valve clockwise closing cold

- with CASCADE structure
- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

		Euro
polished chrome	20 006 705-00	321.50
platinum matt	20 006 705-06	514.30
Dark Platinum matt	20 006 705-99	578.60



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 006 706-00	321.50
platinum matt	20 006 706-06	514.30
Dark Platinum matt	20 006 706-99	578.60



CYO



IMO



Lissé



LULU



Madison

20 000 715



Deck valve clockwise closing hot

- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

		Euro
polished chrome	20 000 715-00	321.50
platinum matt	20 000 715-06	514.30
Dark Platinum matt	20 000 715-99	578.60



Product alternative

Deck valve anti-clockwise closing cold

- with hot marking

		Euro
polished chrome	20 000 716-00	321.50
platinum matt	20 000 716-06	514.30
Dark Platinum matt	20 000 716-99	578.60



MEM



Meta



Symetrics

20 004 715



Deck valve clockwise closing hot

- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking

		Euro
polished chrome	20 004 715-00	321.50
platinum matt	20 004 715-06	514.30
Dark Platinum matt	20 004 715-99	578.60



Product alternative

Deck valve anti-clockwise closing cold

- with hot marking

		Euro
polished chrome	20 004 716-00	321.50
platinum matt	20 004 716-06	514.30
Dark Platinum matt	20 004 716-99	578.60



Tara.



VAIA

20 000 740



Deck valve clockwise closing cold

- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with cold marking

		Euro
polished chrome	20 000 740-00	258.70
platinum matt	20 000 740-06	413.80
Dark Platinum matt	20 000 740-99	465.60



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 000 741-00	258.70
platinum matt	20 000 741-06	413.80
Dark Platinum matt	20 000 741-99	465.60



Shower



Concealed articles



Miscellaneous

36 200 705


NEW



Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

		Euro
polished chrome	36 200 705-00	524.10
platinum matt	36 200 705-06	838.50
Dark Platinum matt	36 200 705-99	943.40



Required miscellaneous

Concealed two-way diverter

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 696


		Euro
Concealed rough parts	35 202 970 90	238.20



Kitchen




36 201 705	NEW	Concealed two-way diverter		Euro									
			<ul style="list-style-type: none"> • rotary diverter • rosette 60 x 60 mm 	<table border="1"> <tr> <td>polished chrome</td> <td>36 201 705-00</td> <td>610.50</td> </tr> <tr> <td>platinum matt</td> <td>36 201 705-06</td> <td>976.80</td> </tr> <tr> <td>Dark Platinum matt</td> <td>36 201 705-99</td> <td>1,098.90</td> </tr> </table>	polished chrome	36 201 705-00	610.50	platinum matt	36 201 705-06	976.80	Dark Platinum matt	36 201 705-99	1,098.90
			polished chrome	36 201 705-00	610.50								
			platinum matt	36 201 705-06	976.80								
Dark Platinum matt	36 201 705-99	1,098.90											




Required miscellaneous		Euro
Concealed two-way diverter	Concealed rough parts	35 202 970 90 238.20
<ul style="list-style-type: none"> • min. recess depth 115 mm • max. recess depth 155 mm 		
For details and miscellaneous, see page 696		

36 202 705	NEW	Concealed two-way diverter		Euro									
			<ul style="list-style-type: none"> • rotary diverter • rosette 60 x 60 mm 	<table border="1"> <tr> <td>polished chrome</td> <td>36 202 705-00</td> <td>610.50</td> </tr> <tr> <td>platinum matt</td> <td>36 202 705-06</td> <td>976.80</td> </tr> <tr> <td>Dark Platinum matt</td> <td>36 202 705-99</td> <td>1,098.90</td> </tr> </table>	polished chrome	36 202 705-00	610.50	platinum matt	36 202 705-06	976.80	Dark Platinum matt	36 202 705-99	1,098.90
			polished chrome	36 202 705-00	610.50								
			platinum matt	36 202 705-06	976.80								
Dark Platinum matt	36 202 705-99	1,098.90											




Required miscellaneous		Euro
Concealed two-way diverter	Concealed rough parts	35 202 970 90 238.20
<ul style="list-style-type: none"> • min. recess depth 115 mm • max. recess depth 155 mm 		
For details and miscellaneous, see page 696		

36 200 740	NEW	Concealed two-way diverter		Euro									
			<ul style="list-style-type: none"> • rotary diverter • without rosette • handle Ø 60mm 	<table border="1"> <tr> <td>polished chrome</td> <td>36 200 740-00</td> <td>275.10</td> </tr> <tr> <td>platinum matt</td> <td>36 200 740-06</td> <td>440.20</td> </tr> <tr> <td>Dark Platinum matt</td> <td>36 200 740-99</td> <td>495.20</td> </tr> </table>	polished chrome	36 200 740-00	275.10	platinum matt	36 200 740-06	440.20	Dark Platinum matt	36 200 740-99	495.20
			polished chrome	36 200 740-00	275.10								
			platinum matt	36 200 740-06	440.20								
Dark Platinum matt	36 200 740-99	495.20											




Required miscellaneous		Euro
Concealed two-way diverter	Concealed rough parts	35 202 970 90 238.20
<ul style="list-style-type: none"> • min. recess depth 95 mm • max. recess depth 116 mm 		
For details and miscellaneous, see page 696		

36 210 705	NEW	Concealed three-way diverter		Euro									
			<ul style="list-style-type: none"> • rotary diverter • rosette 60 x 60 mm 	<table border="1"> <tr> <td>polished chrome</td> <td>36 210 705-00</td> <td>524.10</td> </tr> <tr> <td>platinum matt</td> <td>36 210 705-06</td> <td>838.50</td> </tr> <tr> <td>Dark Platinum matt</td> <td>36 210 705-99</td> <td>943.40</td> </tr> </table>	polished chrome	36 210 705-00	524.10	platinum matt	36 210 705-06	838.50	Dark Platinum matt	36 210 705-99	943.40
			polished chrome	36 210 705-00	524.10								
			platinum matt	36 210 705-06	838.50								
Dark Platinum matt	36 210 705-99	943.40											



Required miscellaneous		Euro
Concealed three-way diverter	Concealed rough parts	35 203 970 90 290.00
<ul style="list-style-type: none"> • min. recess depth 115 mm • max. recess depth 155 mm 		
For details and miscellaneous, see page 696		

36 211 705	NEW	Concealed three-way diverter		Euro									
			<ul style="list-style-type: none"> • rotary diverter • rosette 60 x 60 mm 	<table border="1"> <tr> <td>polished chrome</td> <td>36 211 705-00</td> <td>610.60</td> </tr> <tr> <td>platinum matt</td> <td>36 211 705-06</td> <td>977.00</td> </tr> <tr> <td>Dark Platinum matt</td> <td>36 211 705-99</td> <td>1,099.10</td> </tr> </table>	polished chrome	36 211 705-00	610.60	platinum matt	36 211 705-06	977.00	Dark Platinum matt	36 211 705-99	1,099.10
			polished chrome	36 211 705-00	610.60								
			platinum matt	36 211 705-06	977.00								
Dark Platinum matt	36 211 705-99	1,099.10											




Required miscellaneous		Euro
Concealed three-way diverter	Concealed rough parts	35 203 970 90 290.00
<ul style="list-style-type: none"> • min. recess depth 115 mm • max. recess depth 155 mm 		
For details and miscellaneous, see page 696		



CL.1

36 212 705	NEW	Concealed three-way diverter • rotary diverter • rosette 60 x 60 mm	Euro	
			polished chrome	36 212 705-00 610.60
			platinum matt	36 212 705-06 977.00
			Dark Platinum matt	36 212 705-99 1,099.10



Required miscellaneous		Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00
• min. recess depth 115 mm • max. recess depth 155 mm For details and miscellaneous, see page 696			



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

36 210 740	NEW	Concealed three-way diverter • rotary diverter • without rosette • handle Ø 60mm	Euro	
			polished chrome	36 210 740-00 275.10
			platinum matt	36 210 740-06 440.20
			Dark Platinum matt	36 210 740-99 495.20




Required miscellaneous		Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00
• min. recess depth 95 mm • max. recess depth 116 mm For details and miscellaneous, see page 696			



25 863 705

**Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set**

- 238 mm projection
- rectangular spray pattern with 55 individual jets
- complete hand shower set: normal flow
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 935 - 1005 mm
- stand pipe height 598 - 668 mm
- height up to aerator 852 - 922 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. spout flow rate 24.6 l/min
- max. flow for complete hand shower set 6.8 l/min



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 863 705-00	3,910.70
platinum matt	25 863 705-06	6,257.10
Dark Platinum matt	25 863 705-99	7,039.20

		Euro
Concealed rough parts	35 945 970 90	676.20

13 612 705 +
27 702 980 +
20 000 705 +
20 000 706 +
29 140 670

**Five-hole bath mixer for deck mounting with diverter**

- 200 mm projection
- rectangular spray pattern with 55 individual jets
- height of mixer 125 mm
- height up to aerator 108 mm
- 1/2" connection
- complete hand shower set: normal flow
- complete hand shower set with anti-scale system
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 24.6 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 13 612 705-00	974.50
	1x 27 702 980-00	459.50
	1x 20 000 705-00	264.90
	1 x 20 000 706-00	264.90
	1 x 29 140 670-00	701.80
	Price	2,665.60
platinum matt	1x 13 612 705-06	1,559.20
	1x 27 702 980-06	735.20
	1x 20 000 705-06	423.80
	1 x 20 000 706-06	423.80
	1 x 29 140 670-06	1,123.00
	Price	4,265.00
Dark Platinum matt	1x 13 612 705-99	1,754.20
	1x 27 702 980-99	827.10
	1x 20 000 705-99	476.80
	1 x 20 000 706-99	476.80
	1 x 29 140 670-99	1,263.30
	Price	4,798.20



Required miscellaneous

Hose set

		Euro
Concealed rough parts	12 509 970 90	198.70

13 612 705

**bath spout without diverter for deck mounting**

- 200 mm projection
- rectangular spray pattern with 55 individual jets
- height of mixer 125 mm
- height up to aerator 108 mm
- hole diameter 35 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure

		Euro
polished chrome	13 612 705-00	974.50
platinum matt	13 612 705-06	1,559.20
Dark Platinum matt	13 612 705-99	1,754.20



CL.1


13 801 705



bath spout for wall mounting

- 205 mm projection
- rectangular spray pattern with 55 individual jets
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 24.6 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 705-00	657.10
platinum matt	13 801 705-06	1,051.20
Dark Platinum matt	13 801 705-99	1,182.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CYO



IMO



Lissé



LULU



Madison

27 702 980



Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 6.8 l/min

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

		Euro
polished chrome	27 702 980-00	459.50
platinum matt	27 702 980-06	735.20
Dark Platinum matt	27 702 980-99	827.10



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

29 300 670



Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

		Euro
polished chrome	29 300 670-00	544.00
platinum matt	29 300 670-06	870.20
Dark Platinum matt	29 300 670-99	979.20




36 120 670

**Concealed single-lever mixer with diverter**

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
platinum	36 120 670-08	776.00
brushed Durabronz	36 120 670-28	960.30
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 243 970

**Pop-up waste and overflow**

- drain Ø 52mm

Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
Dark Platinum matt	36 243 970-99	320.20



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 227 970 90	144.30



CL.1

36 247 970




bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure


Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
Dark Platinum matt	36 247 970-99	484.40

Required miscellaneous			Euro
	Bath spout with pop-up waste and overflow	Concealed rough parts	35 248 970 90 397.30
	• bowden cable length 725 mm		

Required miscellaneous			Euro
	Vacuum breaker	polished chrome	36 150 970-00 73.80
	• rosette 70 mm	platinum matt	36 150 970-06 118.10
		Dark Platinum matt	36 150 970-99 132.80

Required miscellaneous			Euro
	Vacuum breaker	Concealed rough parts	35 150 970 90 253.30
	• 3/4" connection		



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



83 020 705

**Bath grip**

- gauge 200 mm
- width 273mm
- height 35 mm
- 70 mm projection

		Euro
polished chrome	83 020 705-00	339.50
platinum matt	83 020 705-06	543.10
Dark Platinum matt	83 020 705-99	611.00

83 045 705

**Towel bar**

- gauge 449 mm
- width 523mm
- height 35 mm
- 70 mm projection

		Euro
polished chrome	83 045 705-00	344.50
platinum matt	83 045 705-06	551.20
Dark Platinum matt	83 045 705-99	620.00

83 060 705

**Towel bar**

- gauge 599 mm
- width 673mm
- height 35 mm
- 70 mm projection

		Euro
polished chrome	83 060 705-00	388.20
platinum matt	83 060 705-06	621.20
Dark Platinum matt	83 060 705-99	698.70

83 211 705

**Towel bar 1-piece non-swivel**

- 400 mm projection

		Euro
polished chrome	83 211 705-00	308.50
platinum matt	83 211 705-06	493.60
Dark Platinum matt	83 211 705-99	555.30

83 251 220

**Hooks**

- 55 mm projection

		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
Dark Platinum matt	83 251 220-99	64.90

83 251 980

**Hooks**

- width 20mm
- height 60 mm
- 45 mm projection

		Euro
polished chrome	83 251 980-00	99.00
platinum matt	83 251 980-06	158.50
Dark Platinum matt	83 251 980-99	178.30

83 410 979

**Soap dish wall model**

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
Dark Platinum matt	83 410 979-99	419.30



CL.1

83 435 970

Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection



		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
Dark Platinum matt	83 435 970-99	663.00

84 435 970

Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection



		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
Dark Platinum matt	84 435 970-99	610.90

83 400 979

Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection



		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979

Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection



		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
Dark Platinum matt	83 401 979-99	404.00



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 400 780

Tumbler holder wall model

- crystal glass
- width 75mm
- height 118 mm
- 85 mm projection



		Euro
polished chrome	83 400 780-00	301.30
platinum matt	83 400 780-06	482.20
Dark Platinum matt	83 400 780-99	542.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



83 281 530

**Corner soap basket**

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
Dark Platinum matt	83 281 530-99	328.90

83 290 970

**Shower basket for wall mounting**

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
Dark Platinum matt	83 290 970-99	321.10

82 290 970

**Shower basket for subsequent mounting on riser**

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
Dark Platinum matt	82 290 970-99	321.10

83 500 705

**Tissue holder without cover**

- width 200mm
- height 35 mm
- 70 mm projection

		Euro
polished chrome	83 500 705-00	247.60
platinum matt	83 500 705-06	396.10
Dark Platinum matt	83 500 705-99	445.70

83 900 780

**Toilet brush set wall model**

- crystal glass brush holder, matt
- brush, matt black
- width 118mm
- height 415 mm
- 118 mm projection

		Euro
polished chrome	83 900 780-00	382.80
platinum matt	83 900 780-06	612.50
Dark Platinum matt	83 900 780-99	689.10



Recommended miscellaneous

Brush matt black

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Glass matt

		Euro
Concealed rough parts	08 90 04 008 82	50.20



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 507 00-00	86.00
platinum matt	90 20 97 507 00-06	137.60
Dark Platinum matt	90 20 97 507 00-99	154.80



CL.1

83 900 970



Toilet brush set wall model

- crystal glass
- brush, matt black
- width 126mm
- height 415 mm
- 120 mm projection



Recommended miscellaneous

Brush white

		Euro
polished chrome	83 900 970-00	319.00
platinum matt	83 900 970-06	510.20
Dark Platinum matt	83 900 970-99	574.10

		Euro
Concealed rough parts	08 18 50 600 90	12.30



Recommended miscellaneous

Brush matt black

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Glass matt

		Euro
Concealed rough parts	08 90 04 008 82	50.20



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 507 00-00	86.00
platinum matt	90 20 97 507 00-06	137.60
Dark Platinum matt	90 20 97 507 00-99	154.80

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
Dark Platinum matt	12 660 979-99	1,234.90



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

CYO

Sieger Design

Basin
from page 059


Bidet
from page 074

Shower
from page 075

Thermostats, mixers,
diverters and valves
from page 095

Bath
from page 109

Accessories
from page 113



Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.


Choose your individual solution:

Our new control elements give you the opportunity to choose the finish of the handle insert independently of the finish of the fitting:

For details see page 061



chrome / Dark Platinum matt



Dark Platinum matt / chrome



chrome / Dark Platinum matt

You have the option of ordering handle inserts that label in different ways:

For details see page 073



hot & cold handle inserts



H & C handle inserts



red & blue handle inserts

Rediscover combinations of gloss and matt finishes:

With the platinum / platinum matt (36) and Durabrass / brushed Durabrass (38) combinations, the side contours of the spout have gloss finishes and the other surfaces have a matt finish. The combination of different handles and finishes perfectly adapts CYO to your personal design preferences. The recommended finish combinations can be found in the matrix below.

Recommended finish combinations:

Handle insert finish \ Fitting finish	chrome (00)	platinum matt (06)	platinum (08)	Durabrass (09)	brushed Durabrass (28)	Dark platinum matt (99)
chrome (00)	●	●				●
platinum matt (06)	●	●	●			●
brushed Durabrass (28)				●	●	●
platinum / platinum matt (36)		●	●			●
Durabrass / brushed Durabrass (38)				●	●	●
Dark platinum matt (99)	●	●	●	●	●	●

Standard configurations



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Basin fittings overview

Single-lever basin mixers

143 mm projection 177 mm projection



33 500 811
33 521 811*



33 505 811
33 525 811*

Two-hole basin mixers

133 mm projection 167 mm projection



29 217 811*
+ handle insert



29 218 811*
+ handle insert

Three-hole basin mixers

133 mm projection 167 mm projection



20 710 811
+ handle insert



20 713 811
+ handle insert

Deck-mounted basin spouts

133 mm projection 167 mm projection



13 715 811*



13 717 811*

Wall-mounted single-lever basin mixers

160 mm projection 190 mm projection



36 860 811



36 861 811

Wall-mounted basin mixers

160 mm projection 190 mm projection



36 707 811
+ handle insert



36 712 811
+ handle insert

Wall-mounted basin spouts

160 mm projection 190 mm projection



13 800 811



13 805 811

*without pop-up waste

Overview of bath fittings

Free-standing bath fitting



25 863 811

Bath shower sets



27 632 811

Bath shower set/five-hole mixer



27 523 811
+ handle insert

Bath spout



13 801 811

Hand shower set



27 702 980

Single-lever mixers



29 300 670



36 120 670



29 140 670

Diverter

integrated bath filling



36 247 970

Miscellaneous



36 243 970



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 500 811



Single-lever basin mixer with pop-up waste

- 143 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free

Only suitable for basins with an overflow.

Must not be combined with continuous-flow heaters heaters.

Distance from centre of tap hole to wall min. 55 mm or to front edge of basin min. 40 mm.

	Euro	
polished chrome	33 500 811-00	998.80
platinum matt	33 500 811-06	1,598.30
brushed Durabrass	33 500 811-28	1,977.80
Dark Platinum matt	33 500 811-99	1,798.00



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

	Euro	
polished chrome	33 521 811-00	955.90
platinum matt	33 521 811-06	1,529.50
brushed Durabrass	33 521 811-28	1,892.60
Dark Platinum matt	33 521 811-99	1,720.60

33 505 811



Single-lever basin mixer with pop-up waste

- 177 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free

Only suitable for basins with an overflow.

Must not be combined with continuous-flow heaters heaters.

Distance from centre of tap hole to wall min. 55 mm or to front edge of basin min. 40 mm.

	Euro	
polished chrome	33 505 811-00	1,046.60
platinum matt	33 505 811-06	1,674.80
brushed Durabrass	33 505 811-28	2,072.30
Dark Platinum matt	33 505 811-99	1,883.90



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

	Euro	
polished chrome	33 525 811-00	1,003.60
platinum matt	33 525 811-06	1,606.00
brushed Durabrass	33 525 811-28	1,987.20
Dark Platinum matt	33 525 811-99	1,806.50

29 217 811 +
11 188 811



two-hole basin mixer without pop-up waste

- **133 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- **progressive cartridge**
- lead-free
- with hot / cold marking

		Euro
polished chrome	1x 29 217 811-00	1,049.70
	1x 11 188 811-00	45.60
	Price	1,095.30
platinum matt	1x 29 217 811-06	1,679.50
	1x 11 188 811-06	73.10
	Price	1,752.60
platinum / platinum matt	1x 29 217 811-36	1,679.50
	1x 11 188 811-06	73.10
	Price	1,752.60
brushed Durabrand	1x 29 217 811-28	2,078.40
	1x 11 188 811-28	90.40
	Price	2,168.80
Durabrand / brushed Durabrand	1x 29 217 811-38	2,078.40
	1x 11 188 811-28	90.40
	Price	2,168.80
Dark Platinum matt	1x 29 217 811-99	1,889.50
	1x 11 188 811-99	82.20
	Price	1,971.70



Product alternative

Handle insert red & blue

- with red & blue marking
- for two-hole basin mixer

For details and miscellaneous, see page 072

		Euro
polished chrome	11 189 811-00	45.60
	11 189 811-06	73.10
platinum matt	11 189 811-08	73.10
	11 189 811-28	90.40
brushed Durabrand	11 189 811-09	90.40
	11 189 811-99	82.20
Dark Platinum matt	11 189 811-00	45.60
	11 189 811-06	73.10

29 218 811 +
11 188 811



two-hole basin mixer without pop-up waste

- **167 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- **progressive cartridge**
- lead-free
- with hot / cold marking

		Euro
polished chrome	1x 29 218 811-00	1,113.20
	1x 11 188 811-00	45.60
	Price	1,158.80
platinum matt	1x 29 218 811-06	1,781.10
	1x 11 188 811-06	73.10
	Price	1,854.20
platinum / platinum matt	1x 29 218 811-36	1,781.10
	1x 11 188 811-06	73.10
	Price	1,854.20
brushed Durabrand	1x 29 218 811-28	2,204.20
	1x 11 188 811-28	90.40
	Price	2,294.60
Durabrand / brushed Durabrand	1x 29 218 811-38	2,204.20
	1x 11 188 811-28	90.40
	Price	2,294.60
Dark Platinum matt	1x 29 218 811-99	2,003.80
	1x 11 188 811-99	82.20
	Price	2,086.00



Product alternative

Handle insert red & blue

- with red & blue marking
- for two-hole basin mixer

For details and miscellaneous, see page 072

		Euro
polished chrome	11 189 811-00	45.60
	11 189 811-06	73.10
platinum matt	11 189 811-08	73.10
	11 189 811-28	90.40
brushed Durabrand	11 189 811-09	90.40
	11 189 811-99	82.20
Dark Platinum matt	11 189 811-00	45.60
	11 189 811-06	73.10



CL. 1

20 710 811 +
11 283 811



Three-hole basin mixer with pop-up waste

- 133 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter spout 35 mm
- deck valve hole diameter 32 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking

Only suitable for basins with an overflow.

		Euro
polished chrome	1x 20 710 811-00	1,208.60
	1x 11 283 811-00	91.30
	Price	1,299.90
platinum matt	1x 20 710 811-06	1,933.80
	1x 11 283 811-06	146.00
	Price	2,079.80
platinum / platinum matt	1x 20 710 811-36	1,933.80
	1x 11 283 811-06	146.00
	Price	2,079.80
brushed Durabrass	1x 20 710 811-28	2,393.00
	1x 11 283 811-28	180.80
	Price	2,573.80
Durabrass / brushed Durabrass	1x 20 710 811-38	2,393.00
	1x 11 283 811-28	180.80
	Price	2,573.80
Dark Platinum matt	1x 20 710 811-99	2,175.50
	1x 11 283 811-99	164.40
	Price	2,339.90



Product alternative

Handle insert set red & blue

- with red & blue marking
- for three-hole basin mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 284 811-00	91.30
	11 284 811-06	146.00
platinum	11 284 811-08	146.00
	11 284 811-28	180.80
brushed Durabrass	11 284 811-09	180.80
	11 284 811-99	164.40



Product alternative

Handle insert set H&C

- hot / cold marking with H&C
- for three-hole basin mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 285 811-00	91.30
	11 285 811-06	146.00
platinum	11 285 811-08	146.00
	11 285 811-28	180.80
brushed Durabrass	11 285 811-09	180.80
	11 285 811-99	164.40



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

20 713 811 +
11 283 811



Three-hole basin mixer with pop-up waste

- 167 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 35 mm
- deck valve hole diameter 32 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking

Only suitable for basins with an overflow.

		Euro
polished chrome	1x 20 713 811-00	1,272.30
	1x 11 283 811-00	91.30
	Price	1,363.60
platinum matt	1x 20 713 811-06	2,035.60
	1x 11 283 811-06	146.00
	Price	2,181.60
platinum / platinum matt	1x 20 713 811-36	2,035.60
	1x 11 283 811-06	146.00
	Price	2,181.60
brushed Durabrass	1x 20 713 811-28	2,519.10
	1x 11 283 811-28	180.80
	Price	2,699.90
Durabrass / brushed Durabrass	1x 20 713 811-38	2,519.10
	1x 11 283 811-28	180.80
	Price	2,699.90
Dark Platinum matt	1x 20 713 811-99	2,290.10
	1x 11 283 811-99	164.40
	Price	2,454.50



Product alternative

Handle insert set red & blue

- with red & blue marking
- for three-hole basin mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 284 811-00	91.30
	11 284 811-06	146.00
platinum	11 284 811-08	146.00
	11 284 811-28	180.80
brushed Durabrass	11 284 811-09	180.80
	11 284 811-99	164.40



Product alternative

Handle insert set H&C

- hot / cold marking with H&C
- for three-hole basin mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 285 811-00	91.30
	11 285 811-06	146.00
platinum	11 285 811-08	146.00
	11 285 811-28	180.80
brushed Durabrass	11 285 811-09	180.80
	11 285 811-99	164.40



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

13 715 811



Deck-mounted basin spout without pop-up waste

- 133 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- max. flow 4.5 l/min
- lead-free

		Euro
polished chrome	13 715 811-00	730.20
	13 715 811-06	1,168.10
platinum / platinum matt	13 715 811-36	1,168.10
	13 715 811-28	1,445.70
Durabrass / brushed Durabrass	13 715 811-38	1,445.70
	13 715 811-99	1,314.30



CL.1

13 717 811



Deck-mounted basin spout without pop-up waste

- 167 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- max. flow 4.5 l/min
- lead-free

		Euro
polished chrome	13 717 811-00	766.70
platinum matt	13 717 811-06	1,226.50
platinum / platinum matt	13 717 811-36	1,226.50
brushed Durabronz	13 717 811-28	1,518.10
Durabronz / brushed Durabronz	13 717 811-38	1,518.10
Dark Platinum matt	13 717 811-99	1,380.10



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 860 811



Wall-mounted single-lever basin mixer without pop-up waste

- 160 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free

		Euro
polished chrome	36 860 811-00	885.30
platinum matt	36 860 811-06	1,416.50
brushed Durabronz	36 860 811-28	1,753.00
Dark Platinum matt	36 860 811-99	1,593.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80


36 861 811



Wall-mounted single-lever basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free

		Euro
polished chrome	36 861 811-00	929.60
platinum matt	36 861 811-06	1,487.40
brushed Durabronz	36 861 811-28	1,840.50
Dark Platinum matt	36 861 811-99	1,673.20



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 707 811 +
11 283 811



Wall-mounted basin mixer without pop-up waste

- **160 mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 37 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking

		Euro
polished chrome	1x 36 707 811-00	922.80
	1x 11 283 811-00	91.30
	Price	1,014.10
platinum matt	1x 36 707 811-06	1,476.50
	1x 11 283 811-06	146.00
	Price	1,622.50
platinum / platinum matt	1x 36 707 811-36	1,476.50
	1x 11 283 811-06	146.00
	Price	1,622.50
brushed Durabron	1x 36 707 811-28	1,827.20
	1x 11 283 811-28	180.80
	Price	2,008.00
Durabron / brushed Durabron	1x 36 707 811-38	1,827.20
	1x 11 283 811-28	180.80
	Price	2,008.00
Dark Platinum matt	1x 36 707 811-99	1,661.00
	1x 11 283 811-99	164.40
	Price	1,825.40



Product alternative

Handle insert set red & blue

- with red & blue marking
- for three-hole basin mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 284 811-00	91.30
	11 284 811-06	146.00
platinum	11 284 811-08	146.00
	11 284 811-28	180.80
brushed Durabron	11 284 811-09	180.80
	11 284 811-99	164.40



Product alternative

Handle insert set H&C

- hot / cold marking with H&C
- for three-hole basin mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 285 811-00	91.30
	11 285 811-06	146.00
platinum	11 285 811-08	146.00
	11 285 811-28	180.80
brushed Durabron	11 285 811-09	180.80
	11 285 811-99	164.40



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10



CL.1

36 712 811 +
11 283 811



Wall-mounted basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 37 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking

		Euro
polished chrome	1x 36 712 811-00	971.40
	1x 11 283 811-00	91.30
Price		1,062.70
platinum matt	1x 36 712 811-06	1,554.30
	1x 11 283 811-06	146.00
Price		1,700.30
platinum / platinum matt	1x 36 712 811-36	1,554.30
	1x 11 283 811-06	146.00
Price		1,700.30
brushed Durabrass	1x 36 712 811-28	1,923.40
	1x 11 283 811-28	180.80
Price		2,104.20
Durabrass / brushed Durabrass	1x 36 712 811-38	1,923.40
	1x 11 283 811-28	180.80
Price		2,104.20
Dark Platinum matt	1x 36 712 811-99	1,748.50
	1x 11 283 811-99	164.40
Price		1,912.90



Product alternative

Handle insert set red & blue

- with red & blue marking
- for three-hole basin mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 284 811-00	91.30
platinum matt	11 284 811-06	146.00
platinum	11 284 811-08	146.00
brushed Durabrass	11 284 811-28	180.80
Durabrass	11 284 811-09	180.80
Dark Platinum matt	11 284 811-99	164.40




Product alternative

Handle insert set H&C

- hot / cold marking with H&C
- for three-hole basin mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 285 811-00	91.30
platinum matt	11 285 811-06	146.00
platinum	11 285 811-08	146.00
brushed Durabrass	11 285 811-28	180.80
Durabrass	11 285 811-09	180.80
Dark Platinum matt	11 285 811-99	164.40



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


13 800 811



Wall-mounted basin spout without pop-up waste

- **160 mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free

		Euro
polished chrome	13 800 811-00	551.70
platinum matt	13 800 811-06	882.80
platinum / platinum matt	13 800 811-36	882.80
brushed Durabronz	13 800 811-28	1,092.50
Durabronz / brushed Durabronz	13 800 811-38	1,092.50
Dark Platinum matt	13 800 811-99	993.10



Required miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 805 811



Wall-mounted basin spout without pop-up waste

- **190 mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free

		Euro
polished chrome	13 805 811-00	583.20
platinum matt	13 805 811-06	933.20
platinum / platinum matt	13 805 811-36	933.20
brushed Durabronz	13 805 811-28	1,154.70
Durabronz / brushed Durabronz	13 805 811-38	1,154.70
Dark Platinum matt	13 805 811-99	1,049.80



Required miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 715 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **133 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 715 811-00	730.20
	1x 42 765 970 90	553.30
	Price	1,283.50
platinum matt	1x 13 715 811-06	1,168.10
	1x 42 765 970 90	553.30
	Price	1,721.40
platinum / platinum matt	1x 13 715 811-36	1,168.10
	1x 42 765 970 90	553.30
	Price	1,721.40
brushed Durabronz	1x 13 715 811-28	1,445.70
	2x 42 765 970 90	553.30
	Price	2,552.30
Durabronz / brushed Durabronz	1x 13 715 811-38	1,445.70
	1x 42 765 970 90	553.30
	Price	1,999.00
Dark Platinum matt	1x 13 715 811-99	1,314.30
	1x 42 765 970 90	553.30
	Price	1,867.60



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 740 970 90	252.50



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 715 811 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting

- 133 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

			Euro
polished chrome	1x 13 715 811-00		730.20
	1x 42 766 970 90		461.10
		Price	1,191.30
platinum matt	1x 13 715 811-06		1,168.10
	1x 42 766 970 90		461.10
		Price	1,629.20
platinum / platinum matt	1x 13 715 811-36		1,168.10
	1x 42 766 970 90		461.10
		Price	1,629.20
brushed Durabrand	1x 13 715 811-28		1,445.70
	1x 42 766 970 90		461.10
		Price	1,906.80
Durabrand / brushed Durabrand	1x 13 715 811-38		1,445.70
	1x 42 766 970 90		461.10
		Price	1,906.80
Dark Platinum matt	1x 13 715 811-99		1,314.30
	1x 42 766 970 90		461.10
		Price	1,775.40



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

			Euro
Concealed rough parts	35 742 970 90		229.40

13 717 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 167 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

			Euro
polished chrome	1x 13 717 811-00		766.70
	1x 42 765 970 90		553.30
		Price	1,320.00
platinum matt	1x 13 717 811-06		1,226.50
	1x 42 765 970 90		553.30
		Price	1,779.80
platinum / platinum matt	1x 13 717 811-36		1,226.50
	1x 42 765 970 90		553.30
		Price	1,779.80
brushed Durabrand	1x 13 717 811-28		1,518.10
	1x 42 765 970 90		553.30
		Price	2,071.40
Durabrand / brushed Durabrand	1x 13 717 811-38		1,518.10
	1x 42 765 970 90		553.30
		Price	2,071.40
Dark Platinum matt	1x 13 717 811-99		1,380.10
	1x 42 765 970 90		553.30
		Price	1,933.40



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

			Euro
Concealed rough parts	35 740 970 90		252.50

13 717 811 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting

- 167 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- 1/2" connection
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 717 811-00	766.70
	1x 42 766 970 90	461.10
	Price	1,227.80
platinum matt	1x 13 717 811-06	1,226.50
	1x 42 766 970 90	461.10
	Price	1,687.60
platinum / platinum matt	1x 13 717 811-36	1,226.50
	1x 42 766 970 90	461.10
	Price	1,687.60
brushed Durabrass	1x 13 717 811-28	1,518.10
	1x 42 766 970 90	461.10
	Price	1,979.20
Durabrass / brushed Durabrass	1x 13 717 811-38	1,518.10
	1x 42 766 970 90	461.10
	Price	1,979.20
Dark Platinum matt	1x 13 717 811-99	1,380.10
	1x 42 766 970 90	461.10
	Price	1,841.20



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 742 970 90	229.40

13 800 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 160 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 811-00	551.70
	1x 42 765 970 90	553.30
	Price	1,105.00
platinum matt	1x 13 800 811-06	882.80
	1x 42 765 970 90	553.30
	Price	1,436.10
platinum / platinum matt	1x 13 800 811-36	882.80
	1x 42 765 970 90	553.30
	Price	1,436.10
brushed Durabrass	1x 13 800 811-28	1,092.50
	1x 42 765 970 90	553.30
	Price	1,645.80
Durabrass / brushed Durabrass	1x 13 800 811-38	1,092.50
	1x 42 765 970 90	553.30
	Price	1,645.80
Dark Platinum matt	1x 13 800 811-99	993.10
	1x 42 765 970 90	553.30
	Price	1,546.40




Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 800 811 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 160 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

			Euro
polished chrome	1x 13 800 811-00		551.70
	1x 42 766 970 90		461.10
		Price	1,012.80
platinum matt	1x 13 800 811-06		882.80
	1x 42 766 970 90		461.10
		Price	1,343.90
platinum / platinum matt	1x 13 800 811-36		882.80
	1x 42 766 970 90		461.10
		Price	1,343.90
brushed Durabronz	1x 13 800 811-28		1,092.50
	1x 42 766 970 90		461.10
		Price	1,553.60
Durabronz / brushed Durabronz	1x 13 800 811-38		1,092.50
	1x 42 766 970 90		461.10
		Price	1,553.60
Dark Platinum matt	1x 13 800 811-99		993.10
	1x 42 766 970 90		461.10
		Price	1,454.20



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

			Euro
Concealed rough parts	35 743 970 90		229.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 805 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **190 mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2" connection
- max. flow 4,5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set


Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 805 811-00	583.20
	1x 42 765 970 90	553.30
	Price	1,136.50
platinum matt	1x 13 805 811-06	933.20
	1x 42 765 970 90	553.30
	Price	1,486.50
platinum / platinum matt	1x 13 805 811-36	933.20
	1x 42 765 970 90	553.30
	Price	1,486.50
brushed Durabronz	1x 13 805 811-28	1,154.70
	1x 42 765 970 90	553.30
	Price	1,708.00
Durabronz / brushed Durabronz	1x 13 805 811-38	1,154.70
	1x 42 765 970 90	553.30
	Price	1,708.00
Dark Platinum matt	1x 13 805 811-99	1,049.80
	1x 42 765 970 90	553.30
	Price	1,603.10

Required miscellaneous




eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 805 811 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 190 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 805 811-00	583.20
	1x 42 766 970 90	461.10
	Price	1,044.30
platinum matt	1x 13 805 811-06	933.20
	1x 42 766 970 90	461.10
	Price	1,394.30
platinum / platinum matt	1x 13 805 811-36	933.20
	1x 42 766 970 90	461.10
	Price	1,394.30
brushed Durabrass	1x 13 805 811-28	1,154.70
	1x 42 766 970 90	461.10
	Price	1,615.80
Durabrass / brushed Durabrass	1x 13 805 811-38	1,154.70
	1x 42 766 970 90	461.10
	Price	1,615.80
Dark Platinum matt	1x 13 805 811-99	1,049.80
	1x 42 766 970 90	461.10
	Price	1,510.90



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 743 970 90	229.40

22 901 782



Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

		Euro
polished chrome	22 901 782-00	173.10
platinum matt	22 901 782-06	277.00
brushed Durabrass	22 901 782-28	342.80
Dark Platinum matt	22 901 782-99	311.70

Miscellaneous

10 060 780



Siphon for basin 1 1/4"

- rosette 78 x 78 mm

		Euro
polished chrome	10 060 780-00	311.80
platinum matt	10 060 780-06	498.90
brushed Durabrass	10 060 780-28	617.30
Dark Platinum matt	10 060 780-99	561.20

11 188 811



Handle insert hot & cold

- with hot / cold marking
- for two-hole basin mixer

		Euro
polished chrome	11 188 811-00	45.60
platinum matt	11 188 811-06	73.10
platinum	11 188 811-08	73.10
Durabrass	11 188 811-09	90.40
brushed Durabrass	11 188 811-28	90.40
Dark Platinum matt	11 188 811-99	82.20

11 189 811



Handle insert red & blue

- with red & blue marking
- for two-hole basin mixer

		Euro
polished chrome	11 189 811-00	45.60
platinum matt	11 189 811-06	73.10
platinum	11 189 811-08	73.10
Durabrass	11 189 811-09	90.40
brushed Durabrass	11 189 811-28	90.40
Dark Platinum matt	11 189 811-99	82.20

11 183 811



Handle insert hot

- with hot marking

		Euro
polished chrome	11 183 811-00	45.60
platinum matt	11 183 811-06	73.10
platinum	11 183 811-08	73.10
Durabrass	11 183 811-09	90.40
brushed Durabrass	11 183 811-28	90.40
Dark Platinum matt	11 183 811-99	82.20



Product alternative

Handle insert cold

- with cold marking

		Euro
polished chrome	11 184 811-00	45.60
platinum matt	11 184 811-06	73.10
platinum	11 184 811-08	73.10
Durabrass	11 184 811-09	90.40
brushed Durabrass	11 184 811-28	90.40
Dark Platinum matt	11 184 811-99	82.20

11 182 811



Handle insert red

- with red marking

		Euro
polished chrome	11 182 811-00	45.60
platinum matt	11 182 811-06	73.10
platinum	11 182 811-08	73.10
Durabrass	11 182 811-09	90.40
brushed Durabrass	11 182 811-28	90.40
Dark Platinum matt	11 182 811-99	82.20



Product alternative

Handle insert blue

- with blue marking

		Euro
polished chrome	11 181 811-00	45.60
platinum matt	11 181 811-06	73.10
platinum	11 181 811-08	73.10
Durabrass	11 181 811-09	90.40
brushed Durabrass	11 181 811-28	90.40
Dark Platinum matt	11 181 811-99	82.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

11 185 811



Handle insert H

- with H for hot marking

		Euro
polished chrome	11 185 811-00	45.60
platinum matt	11 185 811-06	73.10
platinum	11 185 811-08	73.10
Durabrass	11 185 811-09	90.40
brushed Durabrass	11 185 811-28	90.40
Dark Platinum matt	11 185 811-99	82.20



Product alternative

Handle insert C

- with C for cold marking

		Euro
polished chrome	11 186 811-00	45.60
platinum matt	11 186 811-06	73.10
platinum	11 186 811-08	73.10
Durabrass	11 186 811-09	90.40
brushed Durabrass	11 186 811-28	90.40
Dark Platinum matt	11 186 811-99	82.20

11 283 811



Handle insert set hot & cold

- with hot / cold marking
- for three-hole basin mixers and five-hole bath mixers

		Euro
polished chrome	11 283 811-00	91.30
platinum matt	11 283 811-06	146.00
platinum	11 283 811-08	146.00
Durabrass	11 283 811-09	180.80
brushed Durabrass	11 283 811-28	180.80
Dark Platinum matt	11 283 811-99	164.40

11 284 811



Handle insert set red & blue

- with red & blue marking
- for three-hole basin mixers and five-hole bath mixers

		Euro
polished chrome	11 284 811-00	91.30
platinum matt	11 284 811-06	146.00
platinum	11 284 811-08	146.00
Durabrass	11 284 811-09	180.80
brushed Durabrass	11 284 811-28	180.80
Dark Platinum matt	11 284 811-99	164.40

11 285 811



Handle insert set H&C

- hot / cold marking with H&C
- for three-hole basin mixers and five-hole bath mixers

		Euro
polished chrome	11 285 811-00	91.30
platinum matt	11 285 811-06	146.00
platinum	11 285 811-08	146.00
Durabrass	11 285 811-09	180.80
brushed Durabrass	11 285 811-28	180.80
Dark Platinum matt	11 285 811-99	164.40

33 600 782



Single-lever bidet mixer with pop-up waste

- **110 mm projection**
- ball-joint pivotable through 44°
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 140 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 6 l/min

		Euro
polished chrome	33 600 782-00	1,236.50
platinum matt	33 600 782-06	1,978.40
brushed Durabrass	33 600 782-28	2,448.30
Dark Platinum matt	33 600 782-99	2,225.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower




Concealed articles



Miscellaneous



Kitchen



Shower set solution




Shower set without hand shower
 • Shower set see page 566



Hand shower 15 l/min
 • Hand shower see page 612



Concealed single-lever mixer with cover plate with integrated shower connection
 • More control elements can be found from page 638 onwards



Concealed wall mounting

	Euro	
polished chrome	Price	1,398.10
platinum matt	Price	2,081.40
brushed Durabronz	Price	2,515.00
Dark Platinum matt	Price	2,310.00

	Euro	
polished chrome	26 413 980-00	564.90

	Euro	
polished chrome	28 012 979-00	190.00

	Euro	
polished chrome	36 045 970-00	384.90

	Euro	
Concealed rough parts	35 003 970 90	258.30



Headshower solution


		Euro
polished chrome	Price	2,162.80
platinum matt	Price	3,085.60
brushed Durabronz	Price	3,680.30
Dark Platinum matt	Price	3,401.60



Shower head

- Shower head see page 580

		Euro
polished chrome	28 504 670-00	493.40



Hand shower set with individual rosettes

- Hand Shower set see page 616




		Euro
polished chrome	27 808 980-00	570.30



Concealed single-lever mixer with diverter


- More control elements can be found from page 638 onwards

		Euro
polished chrome	36 120 670-00	485.00



Concealed single-lever mixer

		Euro
Concealed rough parts	35 020 970 90	190.70



Concealed wall elbow

- This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80



Showerpipe solution

Fits CL.1, IMO, Lissé, LULU, MEM, Meta, Symetrics, Tara., Vaia

		Euro
polished chrome	Price	2,191.40
platinum matt	Price	3,431.30
brushed Durabronz	Price	4,339.00
Dark Platinum matt	Price	3,860.20



Showerpipe with shower thermostat without hand shower

- Showerpipe see page 584

		Euro
polished chrome	34 459 979-00	2,089.80



Hand shower 15 l/min

- Hand shower see page 612

		Euro
polished chrome	28 015 979-00	101.60




CL.1



CYO



Rainshower solution



Rain shower with wall fixing

• Rain shower see page 596



Hand shower set with individual rosettes

• Hand Shower set see page 616



xTOOL Concealed thermostat without volume control 3/4"

• More control elements can be found from page 638 onwards



Wall valve clockwise closing 1/2"

• More control elements can be found from page 638 onwards


This article is needed 2x.



Handle insert


• More control elements can be found from page 638 onwards

This article is needed 2x.



Concealed wall elbow

This article is needed 2x.



xTOOL Concealed thermostat module with 2 valves 3/4"

		Euro
polished chrome	Price	4,133.60
platinum matt	Price	5,925.60
brushed Durabronz	Price	7,060.00
Dark Platinum matt	Price	6,522.60

		Euro
polished chrome	28 649 670-00	821.00

		Euro
polished chrome	27 808 980-00	570.30

		Euro
polished chrome	36 503 780-00	1,039.40

		Euro
polished chrome	36 607 811-00	231.90

		Euro
polished chrome	11 187 811-00	45.60

		Euro
Concealed rough parts	35 085 970 90	98.80

		Euro
Concealed rough parts	35 521 970 90	950.30



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
	Price	751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
	Price	1,202.80
brushed Durabronz	1x 36 002 970-28	1,198.60
	1x 28 017 979-28	289.80
	Price	1,488.40
Dark Platinum matt	1x 36 002 970-99	1,089.50
	1x 28 017 979-99	263.50
	Price	1,353.00



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
brushed Durabronz	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
brushed Durabronz	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Shower

36 013 970 +
28 012 979



Concealed single-lever mixer with integrated shower connection with shower set

- cover plate 80 x 80 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 013 970-00	749.00
	1x 28 012 979-00	190.00
Price		939.00
platinum matt	1x 36 013 970-06	1,208.60
	1x 28 012 979-06	304.00
Price		1,512.60
brushed Durabronz	1x 36 013 970-28	1,483.00
	1x 28 012 979-28	376.20
Price		1,859.20
Dark Platinum matt	1x 36 013 970-99	1,347.60
	1x 28 012 979-99	342.00
Price		1,689.60



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
brushed Durabronz	28 018 979-28	216.20
	28 018 979-99	196.60




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
brushed Durabronz	28 017 979-28 0010	289.60
	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30

36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
	Price	868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
	Price	1,388.50
brushed Durabronz	1x 36 110 970-28	1,428.60
	1x 28 017 979-28	289.80
	Price	1,718.40
Dark Platinum matt	1x 36 110 970-99	1,298.40
	1x 28 017 979-99	263.50
	Price	1,561.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
brushed Durabronz	28 018 979-28	216.20
	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
brushed Durabronz	28 012 979-28	376.20
	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
brushed Durabronz	1x 36 111 970-28	1,635.60
	1x 28 018 979-28	216.20
	Price	1,851.80
Dark Platinum matt	1x 36 111 970-99	1,486.70
	1x 28 018 979-99	196.60
	Price	1,683.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
brushed Durabronz	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
brushed Durabronz	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 980 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 413 980-00	564.90
	1x 28 012 979-00	190.00
	Price	754.90
platinum matt	1x 26 413 980-06	903.50
	1x 28 012 979-06	304.00
	Price	1,207.50
brushed Durabrass	1x 26 413 980-28	1,118.30
	1x 28 012 979-28	376.20
	Price	1,494.50
Dark Platinum matt	1x 26 413 980-99	1,016.50
	1x 28 012 979-99	342.00
	Price	1,358.50



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
brushed Durabrass	28 018 979-28	216.20
	28 018 979-99	196.60



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
	28 017 979-99 0010	263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 980-00	133.00
	28 450 980-06	212.90
brushed Durabrass	28 450 980-28	263.30
	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 979-00	338.40
	1x 28 018 979-00	109.20
	Price	447.60
platinum matt	1x 26 413 979-06	551.80
	1x 28 018 979-06	174.80
	Price	726.60
brushed Durabrass	1x 26 413 979-28	669.90
	1x 28 018 979-28	216.20
	Price	886.10
Dark Platinum matt	1x 26 413 979-99	608.90
	1x 28 018 979-99	196.60
	Price	805.50



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
brushed Durabrass	28 012 979-28	376.20
	28 012 979-99	342.00



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
	28 017 979-99 0010	263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 980-00	133.00
	28 450 980-06	212.90
brushed Durabrass	28 450 980-28	263.30
	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 112 970 +
28 015 979



Showerpipe with single-lever shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- automatic diverter for fixed-riser shower/hand shower

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 112 970-00	1,931.30
	1x 28 015 979-00	101.60
	Price	2,032.90
platinum matt	1x 36 112 970-06	3,090.10
	1x 28 015 979-06	162.70
	Price	3,252.80
brushed Durabrass	1x 36 112 970-28	3,823.90
	1x 28 015 979-28	201.10
	Price	4,025.00
Dark Platinum matt	1x 36 112 970-99	3,399.20
	1x 28 015 979-99	182.90
	Price	3,582.10



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
platinum matt	28 016 979-06	252.40
brushed Durabrass	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70




Product alternative

Hand shower 15 l/min

- normal flow
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 613

		Euro
polished chrome	28 019 979-00	191.10
platinum matt	28 019 979-06	305.90
brushed Durabrass	28 019 979-28	378.50
Dark Platinum matt	28 019 979-99	344.10



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 979 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	1x 34 459 979-00	2,089.80
	1x 28 015 979-00	101.60
	Price	2,191.40
platinum matt	1x 34 459 979-06	3,268.60
	1x 28 015 979-06	162.70
	Price	3,431.30
brushed Durabross	1x 34 459 979-28	4,137.90
	1x 28 015 979-28	201.10
	Price	4,339.00
Dark Platinum matt	1x 34 459 979-99	3,677.30
	1x 28 015 979-99	182.90
	Price	3,860.20

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	1x 34 460 979-00	2,201.20
	1x 28 018 979-00	109.20
	Price	2,310.40
platinum matt	1x 34 460 979-06	3,521.90
	1x 28 018 979-06	174.80
	Price	3,696.70
brushed Durabross	1x 34 460 979-28	4,358.30
	1x 28 018 979-28	216.20
	Price	4,574.50
Dark Platinum matt	1x 34 460 979-99	3,962.00
	1x 28 018 979-99	196.60
	Price	4,158.60

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
brushed Durabross	28 012 979-28	376.20
	28 012 979-99	342.00
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
brushed Durabross	28 013 979-28 0010	396.00
	28 013 979-99 0010	305.90


28 504 670



Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 670-00	493.40
platinum matt	28 504 670-06	783.00
brushed Durabrass	28 504 670-28	976.90
Dark Platinum matt	28 504 670-99	888.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 508 980



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 980-00	547.60
platinum matt	28 508 980-06	876.00
brushed Durabrass	28 508 980-28	1,084.40
Dark Platinum matt	28 508 980-99	985.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 649 670



Rain shower with wall fixing

- 450 mm projection
- rain shower Ø 220mm
- rain flow
- max. flow 8,6 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 649 670-00	821.00
platinum matt	28 649 670-06	1,313.70
brushed Durabrass	28 649 670-28	1,625.80
Dark Platinum matt	28 649 670-99	1,477.90




Product alternative

Rain shower with wall fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 679 670-00	963.50
platinum matt	28 679 670-06	1,541.60
brushed Durabrass	28 679 670-28	1,907.80
Dark Platinum matt	28 679 670-99	1,734.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 669 970



Rain shower with ceiling fixing

- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 669 970-00	659.40
platinum matt	28 669 970-06	1,055.30
brushed Durabrand	28 669 970-28	1,305.70
Dark Platinum matt	28 669 970-99	1,186.90

Product alternative



Rain shower with ceiling fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 689 970-00	777.40
platinum matt	28 689 970-06	1,243.50
brushed Durabrand	28 689 970-28	1,539.30
Dark Platinum matt	28 689 970-99	1,399.30

Product alternative




Rain shower with ceiling fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 699 970-00	1,431.10
platinum matt	28 699 970-06	2,289.80
brushed Durabrand	28 699 970-28	2,833.70
Dark Platinum matt	28 699 970-99	2,576.00

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items

28 041 980

NEW



Rain shower for ceiling fixing

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 041 980-00	601.10
platinum matt	28 041 980-06	961.80
brushed Durabrand	28 041 980-28	1,190.20
Dark Platinum matt	28 041 980-99	1,082.00

Required miscellaneous



Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

		Euro
Concealed rough parts	35 041 970 90	400.70

For details and miscellaneous, see page 701

28 042 980

NEW



Rain shower for ceiling fixing with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

		Euro
polished chrome	28 042 980-00	903.20
platinum matt	28 042 980-06	1,445.10
brushed Durabrand	28 042 980-28	1,788.30
Dark Platinum matt	28 042 980-99	1,625.80

Required miscellaneous



Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

		Euro
Concealed rough parts	35 042 970 90	602.10

For details and miscellaneous, see page 701

28 043 980 NEW



Rain shower for ceiling installation

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

		Euro
polished chrome	28 043 980-00	1,205.20
platinum matt	28 043 980-06	1,928.30
brushed Durabronz	28 043 980-28	2,386.30
Dark Platinum matt	28 043 980-99	2,169.40



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 043 970 90	803.50

28 044 980 NEW



Rain shower for ceiling installation with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

		Euro
polished chrome	28 044 980-00	1,809.30
platinum matt	28 044 980-06	2,894.90
brushed Durabronz	28 044 980-28	3,582.40
Dark Platinum matt	28 044 980-99	3,256.70



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 044 970 90	1,206.20

27 802 970




Hand shower set with integrated shower holder

- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 802 970-00	378.00
platinum matt	27 802 970-06	604.10
brushed Durabronz	27 802 970-28	748.30
Dark Platinum matt	27 802 970-99	680.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 808 980




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 808 980-00	570.30
platinum matt	27 808 980-06	912.50
brushed Durabronz	27 808 980-28	1,129.00
Dark Platinum matt	27 808 980-99	1,026.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 809 980




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 980-00	717.30
platinum matt	27 809 980-06	1,147.70
brushed Durabross	27 809 980-28	1,420.10
Dark Platinum matt	27 809 980-99	1,291.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 809 985




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 985-00	748.60
platinum matt	27 809 985-06	1,197.90
brushed Durabross	27 809 985-28	1,482.10
Dark Platinum matt	27 809 985-99	1,347.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 818 980




Hand shower set with cover plate

- normal flow
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 818 980-00	678.10
platinum matt	27 818 980-06	1,084.70
brushed Durabross	27 818 980-28	1,342.60
Dark Platinum matt	27 818 980-99	1,220.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 518 782



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 782-00	304.60
platinum matt	28 518 782-06	487.50
brushed Durabronz	28 518 782-28	603.20
Dark Platinum matt	28 518 782-99	548.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
brushed Durabronz	36 515 979-28	876.00
Dark Platinum matt	36 515 979-99	796.40



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 517 979



WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
brushed Durabronz	36 517 979-28	1,352.80
Dark Platinum matt	36 517 979-99	1,229.80



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
brushed Durabrass	36 514 979-28	1,760.60
Dark Platinum matt	36 514 979-99	1,600.60

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
brushed Durabrass	36 513 979-28	1,313.50
Dark Platinum matt	36 513 979-99	1,194.00




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
brushed Durabrass	36 512 979-28	1,313.50
Dark Platinum matt	36 512 979-99	1,194.00

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous



xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

13 415 979




WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
brushed Durabrass	13 415 979-28	1,813.40
Dark Platinum matt	13 415 979-99	1,648.50

Recommended miscellaneous




Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 420 979




WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
brushed Durabronz	13 420 979-28	2,590.80

Recommended miscellaneous



- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 425 979




WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
brushed Durabronz	13 425 979-28	1,924.80
Dark Platinum matt	13 425 979-99	1,749.90

Recommended miscellaneous



- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 838 979




Affusion pipe with cover plate

- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 9.5 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 838 979-00	726.80
platinum matt	27 838 979-06	1,162.70
brushed Durabronz	27 838 979-28	1,438.90
Dark Platinum matt	27 838 979-99	1,308.10

Recommended miscellaneous



- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 821 979-00	551.60
	1x 28 285 979-00	84.40
Price		636.00
platinum matt	1x 27 821 979-06	882.60
	1x 28 285 979-06	135.10
Price		1,017.70
brushed Durabrass	1x 27 821 979-28	1,092.40
	1x 28 285 979-28	167.00
Price		1,259.40
Dark Platinum matt	1x 27 821 979-99	993.00
	1x 28 285 979-99	151.90
Price		1,144.90




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
brushed Durabrass	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 822 979 +
28 285 979



Kneipp wall elbow

- laminar flow
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 822 979-00	467.00
	1x 28 285 979-00	84.40
Price		551.40
platinum matt	1x 27 822 979-06	747.20
	1x 28 285 979-06	135.10
Price		882.30
brushed Durabrass	1x 27 822 979-28	924.80
	1x 28 285 979-28	167.00
Price		1,091.80
Dark Platinum matt	1x 27 822 979-99	840.70
	1x 28 285 979-99	151.90
Price		992.60




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
brushed Durabrass	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 970




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 970-00	191.90
platinum matt	28 490 970-06	307.20
brushed Durabronz	28 490 970-28	379.90
Dark Platinum matt	28 490 970-99	345.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 980




Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 980-00	133.00
platinum matt	28 450 980-06	212.90
brushed Durabronz	28 450 980-28	263.30
Dark Platinum matt	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 980



Wall bracket

- rosette 60 x 60 mm

		Euro
polished chrome	28 050 980-00	172.60
platinum matt	28 050 980-06	276.40
brushed Durabronz	28 050 980-28	341.70
Dark Platinum matt	28 050 980-99	310.70

28 060 970



Wall bracket swivel

		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
brushed Durabronz	28 060 970-28	315.30
Dark Platinum matt	28 060 970-99	286.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 060 670



Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

		Euro
polished chrome	36 060 670-00	378.10
platinum matt	36 060 670-06	610.50
brushed Durabrand	36 060 670-28	748.60
Dark Platinum matt	36 060 670-99	680.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
brushed Durabrand	36 050 970-28	739.40
Dark Platinum matt	36 050 970-99	672.50



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

36 045 970




Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate 80 x 80 mm

Intrinsic protection against back flow.

		Euro
polished chrome	36 045 970-00	384.90
platinum matt	36 045 970-06	615.60
brushed Durabrand	36 045 970-28	762.20
Dark Platinum matt	36 045 970-99	693.20



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30


36 120 670



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
brushed Durabronz	36 120 670-28	960.30
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 425 670



Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 670-00	608.50
platinum matt	36 425 670-06	982.40
brushed Durabronz	36 425 670-28	1,204.80
Dark Platinum matt	36 425 670-99	1,095.30




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 426 670



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 670-00	721.50
platinum matt	36 426 670-06	1,165.00
brushed Durabross	36 426 670-28	1,428.40
Dark Platinum matt	36 426 670-99	1,298.50




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 427 670



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 670-00	765.00
platinum matt	36 427 670-06	1,235.10
brushed Durabross	36 427 670-28	1,514.60
Dark Platinum matt	36 427 670-99	1,376.90




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 501 780 +
36 607 811 +
11 187 811



CYO




xTOOL Concealed thermostat with 1 valve 1/2"

- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

36 501 985-FF can also be used as an alternative.

		Euro
polished chrome	1x 36 501 780-00	1,039.40
	1x 36 607 811-00	231.90
	1x 11 187 811-00	45.60
	Price	1,316.90
platinum matt	1x 36 501 780-06	1,663.30
	1x 36 607 811-06	371.00
	1x 11 187 811-06	73.10
	Price	2,107.40
brushed Durabrass	1x 36 501 780-28	2,058.10
	1x 36 607 811-28	459.20
	1x 11 187 811-28	90.40
	Price	2,607.70
Dark Platinum matt	1x 36 501 780-99	1,871.00
	1x 36 607 811-99	417.50
	1x 11 187 811-99	82.20
	Price	2,370.70



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 691

		Euro
Concealed rough parts	35 511 970 90	570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 503 780 +
2x 36 607 811 +
2x 11 187 811




xTOOL Concealed thermostat with 2 valves 1/2"

- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

		Euro
polished chrome	1x 36 503 780-00	1,039.40
	2x 36 607 811-00	231.90
	2x 11 187 811-00	45.60
	Price	1,594.40
platinum matt	1x 36 503 780-06	1,663.30
	2x 36 607 811-06	371.00
	2x 11 187 811-06	73.10
	Price	2,551.50
brushed Durabrass	1x 36 503 780-28	2,058.10
	2x 36 607 811-28	459.20
	2x 11 187 811-28	90.40
	Price	3,157.30
Dark Platinum matt	1x 36 503 780-99	1,871.00
	2x 36 607 811-99	417.50
	2x 11 187 811-99	82.20
	Price	2,870.40




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 692

		Euro
Concealed rough parts	35 521 970 90	950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 693

		Euro
Concealed rough parts	35 524 970 90	939.90



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 503 780 +
3x 36 607 811 +
3x 11 187 811



CYO




xTOOL Concealed thermostat with 3 valves 1/2"

- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

		Euro
polished chrome	1x 36 503 780-00	1,039.40
	3x 36 607 811-00	231.90
	3x 11 187 811-00	45.60
	Price	1,871.90
platinum matt	1x 36 503 780-06	1,663.30
	3x 36 607 811-06	371.00
	3x 11 187 811-06	73.10
	Price	2,995.60
brushed Durabrass	1x 36 503 780-28	2,058.10
	3x 36 607 811-28	459.20
	3x 11 187 811-28	90.40
	Price	3,706.90
Dark Platinum matt	1x 36 503 780-99	1,871.00
	3x 36 607 811-99	417.50
	3x 11 187 811-99	82.20
	Price	3,370.10




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 694

		Euro
Concealed rough parts	35 531 970 90	1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 534 970 90	1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 501 780



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

			Euro
polished chrome	36 501 780-00		1,039.40
platinum matt	36 501 780-06		1,663.30
brushed Durabrass	36 501 780-28		2,058.10
Dark Platinum matt	36 501 780-99		1,871.00



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

			Euro
polished chrome	36 503 780-00		1,039.40
platinum matt	36 503 780-06		1,663.30
brushed Durabrass	36 503 780-28		2,058.10
Dark Platinum matt	36 503 780-99		1,871.00



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 690

			Euro
Concealed rough parts	35 503 970 90		695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90

36 501 985



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

			Euro
polished chrome	36 501 985-00		1,062.10
platinum matt	36 501 985-06		1,699.40
brushed Durabrass	36 501 985-28		2,102.90
Dark Platinum matt	36 501 985-99		1,911.70



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

			Euro
polished chrome	36 503 985-00		1,062.10
platinum matt	36 503 985-06		1,699.40
brushed Durabrass	36 503 985-28		2,102.90
Dark Platinum matt	36 503 985-99		1,911.70



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 690

			Euro
Concealed rough parts	35 503 970 90		695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90

36 607 741



Wall valve clockwise closing cold 1/2"

- without rosette
- handle Ø 60mm
- with cold marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 741-00	242.20
platinum matt	36 607 741-06	387.40
brushed Durabrass	36 607 741-28	479.60
Dark Platinum matt	36 607 741-99	436.00




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 607 742-00	242.20
platinum matt	36 607 742-06	387.40
Dark Platinum matt	36 607 742-99	436.00



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 716



Wall valve clockwise closing cold 1/2"

- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 716-00	261.30
platinum matt	36 607 716-06	418.20
brushed Durabrass	36 607 716-28	517.30
Dark Platinum matt	36 607 716-99	470.30




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 607 717-00	261.30
platinum matt	36 607 717-06	418.20
Dark Platinum matt	36 607 717-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 607 715



Wall valve clockwise closing 1/2"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 715-00	261.30
platinum matt	36 607 715-06	418.20
brushed Durabrass	36 607 715-28	517.30
Dark Platinum matt	36 607 715-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 811 +
11 187 811




Wall valve clockwise closing 1/2"

- without marking
- without rosette
- handle Ø 60mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 607 811-00	231.90
	1x 11 187 811-00	45.60
	Price	277.50
platinum matt	1x 36 607 811-06	371.00
	1x 11 187 811-06	73.10
	Price	444.10
platinum / platinum matt	1x 36 607 811-36	371.10
	1x 11 187 811-06	73.10
	Price	444.20
brushed Durabross	1x 36 607 811-28	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Durabross / brushed Durabross	1x 36 607 811-38	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Dark Platinum matt	1x 36 607 811-99	417.50
	1x 11 187 811-99	82.20
	Price	499.70

Required miscellaneous



Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 607 812 +
11 187 811



Wall valve clockwise closing 1/2"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve
- for three-hole basin mixers and five-hole bath mixers

		Euro
polished chrome	1x 36 607 812-00	231.90
	1x 11 187 811-00	45.60
	Price	277.50
platinum matt	1x 36 607 812-06	371.00
	1x 11 187 811-06	73.10
	Price	444.10
platinum / platinum matt	1x 36 607 812-36	371.10
	1x 11 187 811-06	73.10
	Price	444.20
brushed Durabron	1x 36 607 812-28	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Durabron / brushed Durabron	1x 36 607 812-38	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Dark Platinum matt	1x 36 607 812-99	417.50
	1x 11 187 811-99	82.20
	Price	499.70

Product alternative



Handle insert hot

- with hot marking

with cold marking: 11 184 811-FF

For details and miscellaneous, see page 072

		Euro
polished chrome	11 183 811-00	45.60
	11 183 811-06	73.10
platinum	11 183 811-08	73.10
brushed Durabron	11 183 811-28	90.40
Durabron	11 183 811-09	90.40
Dark Platinum matt	11 183 811-99	82.20

Product alternative



Handle insert red

- with red marking

with blue marking: 11 181 811-FF

For details and miscellaneous, see page 072

		Euro
polished chrome	11 182 811-00	45.60
	11 182 811-06	73.10
platinum	11 182 811-08	73.10
brushed Durabron	11 182 811-28	90.40
Durabron	11 182 811-09	90.40
Dark Platinum matt	11 182 811-99	82.20

Product alternative



Handle insert H


- with H for hot marking

with cold marking "C": 11 186 811-FF

For details and miscellaneous, see page 073

		Euro
polished chrome	11 185 811-00	45.60
	11 185 811-06	73.10
platinum	11 185 811-08	73.10
brushed Durabron	11 185 811-28	90.40
Durabron	11 185 811-09	90.40
Dark Platinum matt	11 185 811-99	82.20

Required miscellaneous



Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 607 740



Wall valve clockwise closing 1/2"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 740-00	231.90
platinum matt	36 607 740-06	371.00
brushed Durabross	36 607 740-28	459.20
Dark Platinum matt	36 607 740-99	417.40



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 608 715



Wall valve clockwise closing 3/4"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 715-00	261.30
platinum matt	36 608 715-06	418.20
brushed Durabross	36 608 715-28	517.30
Dark Platinum matt	36 608 715-99	470.30



Required miscellaneous

Wall valve 3/4"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90


36 608 811 +
11 187 811



Wall valve clockwise closing 3/4"

- without marking
- without rosette
- handle Ø 60mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 608 811-00	231.90
	1x 11 187 811-00	45.60
	Price	277.50
platinum matt	1x 36 608 811-06	371.10
	1x 11 187 811-06	73.10
	Price	444.20
platinum / platinum matt	1x 36 608 811-36	371.10
	1x 11 187 811-06	73.10
	Price	444.20
brushed Durabross	1x 36 608 811-28	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Durabross / brushed Durabross	1x 36 608 811-38	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Dark Platinum matt	1x 36 608 811-99	417.50
	1x 11 187 811-99	82.20
	Price	499.70



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90


36 608 740



Wall valve clockwise closing 3/4"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 740-00	231.90
platinum matt	36 608 740-06	371.00
brushed Durabrass	36 608 740-28	459.20
Dark Platinum matt	36 608 740-99	417.40




Required miscellaneous

Wall valve 1/2"

		Euro
Concealed rough parts	35 607 970 90	73.20

For details and miscellaneous, see page 695



Required miscellaneous

Wall valve 3/4"

- min. recess depth 85 mm
- max. recess depth 145 mm

		Euro
Concealed rough parts	35 608 970 90	95.90

For details and miscellaneous, see page 696



CL.1

20 000 811 +
11 187 811



Deck valve clockwise closing

- without marking
- hole diameter valve 32 mm
- without rosette
- handle Ø 60mm

		Euro
polished chrome	1x 20 000 811-00	258.70
	1x 11 187 811-00	45.60
	Price	304.30
platinum matt	1x 20 000 811-06	413.80
	1x 11 187 811-06	73.10
	Price	486.90
platinum / platinum matt	1x 20 000 811-36	413.80
	1x 11 187 811-06	73.10
	Price	486.90
brushed Durabrand	1x 20 000 811-28	512.20
	1x 11 187 811-28	90.40
	Price	602.60
Durabrand / brushed Durabrand	1x 20 000 811-38	512.20
	1x 11 187 811-28	90.40
	Price	602.60
Dark Platinum matt	1x 20 000 811-99	465.60
	1x 11 187 811-99	82.20
	Price	547.80



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Product alternative

Handle insert hot

- with hot marking
- with cold marking: 11 184 811-FF**

For details and miscellaneous, see page 072

		Euro
polished chrome	11 183 811-00	45.60
	11 183 811-06	73.10
platinum	11 183 811-08	73.10
	11 183 811-28	90.40
brushed Durabrand	11 183 811-09	90.40
	11 183 811-99	82.20



Product alternative

Handle insert red

- with red marking
- with blue marking: 11 181 811-FF**

For details and miscellaneous, see page 072

		Euro
polished chrome	11 182 811-00	45.60
	11 182 811-06	73.10
platinum	11 182 811-08	73.10
	11 182 811-28	90.40
brushed Durabrand	11 182 811-09	90.40
	11 182 811-99	82.20



Product alternative

Handle insert H

- with H for hot marking
- with cold marking "C": 11 186 811-FF**

For details and miscellaneous, see page 073

		Euro
polished chrome	11 185 811-00	45.60
	11 185 811-06	73.10
platinum	11 185 811-08	73.10
	11 185 811-28	90.40
brushed Durabrand	11 185 811-09	90.40
	11 185 811-99	82.20

20 000 715



Deck valve clockwise closing hot

- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

		Euro
polished chrome	20 000 715-00	321.50
	20 000 715-06	514.30
Dark Platinum matt	20 000 715-99	578.60



Product alternative

Deck valve anti-clockwise closing cold

- with hot marking

		Euro
polished chrome	20 000 716-00	321.50
	20 000 716-06	514.30
Dark Platinum matt	20 000 716-99	578.60

20 004 715



Deck valve clockwise closing hot

- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking

		Euro
polished chrome	20 004 715-00	321.50
platinum matt	20 004 715-06	514.30
brushed Durabrass	20 004 715-28	636.70
Dark Platinum matt	20 004 715-99	578.60



Product alternative

Deck valve anti-clockwise closing cold

- with hot marking

		Euro
polished chrome	20 004 716-00	321.50
platinum matt	20 004 716-06	514.30
brushed Durabrass	20 004 716-28	636.70
Dark Platinum matt	20 004 716-99	578.60

20 000 716



Deck valve anti-clockwise closing cold

- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

		Euro
brushed Durabrass	20 000 716-28	636.70

20 000 740



Deck valve clockwise closing cold

- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with cold marking

		Euro
polished chrome	20 000 740-00	258.70
platinum matt	20 000 740-06	413.80
brushed Durabrass	20 000 740-28	512.20
Dark Platinum matt	20 000 740-99	465.60



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 000 741-00	258.70
platinum matt	20 000 741-06	413.80
brushed Durabrass	20 000 741-28	512.20
Dark Platinum matt	20 000 741-99	465.60

36 200 740


NEW



Concealed two-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

		Euro
polished chrome	36 200 740-00	275.10
platinum matt	36 200 740-06	440.20
Dark Platinum matt	36 200 740-99	495.20



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 116 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 210 740


NEW



Concealed three-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

		Euro
polished chrome	36 210 740-00	275.10
platinum matt	36 210 740-06	440.20
Dark Platinum matt	36 210 740-99	495.20



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 116 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


25 863 811



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- **253 mm projection**
- rectangular, air-enriched flow
- complete hand shower set: normal flow
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 980 - 1050 mm
- stand pipe height 598 - 668 mm
- height up to aerator 903 - 973 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. spout flow rate 26.5 l/min
- max. flow for complete hand shower set 6.8 l/min

		Euro
polished chrome	25 863 811-00	3,910.70
platinum matt	25 863 811-06	6,257.10
brushed Durabross	25 863 811-28	7,743.10
Dark Platinum matt	25 863 811-99	7,039.20



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 697

		Euro
Concealed rough parts	35 945 970 90	676.20

27 632 811



Bath shower set for bath rim or tile edge installation

- **167 mm projection**
- complete hand shower set: normal flow
- spout: rectangular normal flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 28 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 23.8 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 632 811-00	1,936.50
platinum matt	27 632 811-06	3,098.40
brushed Durabross	27 632 811-28	3,834.30
Dark Platinum matt	27 632 811-99	3,485.70

27 523 811 +
11 283 811



Five-hole bath mixer for bath rim or tile edge installation

- **167 mm projection**
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- complete hand shower set: normal flow
- complete hand shower set with anti-scale system
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- rosette for complete hand shower set 60 x 60mm
- handle Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 23.8 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min
- with hot / cold marking

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 523 811-00	2,621.70
	1x 11 283 811-00	91.30
Price		2,713.00
platinum matt	1x 27 523 811-06	4,194.90
	1x 11 283 811-06	146.00
Price		4,340.90
brushed Durabrass	1x 27 523 811-28	5,191.00
	1x 11 283 811-28	180.80
Price		5,371.80
Dark Platinum matt	1x 27 523 811-99	4,719.00
	1x 11 283 811-99	164.40
Price		4,883.40



Product alternative

Handle insert set red & blue

- with red & blue marking
- for three-hole basin mixers and five-hole bath mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 284 811-00	91.30
	11 284 811-06	146.00
platinum matt	11 284 811-08	146.00
	11 284 811-28	180.80
brushed Durabrass	11 284 811-09	180.80
	11 284 811-99	164.40



Product alternative

Handle insert set H&C

- hot / cold marking with H&C
- for three-hole basin mixers and five-hole bath mixers

For details and miscellaneous, see page 073

		Euro
polished chrome	11 285 811-00	91.30
	11 285 811-06	146.00
platinum matt	11 285 811-08	146.00
	11 285 811-28	180.80
brushed Durabrass	11 285 811-09	180.80
	11 285 811-99	164.40


13 801 811



bath spout for wall mounting

- **190 mm projection**
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 23.8 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 811-00	657.10
	13 801 811-06	1,051.40
brushed Durabrass	13 801 811-28	1,301.10
	13 801 811-99	1,182.80



Required miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 702 980



Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 6.8 l/min

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

		Euro
polished chrome	27 702 980-00	459.50
	27 702 980-06	735.20
brushed Durabrass	27 702 980-28	909.80
	27 702 980-99	827.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

29 300 670



Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

		Euro
polished chrome	29 300 670-00	544.00
platinum matt	29 300 670-06	870.20
brushed Durabrass	29 300 670-28	1,077.10
Dark Platinum matt	29 300 670-99	979.20

29 140 670



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

		Euro
polished chrome	29 140 670-00	701.80
platinum matt	29 140 670-06	1,123.00
brushed Durabrass	29 140 670-28	1,389.60
Dark Platinum matt	29 140 670-99	1,263.30


36 120 670



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
platinum	36 120 670-08	776.00
brushed Durabrass	36 120 670-28	960.30
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 243 970



Pop-up waste and overflow
 • drain Ø 52mm
Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
brushed Durabrass	36 243 970-28	352.20
Dark Platinum matt	36 243 970-99	320.20



Required miscellaneous		Euro
Pop-up waste and overflow	Concealed rough parts	35 227 970 90 144.30
• bowden cable length 725 mm		

36 247 970



bath spout with pop-up waste and overflow
 • drain Ø 52mm
 • max. flow 27.8 l/min at 3 bar flow pressure
Also suitable for king-size baths.
In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
brushed Durabrass	36 247 970-28	532.80
Dark Platinum matt	36 247 970-99	484.40



Required miscellaneous		Euro
Bath spout with pop-up waste and overflow	Concealed rough parts	35 248 970 90 397.30
• bowden cable length 725 mm		



Required miscellaneous		Euro
Vacuum breaker	polished chrome	36 150 970-00 73.80
• rosette 70 mm	platinum matt	36 150 970-06 118.10
	brushed Durabrass	36 150 970-28 146.00
	Dark Platinum matt	36 150 970-99 132.80



Required miscellaneous		Euro
Vacuum breaker	Concealed rough parts	35 150 970 90 253.30
• 3/4" connection		



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 030 780

Bath grip

- gauge 185 mm
- width 300mm
- height 35 mm
- 65 mm projection



		Euro
polished chrome	83 030 780-00	339.50
platinum matt	83 030 780-06	542.90
brushed Durabrass	83 030 780-28	672.10
Dark Platinum matt	83 030 780-99	611.00

83 060 780

Towel bar

- gauge 400 mm
- width 600mm
- height 35 mm
- 80 mm projection



		Euro
polished chrome	83 060 780-00	388.20
platinum matt	83 060 780-06	621.00
brushed Durabrass	83 060 780-28	768.60
Dark Platinum matt	83 060 780-99	698.70

83 210 780

Towel bar in two parts non-swivel

- width 90mm
- height 35 mm
- 420 mm projection



		Euro
polished chrome	83 210 780-00	344.50
platinum matt	83 210 780-06	551.30
brushed Durabrass	83 210 780-28	682.10
Dark Platinum matt	83 210 780-99	620.00

83 200 780

Towel ring angular

- width 190mm
- height 35 mm
- 105 mm projection



		Euro
polished chrome	83 200 780-00	274.10
platinum matt	83 200 780-06	438.50
brushed Durabrass	83 200 780-28	542.60
Dark Platinum matt	83 200 780-99	493.30

83 200 811

Towel ring round

- width 200mm
- 118 mm projection



		Euro
polished chrome	83 200 811-00	388.20
platinum matt	83 200 811-06	621.20
brushed Durabrass	83 200 811-28	768.70
Dark Platinum matt	83 200 811-99	698.80

83 251 780

Hooks

- width 19mm
- height 44 mm
- 35 mm projection



		Euro
polished chrome	83 251 780-00	92.30
platinum matt	83 251 780-06	147.80
brushed Durabrass	83 251 780-28	182.90
Dark Platinum matt	83 251 780-99	166.30

83 251 220

Hooks

- 55 mm projection



		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
brushed Durabrass	83 251 220-28	71.40
Dark Platinum matt	83 251 220-99	64.90

83 410 979



Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
brushed Durabronz	83 410 979-28	461.20
Dark Platinum matt	83 410 979-99	419.30

83 410 780



Soap dish wall model

- width 120mm
- height 45 mm
- 120 mm projection

		Euro
polished chrome	83 410 780-00	308.00
platinum matt	83 410 780-06	492.40
brushed Durabronz	83 410 780-28	609.90
Dark Platinum matt	83 410 780-99	554.40

84 410 780



Soap dish free-standing model

- width 120mm
- height 10 mm
- 120 mm projection

		Euro
polished chrome	84 410 780-00	283.30
platinum matt	84 410 780-06	453.00
brushed Durabronz	84 410 780-28	561.00
Dark Platinum matt	84 410 780-99	509.90

82 424 970



Dispenser without rosette

- 124 mm projection
- 500 ml bottle
- can be filled from the top
- rotating pump head
- height 125 mm
- width 30mm
- hole diameter 25 mm

		Euro
polished chrome	82 424 970-00	220.70
	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
Durabronz	82 424 970-09	436.90
brushed Durabronz	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20
matt white	82 424 970-10	297.90
matt black	82 424 970-33	297.90

83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
brushed Durabronz	83 435 970-28	729.30
Dark Platinum matt	83 435 970-99	663.00

84 430 811



Dispenser free-standing model

- Textured brown glass, matt
- width 60mm
- height 182 mm
- 175 ml bottle
- 59 mm projection

		Euro
polished chrome	84 430 811-00	368.30
platinum matt	84 430 811-06	589.30
brushed Durabronz	84 430 811-28	729.20
Dark Platinum matt	84 430 811-99	662.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
brushed Durabrass	84 435 970-28	672.00
Dark Platinum matt	84 435 970-99	610.90

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
brushed Durabrass	83 401 979-28	444.50
Dark Platinum matt	83 401 979-99	404.00



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 400 780



Tumbler holder wall model

- crystal glass
- width 75mm
- height 118 mm
- 85 mm projection

		Euro
polished chrome	83 400 780-00	301.30
platinum matt	83 400 780-06	482.20
brushed Durabrass	83 400 780-28	596.40
Dark Platinum matt	83 400 780-99	542.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 281 530



Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
brushed Durabrass	83 281 530-28	362.00
Dark Platinum matt	83 281 530-99	328.90

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
brushed Durabronz	83 290 970-28	353.30
Dark Platinum matt	83 290 970-99	321.10

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
brushed Durabronz	82 290 970-28	353.30
Dark Platinum matt	82 290 970-99	321.10

83 500 780



Tissue holder without cover

- width 140mm
- height 35 mm
- 85 mm projection

		Euro
polished chrome	83 500 780-00	247.60
platinum matt	83 500 780-06	396.10
brushed Durabronz	83 500 780-28	490.30
Dark Platinum matt	83 500 780-99	445.70

83 590 780



Reserve tissue holder

- width 132mm
- height 35 mm
- 116 mm projection

		Euro
polished chrome	83 590 780-00	247.60
platinum matt	83 590 780-06	396.10
brushed Durabronz	83 590 780-28	490.30
Dark Platinum matt	83 590 780-99	445.70

83 900 780



Toilet brush set wall model

- crystal glass brush holder, matt
- brush, matt black
- width 118mm
- height 415 mm
- 118 mm projection

		Euro
polished chrome	83 900 780-00	382.80
platinum matt	83 900 780-06	612.50
brushed Durabronz	83 900 780-28	758.00
Dark Platinum matt	83 900 780-99	689.10



Recommended miscellaneous

Brush matt black

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Glass matt

		Euro
Concealed rough parts	08 90 04 008 82	50.20



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 507 00-00	86.00
platinum matt	90 20 97 507 00-06	137.60
brushed Durabronz	90 20 97 507 00-28	170.30
Dark Platinum matt	90 20 97 507 00-99	154.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 910 979

Toilet brush set wall model

- brush, matt black
- width 100mm
- height 456 mm
- 110 mm projection



Recommended miscellaneous

Brush matt black

		Euro
polished chrome	83 910 979-00	417.90
platinum matt	83 910 979-06	668.80
brushed Durabrass	83 910 979-28	827.40
Dark Platinum matt	83 910 979-99	752.20

		Euro
Concealed rough parts	08 18 50 601 90	27.90

Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 505 01-00	143.30
platinum matt	90 20 97 505 01-06	229.10
brushed Durabrass	90 20 97 505 01-28	283.50
Dark Platinum matt	90 20 97 505 01-99	257.80

84 910 979

Toilet brush set free-standing model

- brush, matt black
- width 100mm
- height 456 mm



Recommended miscellaneous

Brush matt black

		Euro
polished chrome	84 910 979-00	378.10
platinum matt	84 910 979-06	604.80
brushed Durabrass	84 910 979-28	748.60
Dark Platinum matt	84 910 979-99	680.50

		Euro
Concealed rough parts	08 18 50 601 90	27.90

Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 505 01-00	143.30
platinum matt	90 20 97 505 01-06	229.10
brushed Durabrass	90 20 97 505 01-28	283.50
Dark Platinum matt	90 20 97 505 01-99	257.80

12 660 979

Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)



		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
brushed Durabrass	12 660 979-28	1,358.40
Dark Platinum matt	12 660 979-99	1,234.90



IMO

Sieger Design

Basin
from page 122

Bidet
from page 128

Shower
from page 129

Thermostats, mixers,
diverters and valves
from page 150

Bath
from page 153

Accessories
from page 156



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Single-lever basin mixers

130 mm projection

105 mm projection



33 500 670
33 521 670*



33 507 670

with raised base

165 mm projection



33 537 670*

Wall-mounted single-lever basin mixers

170 mm projection

140 mm projection



36 861 670



36 860 670



13 800 670

Wall-mounted basin spout

170 mm projection

Single-lever basin mixer with high spout

150 mm projection



33 526 670*

Three-hole basin mixer

165 mm projection



20 713 670

Deck-mounted basin spout

165 mm projection



13 716 670*





CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Overview of bath fittings

Three-hole single-lever bath mixer



27 412 670

Bath spout



13 801 670

Hand shower set



27 702 980

Single-lever mixers



29 300 670



36 120 670

Diverter



29 140 670

integrated bath filling



36 247 970

Miscellaneous



36 243 970

33 507 670



Single-lever basin mixer with pop-up waste

- **105 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 149 mm
- height up to aerator 80 mm
- hole diameter 35 mm
- rosette Ø 52 mm optional
- **progressive cartridge**
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 507 670-00	505.80
platinum matt	33 507 670-06	809.20
platinum	33 507 670-08	809.20
brushed Durabronz	33 507 670-28	1,001.50
Dark Platinum matt	33 507 670-99	910.40



Product alternative

- Single-lever basin mixer without pop-up waste**
- without pop-up waste

		Euro
polished chrome	33 527 670-00	465.20
platinum matt	33 527 670-06	745.20

33 500 670



Single-lever basin mixer with pop-up waste

- **130 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 154 mm
- height up to aerator 80 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 500 670-00	532.50
platinum matt	33 500 670-06	851.90
platinum	33 500 670-08	851.90
brushed Durabronz	33 500 670-28	1,054.10
Dark Platinum matt	33 500 670-99	958.30



Product alternative

- Single-lever basin mixer without pop-up waste**
- without pop-up waste

		Euro
polished chrome	33 521 670-00	492.20
platinum matt	33 521 670-06	787.60

33 537 670



Single-lever basin mixer with raised base without pop-up waste

- **165 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 358 mm
- height up to aerator 247 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 537 670-00	745.20
platinum matt	33 537 670-06	1,192.40

33 526 670



Single-lever basin mixer with high spout without pop-up waste

- **150 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 265 mm
- height up to aerator 212 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	33 526 670-00	740.00
platinum matt	33 526 670-06	1,184.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

20 713 670



Three-hole basin mixer with pop-up waste

• 165 mm projection

- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 170 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 713 670-00	946.90
platinum matt	20 713 670-06	1,515.20



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

36 860 670




Wall-mounted single-lever basin mixer without pop-up waste

• 140 mm projection

- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 860 670-00	714.60
platinum matt	36 860 670-06	1,154.00



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer on right

NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30


36 861 670



Wall-mounted single-lever basin mixer without pop-up waste

- 170 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 861 670-00	747.40
platinum matt	36 861 670-06	1,207.30



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer on right

NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30

44 511 670

NEW

Washstand fitting with electronic opening and closing function without pop-up waste



- Infrared sensor technology
- 130 mm projection
- height of mixer 135 mm
- height up to aerator 74 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Plug-in power supply included
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested

		Euro
polished chrome	44 511 670-00	892.70
platinum matt	44 511 670-06	1,428.40
platinum	44 511 670-08	1,428.40
brushed Durabrass	44 511 670-28	1,767.60
Dark Platinum matt	44 511 670-99	1,606.90
matt white	44 511 670-10	1,205.20
matt black	44 511 670-33	1,205.20

44 515 670

NEW

Washstand fitting with electronic opening and closing function without pop-up waste



- Infrared sensor technology
- 130 mm projection
- height of mixer 135 mm
- height up to aerator 74 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Battery-powered (batteries not included)
- 1x CR-P2 battery required
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- lead-free

Batteries not included

		Euro
polished chrome	44 515 670-00	892.70
platinum matt	44 515 670-06	1,428.40
platinum	44 515 670-08	1,428.40
brushed Durabrass	44 515 670-28	1,767.60
Dark Platinum matt	44 515 670-99	1,606.90
matt white	44 515 670-10	1,205.20
matt black	44 515 670-33	1,205.20

44 521 670

NEW

Washstand fitting with electronic opening and closing function without pop-up waste



- Infrared sensor technology
 - **165 mm projection**
 - height of mixer 319 mm
 - height up to aerator 268 mm
 - hole diameter 35 mm
 - fixed spout
 - max. flow 5.7 l/min
 - rectangular, air-enriched flow
 - suitable for thermal disinfection
 - Automatic shut-off after pre-set time is reached
 - Indirect temperature control (undercounter)
 - Control box included
 - Adjustable sensor detection range
 - Battery or plug-in power supply operated (batteries not included)
 - 4x AA (1.5V) batteries required
 - lead-free
 - 1x screw-in M 8 x 1 pressure hose, leak-tested
- Batteries not included

		Euro
polished chrome	44 521 670-00	774.10
platinum matt	44 521 670-06	1,238.60
platinum	44 521 670-08	1,238.60
brushed Durabrass	44 521 670-28	1,532.80
Dark Platinum matt	44 521 670-99	1,393.40
matt white	44 521 670-10	1,045.10
matt black	44 521 670-33	1,045.10

13 716 670 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting




- **165 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 170 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 670-00	468.10
	1x 42 765 970 90	553.30
	Price	1,021.40



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 740 970 90	252.50



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 716 670 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- **165 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 170 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 670-00	468.10
	1x 42 766 970 90	461.10
	Price	929.20



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 742 970 90	229.40

13 800 670 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- **170 mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 40 mm
- rosettes 60 x 78 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 670-00	460.90
	1x 42 765 970 90	553.30
	Price	1,014.20




Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50



Recommended miscellaneous

- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 800 670 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 170 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 40 mm
- rosettes 60 x 78 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set


Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 670-00	460.90
	1x 42 766 970 90	461.10
	Price	922.00

			Euro
Required miscellaneous			
	eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings	Concealed rough parts	35 743 970 90
	<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 125 mm For details and miscellaneous, see page 699		229.40

			Euro
Required miscellaneous			
	Concealed wall elbow	Concealed rough parts	35 085 970 90
	<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see main items		98.80

22 901 782



Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

		Euro
polished chrome	22 901 782-00	173.10
platinum matt	22 901 782-06	277.00

Miscellaneous

10 060 780



Siphon for basin 1 1/4"

- rosette 78 x 78 mm

		Euro
polished chrome	10 060 780-00	311.80
platinum matt	10 060 780-06	498.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 600 670



Single-lever bidet mixer with pop-up waste

- 130 mm projection
- fixed spout
- ball-joint pivotable through 30°
- rectangular, air-enriched flow
- height of mixer 188 mm
- height up to aerator 77 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min

		Euro
polished chrome	33 600 670-00	665.40
platinum matt	33 600 670-06	1,064.60


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Shower set solution



Shower set without hand shower

- Shower set see page 566



Hand shower 15 l/min

- Hand shower see page 612



Single-lever shower mixer for wall mounting

- More control elements can be found from page 638 onwards


		Euro
polished chrome	Price	994.50
platinum matt	Price	1,601.20

		Euro
polished chrome	26 413 979-00	338.40

		Euro
polished chrome	28 015 979-00	101.60

		Euro
polished chrome	33 301 670-00	554.50

Shower set solution



Shower set solution



Shower set without hand shower

- Shower set see page 566



Hand shower 15 l/min

- Hand shower see page 612



Concealed single-lever mixer with cover plate with integrated shower connection

- More control elements can be found from page 638 onwards



Concealed wall mounting

		Euro
polished chrome	Price	1,083.20
platinum matt	Price	1,588.40

		Euro
polished chrome	26 413 979-00	338.40

		Euro
polished chrome	28 015 979-00	101.60

		Euro
polished chrome	36 045 970-00	384.90

		Euro
Concealed rough parts	35 003 970 90	258.30



Headshower solution

		Euro
polished chrome	Price	2,024.70
platinum matt	Price	2,870.20



Shower head

- Shower head see page 580

		Euro
polished chrome	28 508 980-00	547.60



Hand shower set with integrated shower holder

- Hand Shower set see page 616


		Euro
polished chrome	27 802 970-00	378.00



Concealed single-lever mixer with diverter

- More control elements can be found from page 638 onwards


		Euro
polished chrome	36 120 670-00	485.00



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed single-lever mixer

		Euro
Concealed rough parts	35 020 970 90	190.70



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80

Showerpipe solution

Fits CL.1, IMO, Lissé, LULU, MEM, Meta, Symetrics

		Euro
polished chrome	Price	2,291.20
platinum matt	Price	3,511.10



Showerpipe with single-lever shower mixer without hand shower

- Showerpipe see page 584


		Euro
polished chrome	36 112 970-00	1,931.30



Hand shower 15 l/min

- Hand shower see page 612


		Euro
polished chrome	28 015 979-00	101.60



Concealed wall mounting

		Euro
Concealed rough parts	35 050 970 90	258.30





Rainshower solution

Fits CL.1, IMO, MEM, Symetrics



Rain shower with wall fixing
• Rain shower see page 596



Shower set without hand shower
• Shower set see page 566




Hand shower 15 l/min
• Hand shower see page 612




Concealed thermostat with two function volume control
• More control elements can be found from page 638 onwards



Wall elbow



Concealed wall elbow
This article is needed 2x.



Concealed thermostat



xGRID Installation track set

	Euro	
polished chrome	Price	2,889.70
platinum matt	Price	4,180.30

	Euro	
polished chrome	28 649 670-00	821.00

	Euro	
polished chrome	26 413 979-00	338.40

	Euro	
polished chrome	28 015 979-00	101.60

	Euro	
polished chrome	36 426 670-00	721.50

	Euro	
polished chrome	28 450 980-00	133.00

	Euro	
Concealed rough parts	35 085 970 90	98.80

	Euro	
Concealed rough parts	35 425 970 90	350.80

	Euro	
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Rainshower solution



Rainshower solution

		Euro
polished chrome	Price	2,694.70
platinum matt	Price	3,857.00



Rain shower with wall fixing

- Rain shower see page 596


		Euro
polished chrome	28 649 670-00	821.00



Hand shower set with integrated shower holder

- Hand Shower set see page 616


		Euro
polished chrome	27 802 970-00	378.00



Concealed thermostat with two function volume control

- More control elements can be found from page 638 onwards


		Euro
polished chrome	36 426 670-00	721.50



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed thermostat

		Euro
Concealed rough parts	35 425 970 90	350.80



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80



IMO

36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

			Euro
polished chrome	1x 36 002 970-00		605.30
	1x 28 017 979-00		146.40
		Price	751.70
platinum matt	1x 36 002 970-06		968.50
	1x 28 017 979-06		234.30
		Price	1,202.80



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

			Euro
polished chrome	28 018 979-00		109.20
	28 018 979-06		174.80




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

			Euro
polished chrome	28 012 979-00		190.00
	28 012 979-06		304.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

			Euro
Concealed rough parts	35 050 970 90		258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Shower

36 013 970 +
28 012 979



Concealed single-lever mixer with integrated shower connection with shower set

- cover plate 80 x 80 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 013 970-00	749.00
	1x 28 012 979-00	190.00
	Price	939.00
platinum matt	1x 36 013 970-06	1,208.60
	1x 28 012 979-06	304.00
	Price	1,512.60



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	platinum matt	28 018 979-06




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	platinum matt	28 017 979-06 0010



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30

36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

			Euro
polished chrome	1x 36 110 970-00		721.60
	1x 28 017 979-00		146.40
		Price	868.00
platinum matt	1x 36 110 970-06		1,154.20
	1x 28 017 979-06		234.30
		Price	1,388.50

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612


Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

			Euro
polished chrome	1x 36 111 970-00		826.10
	1x 28 018 979-00		109.20
		Price	935.30
platinum matt	1x 36 111 970-06		1,321.60
	1x 28 018 979-06		174.80
		Price	1,496.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 980 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 980-00	564.90
	1x 28 012 979-00	190.00
	Price	754.90
platinum matt	1x 26 413 980-06	903.50
	1x 28 012 979-06	304.00
	Price	1,207.50

Intrinsic protection against back flow.



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 980-00	133.00
platinum matt	28 450 980-06	212.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

			Euro
polished chrome	1x 26 413 979-00		338.40
	1x 28 018 979-00		109.20
		Price	447.60
platinum matt	1x 26 413 979-06		551.80
	1x 28 018 979-06		174.80
		Price	726.60



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

			Euro
polished chrome	28 012 979-00		190.00
	28 012 979-06		304.00



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

			Euro
polished chrome	28 450 980-00		133.00
	28 450 980-06		212.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

Concealed rough parts	35 085 970 90	98.80
-----------------------	---------------	-------



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 112 970 +
28 015 979



Showerpipe with single-lever shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- automatic diverter for fixed-riser shower/hand shower

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 112 970-00	1,931.30
	1x 28 015 979-00	101.60
	Price	2,032.90
platinum matt	1x 36 112 970-06	3,090.10
	1x 28 015 979-06	162.70
	Price	3,252.80



Product alternative

- Hand shower 15 l/min**
- three settings: normal flow, soft flow, massage flow
 - spray head Ø 130 mm
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40




Product alternative

- Hand shower 15 l/min**
- normal flow
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 613

		Euro
polished chrome	28 019 979-00	191.10
	28 019 979-06	305.90



Required miscellaneous

- Concealed wall mounting**
- min. recess depth 80 mm
 - max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

34 459 980 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower 300 x 240mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.



Product alternative

- Hand shower 15 l/min**
- four settings: normal flow, soft flow, massage flow, cascade
 - spray head Ø 120mm
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 615



Product alternative

- Bar-type hand shower 6.8 l/min**
- normal flow
 - max. flow 6.8 l/min
 - Hand shower see page 612

		Euro
polished chrome	1x 34 459 980-00	2,478.40
	1x 28 018 979-00	109.20
	Price	2,587.60
platinum matt	1x 34 459 980-06	3,965.40
	1x 28 018 979-06	174.80
	Price	4,140.20

34 459 979 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.



Product alternative

- Hand shower 15 l/min**
- three settings: normal flow, soft flow, massage flow
 - spray head Ø 130 mm
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 614



Product alternative

- Bar-type hand shower 6.8 l/min**
- normal flow
 - max. flow 6.8 l/min
 - Hand shower see page 612

		Euro
polished chrome	1x 34 459 979-00	2,089.80
	1x 28 015 979-00	101.60
	Price	2,191.40
platinum matt	1x 34 459 979-06	3,268.60
	1x 28 015 979-06	162.70
	Price	3,431.30



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- **shower with fixed riser projection 453 mm**
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 460 979-00	2,201.20
	1x 28 018 979-00	109.20
Price		2,310.40
platinum matt	1x 34 460 979-06	3,521.90
	1x 28 018 979-06	174.80
Price		3,696.70

Product alternative



- Hand shower 15 l/min**
- four settings: normal flow, soft flow, massage flow, cascade
 - spray head Ø 120mm
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00

Product alternative



- Bar-type hand shower 6.8 l/min**
- normal flow
 - max. flow 6.8 l/min
 - Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90

28 504 670




Shower head

- **180-210 mm projection**
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 670-00	493.40
	28 504 670-06	783.00

Recommended miscellaneous



- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 508 980




Shower head

- **200 mm projection**
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 980-00	547.60
	28 508 980-06	876.00

Recommended miscellaneous



- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 649 670



Rain shower with wall fixing

- 450 mm projection
- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 649 670-00	821.00
platinum matt	28 649 670-06	1,313.70




Product alternative

Rain shower with wall fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 679 670-00	963.50
platinum matt	28 679 670-06	1,541.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items


28 765 980



Rain shower with wall fixing

- 450 mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 765 980-00	1,230.30
platinum matt	28 765 980-06	1,968.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items

28 669 970



Rain shower with ceiling fixing

- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 669 970-00	659.40
platinum matt	28 669 970-06	1,055.30



Product alternative

Rain shower with ceiling fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 689 970-00	777.40
platinum matt	28 689 970-06	1,243.50




Product alternative

Rain shower with ceiling fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 699 970-00	1,431.10
platinum matt	28 699 970-06	2,289.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items


28 775 980



Rain shower with ceiling fixing

- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 775 980-00	1,045.80
platinum matt	28 775 980-06	1,673.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 041 980

NEW



Rain shower for ceiling fixing

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 041 980-00	601.10
platinum matt	28 041 980-06	961.80



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 041 970 90	400.70

28 042 980

NEW



Rain shower for ceiling fixing with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

		Euro
polished chrome	28 042 980-00	903.20
platinum matt	28 042 980-06	1,445.10



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 042 970 90	602.10

28 043 980

NEW



Rain shower for ceiling installation

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

		Euro
polished chrome	28 043 980-00	1,205.20
platinum matt	28 043 980-06	1,928.30



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 043 970 90	803.50



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 044 980 **NEW**

Rain shower for ceiling installation with light



- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

	Euro	
polished chrome	28 044 980-00	1,809.30
platinum matt	28 044 980-06	2,894.90



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

	Euro	
Concealed rough parts	35 044 970 90	1,206.20

27 802 970


Hand shower set with integrated shower holder



- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

	Euro	
polished chrome	27 802 970-00	378.00
platinum matt	27 802 970-06	604.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80

27 808 980


Hand shower set with individual rosettes



- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

	Euro	
polished chrome	27 808 980-00	570.30
platinum matt	27 808 980-06	912.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80

27 818 980




Hand shower set with cover plate

- normal flow
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 818 980-00	678.10
platinum matt	27 818 980-06	1,084.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 518 782



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 782-00	304.60
platinum matt	28 518 782-06	487.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 517 979




WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


13 415 979



WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30



Recommended miscellaneous


Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 420 979



WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


27 838 979



Affusion pipe with cover plate

- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 9.5 l/min

Intrinsic protection against back flow.



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
polished chrome	27 838 979-00	726.80
platinum matt	27 838 979-06	1,162.70

		Euro
Concealed rough parts	35 085 970 90	98.80

27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring


Intrinsic protection against back flow.



Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
polished chrome	1x 27 821 979-00	551.60
	1x 28 285 979-00	84.40
	Price	636.00
platinum matt	1x 27 821 979-06	882.60
	1x 28 285 979-06	135.10
	Price	1,017.70

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 822 979 +
28 285 979



Kneipp wall elbow

- laminar flow
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 822 979-00	467.00
	1x 28 285 979-00	84.40
	Price	551.40
platinum matt	1x 27 822 979-06	747.20
	1x 28 285 979-06	135.10
	Price	882.30




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 970




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 970-00	191.90
platinum matt	28 490 970-06	307.20



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 980




Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 980-00	133.00
platinum matt	28 450 980-06	212.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 980



Wall bracket

- rosette 60 x 60 mm

		Euro
polished chrome	28 050 980-00	172.60
platinum matt	28 050 980-06	276.40
brushed Durabrass	28 050 980-28	341.70
Dark Platinum matt	28 050 980-99	310.70

28 060 970

Wall bracket swivel



		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
brushed Durabrass	28 060 970-28	315.30
Dark Platinum matt	28 060 970-99	286.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 301 670



Single-lever shower mixer for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm

Intrinsic protection against back flow.

		Euro
polished chrome	33 301 670-00	554.50
platinum matt	33 301 670-06	886.70

34 442 979



Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.

		Euro
polished chrome	34 442 979-00	564.00
platinum matt	34 442 979-06	903.20


36 060 670



Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

		Euro
polished chrome	36 060 670-00	378.10
platinum matt	36 060 670-06	610.50



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

36 045 970




Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate 80 x 80 mm

Intrinsic protection against back flow.

		Euro
polished chrome	36 045 970-00	384.90
platinum matt	36 045 970-06	615.60



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30





CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 120 670



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00



Required miscellaneous


Euro

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

Concealed rough parts	35 020 970 90	190.70
-----------------------	---------------	--------



Required miscellaneous

Euro

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

Concealed rough parts	35 021 970 90	272.40
-----------------------	---------------	--------




Required miscellaneous

Euro

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

Concealed rough parts	12 360 970 90	90.30
-----------------------	---------------	-------



Recommended miscellaneous

Euro

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

Concealed rough parts	12 340 970 90	90.90
-----------------------	---------------	-------


36 425 670



Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 670-00	608.50
platinum matt	36 425 670-06	982.40



Required miscellaneous


Euro

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

Concealed rough parts	35 425 970 90	350.80
-----------------------	---------------	--------



Required miscellaneous

Euro

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

Concealed rough parts	35 426 970 90	368.40
-----------------------	---------------	--------




Required miscellaneous

Euro

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

Concealed rough parts	12 360 970 90	90.30
-----------------------	---------------	-------



Recommended miscellaneous

Euro

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

Concealed rough parts	12 340 970 90	90.90
-----------------------	---------------	-------


36 426 670



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 670-00	721.50
platinum matt	36 426 670-06	1,165.00




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 427 670



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 670-00	765.00
platinum matt	36 427 670-06	1,235.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


27 412 670


Three-hole single-lever bath mixer for bath rim or tile edge installation
• 224 mm projection

- spout: cascade
- complete hand shower set: normal flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 138 mm
- hole diameter spout 32 mm
- single-lever mixer hole diameter 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 19.2 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

	Euro	
polished chrome	27 412 670-00	1,836.60
platinum matt	27 412 670-06	2,938.50



Recommended miscellaneous

Perfecto installation kit

	Euro	
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair


	Euro	
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60

13 801 670


bath spout for wall mounting

- 200 mm projection
- rectangular normal flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 25.1 l/min at 3 bar flow pressure

	Euro	
polished chrome	13 801 670-00	516.80
platinum matt	13 801 670-06	826.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80

27 702 980


Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 6.8 l/min

Two-piece design allows hose to later be changed without dismantling the fitting.
Intrinsic protection against back flow.

	Euro	
polished chrome	27 702 980-00	459.50
platinum matt	27 702 980-06	735.20

29 300 670


Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

	Euro	
polished chrome	29 300 670-00	544.00
platinum matt	29 300 670-06	870.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

29 140 670



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

		Euro
polished chrome	29 140 670-00	701.80
platinum matt	29 140 670-06	1,123.00


36 120 670



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
platinum	36 120 670-08	776.00
brushed Durabrass	36 120 670-28	960.30
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 227 970 90	144.30

36 247 970



bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 248 970 90	397.30



Required miscellaneous

Vacuum breaker

- rosette 70 mm

		Euro
polished chrome	36 150 970-00	73.80
platinum matt	36 150 970-06	118.10



Required miscellaneous

Vacuum breaker

- 3/4" connection

		Euro
Concealed rough parts	35 150 970 90	253.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 030 670



Bath grip

- gauge 300 mm
- width 340mm
- height 60 mm
- 73 mm projection

		Euro
polished chrome	83 030 670-00	306.20
platinum matt	83 030 670-06	489.70

83 045 670



Towel bar

- gauge 450 mm
- width 490mm
- height 60 mm
- 73 mm projection

		Euro
polished chrome	83 045 670-00	293.80
platinum matt	83 045 670-06	470.10

83 060 670



Towel bar

- gauge 600 mm
- width 645mm
- height 60 mm
- 73 mm projection

		Euro
polished chrome	83 060 670-00	303.20
platinum matt	83 060 670-06	484.90

83 211 670



Towel bar 1-piece non-swivel

- width 30mm
- height 60 mm
- 400 mm projection

		Euro
polished chrome	83 211 670-00	257.00
platinum matt	83 211 670-06	411.40

83 251 670



Hooks

- width 19mm
- height 42 mm
- 36 mm projection

		Euro
polished chrome	83 251 670-00	85.70
platinum matt	83 251 670-06	136.80

83 251 220



Hooks

- 55 mm projection

		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60

83 410 979



Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60





CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

84 410 780



Soap dish free-standing model

- width 120mm
- height 10 mm
- 120 mm projection

		Euro
polished chrome	84 410 780-00	283.30
platinum matt	84 410 780-06	453.00

83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 481 970



Shelf wall model

- width 200mm
- height 26 mm
- 100 mm projection
- **without grid element**

		Euro
polished chrome	83 481 970-00	106.50
platinum matt	83 481 970-06	170.40

Required miscellaneous

Grid element

- plastic grid elements

		Euro
light grey	82 481 970-52	40.60
creamy white	82 481 970-51	40.60
taupe	82 481 970-53	40.60
matt black	82 481 970-33	40.60

83 482 970



Shelf wall model

- width 300mm
- height 26 mm
- 100 mm projection
- **without grid element**

		Euro
polished chrome	83 482 970-00	126.40
platinum matt	83 482 970-06	202.20

Required miscellaneous

Grid element

- plastic grid elements

		Euro
matt black	82 482 970-33	53.80
light grey	82 482 970-52	53.80
creamy white	82 482 970-51	53.80
taupe	82 482 970-53	53.80

83 281 530




Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40

83 500 670



Tissue holder without cover

- width 166mm
- height 60 mm
- 73 mm projection

		Euro
polished chrome	83 500 670-00	217.60
platinum matt	83 500 670-06	348.20







83 900 970



Toilet brush set wall model

- crystal glass
- brush, matt black
- width 126mm
- height 415 mm
- 120 mm projection

		Euro	
	polished chrome	83 900 970-00	319.00
	platinum matt	83 900 970-06	510.20
<hr/>			
	Recommended miscellaneous	Euro	
Brush white	Concealed rough parts	08 18 50 600 90	12.30
<hr/>			
	Recommended miscellaneous	Euro	
Brush matt black	Concealed rough parts	08 18 50 601 90	27.90
<hr/>			
	Recommended miscellaneous	Euro	
Glass matt	Concealed rough parts	08 90 04 008 82	50.20
<hr/>			
	Recommended miscellaneous	Euro	
Brush handle	polished chrome	90 20 97 507 00-00	86.00
	platinum matt	90 20 97 507 00-06	137.60

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro	
	polished chrome	12 660 979-00	686.00
	platinum matt	12 660 979-06	1,097.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Lissé

Sieger Design

Basin

from page 164

Bidet

from page 168

Shower

from page 169

Thermostats, mixers, diverters and valves

from page 187

Bath

from page 190

Accessories

from page 193



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Single-lever basin mixer

130 mm projection



33 500 845
33 521 845*

with raised base

215 mm projection



33 537 845*

Wall-mounted single-lever basin mixers

170 mm projection



36 860 845

210 mm projection



36 861 845

Single-lever basin mixer with high spout

130 mm projection



33 506 845
33 526 845*

Three-hole basin mixer

130 mm projection



20 713 845

Deck-mounted basin spout

130 mm projection



13 700 845*



Overview of bath fittings

Bath mixer



33 200 845

Three-hole single-lever bath mixer



27 412 845

Bath spout



13 801 845

Hand shower set



27 702 979

Single-lever mixers



29 300 845



36 120 845

integrated bath filling



36 247 970

Miscellaneous



36 243 970



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 500 845



Single-lever basin mixer with pop-up waste

- 130 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 127 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 500 845-00	441.30
platinum matt	33 500 845-06	705.90
matt black	33 500 845-33	595.70



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 521 845-00	382.70
platinum matt	33 521 845-06	612.40
matt black	33 521 845-33	516.70

33 506 845



Single-lever basin mixer with raised base with pop-up waste

- 130 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 236 mm
- height up to aerator 185 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 506 845-00	740.00
platinum matt	33 506 845-06	1,184.00
matt black	33 506 845-33	999.10



Product alternative

Single-lever basin mixer with raised base without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 526 845-00	644.10
platinum matt	33 526 845-06	1,030.60
matt black	33 526 845-33	869.50

33 537 845



Single-lever basin mixer with raised base without pop-up waste

- 215 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 292 mm
- height up to aerator 241 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 537 845-00	822.90
platinum matt	33 537 845-06	1,316.90
matt black	33 537 845-33	1,111.00

20 713 845



Three-hole basin mixer with pop-up waste

- 130 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 48 mm
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 713 845-00	692.50
platinum matt	20 713 845-06	1,107.90
matt black	20 713 845-33	934.90



Required miscellaneous

- High pressure hoses**
- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

13 700 845



Deck-mounted basin spout without pop-up waste

- 130 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free

For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

		Euro
polished chrome	13 700 845-00	327.40
matt black	13 700 845-33	442.00

36 860 845



Wall-mounted single-lever basin mixer without pop-up waste

- 170 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 860 845-00	656.50
platinum matt	36 860 845-06	1,050.20
matt black	36 860 845-33	886.30



Required miscellaneous

- Concealed wall-mounted single-lever mixer**
- min. recess depth 80 mm
 - max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

- Concealed wall-mounted single-lever mixer on right**
- NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.**

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 861 845



Wall-mounted single-lever basin mixer without pop-up waste

- 210 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 861 845-00	685.10
platinum matt	36 861 845-06	1,096.00
matt black	36 861 845-33	924.80



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30

13 700 845 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 130 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 700 845-00	327.40
	1x 42 765 970 90	553.30
	Price	880.70
matt black	1x 13 700 845-33	442.00
	1x 42 765 970 90	553.30
	Price	995.30



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 740 970 90	252.50

13 700 845 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 130 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 700 845-00	327.40
	1x 42 766 970 90	461.10
	Price	788.50
matt black	1x 13 700 845-33	442.00
	1x 42 766 970 90	461.10
	Price	903.10



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 742 970 90	229.40

22 901 979



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

		Euro
polished chrome	22 901 979-00	151.80
platinum matt	22 901 979-06	242.80
matt black	22 901 979-33	204.90

Miscellaneous

10 060 970



Siphon for basin

- rosette Ø 70 mm

		Euro
polished chrome	10 060 970-00	272.50
platinum matt	10 060 970-06	436.20
matt black	10 060 970-33	368.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 600 845



Single-lever bidet mixer with pop-up waste

- 123 mm projection
- ball-joint pivotable through 30°
- rectangular, air-enriched flow
- height of mixer 127 mm
- height up to aerator 83 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 6 l/min

		Euro
polished chrome	33 600 845-00	665.40
platinum matt	33 600 845-06	1,064.50
matt black	33 600 845-33	898.20


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00



Recommended miscellaneous


Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

Shower set solution



Shower set without hand shower

- Shower set see page 566



Hand shower 15 l/min

- Hand shower see page 612



Single-lever shower mixer for wall mounting

- More control elements can be found from page 638 onwards

		Euro
polished chrome	Price	994.30
platinum matt	Price	1,601.30
matt black	Price	1,350.90

		Euro
polished chrome	26 413 979-00	338.40

		Euro
polished chrome	28 015 979-00	101.60

		Euro
polished chrome	33 300 845-00	554.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Headshower solution

		Euro
polished chrome	Price	1,725.40
platinum matt	Price	2,392.40
matt black	Price	2,114.30




Shower head
• Shower head see page 580

		Euro
polished chrome	28 505 979-00	296.80




Hand shower set with individual rosettes
• Hand Shower set see page 616

		Euro
polished chrome	27 803 845-00	383.50




Concealed single-lever mixer with diverter
• More control elements can be found from page 638 onwards

		Euro
polished chrome	36 120 845-00	431.00



Concealed wall elbow
This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed single-lever mixer

		Euro
Concealed rough parts	35 020 970 90	190.70



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80

Showerpipe solution

Fits CL.1, IMO, Lissé, LULU, MEM, Meta, Symetrics, Tara., Vaia

		Euro
polished chrome	Price	2,191.40
platinum matt	Price	3,431.30
matt black	Price	2,895.20



Showerpipe with shower thermostat without hand shower
• Showerpipe see page 584

		Euro
polished chrome	34 459 979-00	2,089.80



Hand shower 15 l/min
• Hand shower see page 612

		Euro
polished chrome	28 015 979-00	101.60



Rainshower solution

Fits Lissé


		Euro
polished chrome	Price	2,580.40
platinum matt	Price	3,664.40
matt black	Price	3,213.00



Rain shower with ceiling fixing

• Rain shower see page 596

		Euro
polished chrome	28 669 970-00	659.40



Hand shower set with individual rosettes

• Hand Shower set see page 616


		Euro
polished chrome	27 802 845-00	397.10



Concealed thermostat with two function volume control

• More control elements can be found from page 638 onwards


		Euro
polished chrome	36 426 845-00	749.70



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed thermostat

		Euro
Concealed rough parts	35 425 970 90	350.80



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Rainshower solution



Rainshower solution

Rain shower with wall fixing

- Rain shower see page 596

Shower set without hand shower

- Shower set see page 566

Hand shower 15 l/min

- Hand shower see page 612

Concealed thermostat with two function volume control

- More control elements can be found from page 638 onwards

Wall elbow

Concealed thermostat

Concealed wall elbow

This article is needed 2x.

xGRID Installation track set

		Euro
polished chrome	Price	2,836.70
platinum matt	Price	4,084.80
matt black	Price	3,567.30

		Euro
polished chrome	28 649 970-00	775.90

		Euro
polished chrome	26 413 979-00	338.40

		Euro
polished chrome	28 015 979-00	101.60

		Euro
polished chrome	36 426 845-00	749.70

		Euro
polished chrome	28 450 845-00	96.90

		Euro
Concealed rough parts	35 425 970 90	350.80

		Euro
Concealed rough parts	35 085 970 90	98.80

		Euro
Concealed rough parts	12 380 970 90	225.80



Lissé

36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
	Price	751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
	Price	1,202.80
matt black	1x 36 002 970-33	817.20
	1x 28 017 979-33	197.70
	Price	1,014.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
matt black	28 018 979-33	147.50




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
matt black	28 012 979-33	256.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Shower

36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
	Price	868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
	Price	1,388.50
matt black	1x 36 110 970-33	974.10
	1x 28 017 979-33	197.70
	Price	1,171.80



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
matt black	28 018 979-33	147.50




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
matt black	28 012 979-33	256.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
matt black	1x 36 111 970-33	1,115.30
	1x 28 018 979-33	147.50
	Price	1,262.80



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
matt black	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
matt black	28 017 979-33 0010	197.70



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 979-00	338.40
	1x 28 018 979-00	109.20
	Price	447.60
platinum matt	1x 26 413 979-06	551.80
	1x 28 018 979-06	174.80
	Price	726.60
matt black	1x 26 413 979-33	465.50
	1x 28 018 979-33	147.50
	Price	613.00



Lissé

Product alternative



Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
matt black	28 012 979-33	256.40

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
matt black	28 017 979-33 0010	197.70

Recommended miscellaneous




Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 845-00	96.90
	28 450 845-06	155.00

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 112 970 +
28 015 979



Showerpipe with single-lever shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- automatic diverter for fixed-riser shower/hand shower

Intrinsic protection against back flow.



Product alternative

- Hand shower 15 l/min**
- three settings: normal flow, soft flow, massage flow
 - spray head Ø 130 mm
 - max. flow 15 l/min
 - Hand shower see page 612


For details and miscellaneous, see page 614



Product alternative

- Hand shower 15 l/min**
- normal flow
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 613



Required miscellaneous

- Concealed wall mounting**
- min. recess depth 80 mm
 - max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
polished chrome	1x 36 112 970-00	1,931.30
	1x 28 015 979-00	101.60
	Price	2,032.90
platinum matt	1x 36 112 970-06	3,090.10
	1x 28 015 979-06	162.70
	Price	3,252.80
matt black	1x 36 112 970-33	2,607.30
	1x 28 015 979-33	137.10
	Price	2,744.40

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40
matt black	28 016 979-33	212.90

		Euro
polished chrome	28 019 979-00	191.10
	28 019 979-06	305.90
matt black	28 019 979-33	258.10

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 979 +
28 015 979





Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 979-00	2,089.80
	1x 28 015 979-00	101.60
	Price	2,191.40
platinum matt	1x 34 459 979-06	3,268.60
	1x 28 015 979-06	162.70
	Price	3,431.30
matt black	1x 34 459 979-33	2,758.10
	1x 28 015 979-33	137.10
	Price	2,895.20

Product alternative		Euro
 Hand shower 15 l/min	polished chrome	28 016 979-00 157.60
	platinum matt	28 016 979-06 252.40
	matt black	28 016 979-33 212.90
	<ul style="list-style-type: none"> • three settings: normal flow, soft flow, massage flow • spray head Ø 130 mm • max. flow 15 l/min • Hand shower see page 612 	
	For details and miscellaneous, see page 614	

Product alternative		Euro
 Bar-type hand shower 6.8 l/min	polished chrome	28 013 979-00 0010 191.10
	platinum matt	28 013 979-06 0010 305.90
	matt black	28 013 979-33 0010 258.10
	<ul style="list-style-type: none"> • normal flow • max. flow 6.8 l/min • Hand shower see page 612 	

34 460 979 +
28 018 979




Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 460 979-00	2,201.20
	1x 28 018 979-00	109.20
	Price	2,310.40
platinum matt	1x 34 460 979-06	3,521.90
	1x 28 018 979-06	174.80
	Price	3,696.70
matt black	1x 34 460 979-33	2,971.60
	1x 28 018 979-33	147.50
	Price	3,119.10

Product alternative		Euro
 Hand shower 15 l/min	polished chrome	28 012 979-00 190.00
	platinum matt	28 012 979-06 304.00
	matt black	28 012 979-33 256.40
	<ul style="list-style-type: none"> • four settings: normal flow, soft flow, massage flow, cascade • spray head Ø 120mm • max. flow 15 l/min • Hand shower see page 612 	
	For details and miscellaneous, see page 615	

Product alternative		Euro
 Bar-type hand shower 6.8 l/min	polished chrome	28 013 979-00 0010 191.10
	platinum matt	28 013 979-06 0010 305.90
	matt black	28 013 979-33 0010 258.10
	<ul style="list-style-type: none"> • normal flow • max. flow 6.8 l/min • Hand shower see page 612 	


28 504 979



Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 979-00	476.20
platinum matt	28 504 979-06	762.10
matt black	28 504 979-33	642.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 508 979



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 979-00	532.80
platinum matt	28 508 979-06	852.00
matt black	28 508 979-33	719.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 505 979



Shower head

- 155 mm projection
- ball-joint pivotable through 18° (in any direction)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 7.6 l/min

		Euro
polished chrome	28 505 979-00	296.80
platinum matt	28 505 979-06	474.90
matt black	28 505 979-33	400.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 649 970



Rain shower with wall fixing

- 450 mm projection
- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 649 970-00	775.90
platinum matt	28 649 970-06	1,241.50
matt black	28 649 970-33	1,047.60



Product alternative

Rain shower with wall fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 679 970-00	914.10
platinum matt	28 679 970-06	1,462.90
matt black	28 679 970-33	1,234.40




Product alternative

Rain shower with wall fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 659 970-00	1,600.40
platinum matt	28 659 970-06	2,560.60
matt black	28 659 970-33	2,160.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items

28 669 970



Rain shower with ceiling fixing

- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 669 970-00	659.40
platinum matt	28 669 970-06	1,055.30
matt black	28 669 970-33	890.50



Product alternative

Rain shower with ceiling fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 689 970-00	777.40
platinum matt	28 689 970-06	1,243.50
matt black	28 689 970-33	1,049.30




Product alternative

Rain shower with ceiling fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 699 970-00	1,431.10
platinum matt	28 699 970-06	2,289.80
matt black	28 699 970-33	1,932.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items

28 031 970

NEW



Rain shower for ceiling fixing

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 031 970-00	601.10
platinum matt	28 031 970-06	961.80
matt black	28 031 970-33	811.50



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

		Euro
Concealed rough parts	35 041 970 90	400.70

For details and miscellaneous, see page 701



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


28 032 970 NEW

Rain shower for ceiling fixing with light



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

	Euro	
polished chrome	28 032 970-00	903.20
platinum matt	28 032 970-06	1,445.10
matt black	28 032 970-33	1,219.30



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

	Euro	
Concealed rough parts	35 042 970 90	602.10

28 033 970 NEW

Rain shower for ceiling installation



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

	Euro	
polished chrome	28 033 970-00	1,205.20
platinum matt	28 033 970-06	1,928.30
matt black	28 033 970-33	1,627.00



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

	Euro	
Concealed rough parts	35 033 970 90	803.50

28 034 970 NEW

Rain shower for ceiling installation with light



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- min. recess depth 137,5 mm
- Spray flow, max. flow rate 6 l/min
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

	Euro	
polished chrome	28 034 970-00	1,809.30
platinum matt	28 034 970-06	2,894.90
matt black	28 034 970-33	2,442.60



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

	Euro	
Concealed rough parts	35 034 970 90	1,206.20


27 802 845

Hand shower set with individual rosettes



- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

	Euro	
polished chrome	27 802 845-00	397.10
platinum matt	27 802 845-06	635.30
matt black	27 802 845-33	536.20



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80

27 803 845




Hand shower set with individual rosettes

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 803 845-00	383.50
platinum matt	27 803 845-06	613.70
matt black	27 803 845-33	517.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 518 979



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 979-00	251.90
platinum matt	28 518 979-06	403.20
matt black	28 518 979-33	340.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
matt black	36 515 979-33	597.30



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 517 979




WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
matt black	36 517 979-33	940.70

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous



xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
matt black	36 514 979-33	1,200.30

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
matt black	36 513 979-33	913.30




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
matt black	36 512 979-33	913.30



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


13 415 979



WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
matt black	13 415 979-33	1,236.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 420 979



WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
matt black	13 420 979-33	1,766.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
matt black	13 425 979-33	1,312.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 820 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- rosette Ø 70 mm
- holder for Kneipp hose
- hose nozzle with sleeve M33
- with holding ring
- 1/2" wall elbow

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 820 979-00	400.10
	1x 28 285 979-00	84.40
	Price	484.50
platinum matt	1x 27 820 979-06	640.20
	1x 28 285 979-06	135.10
	Price	775.30
matt black	1x 27 820 979-33	540.10
	1x 28 285 979-33	113.90
	Price	654.00




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10
matt black	28 286 979-33	113.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 845




Wall elbow

- 3/8" shower outlet
- rosette 60 x 78 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 845-00	96.90
platinum matt	28 450 845-06	155.00
matt black	28 450 845-33	130.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 845



Wall bracket

- rosette 60 x 78 mm

		Euro
polished chrome	28 050 845-00	124.80
platinum matt	28 050 845-06	199.60
matt black	28 050 845-33	168.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 060 970

Wall bracket swivel



		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
matt black	28 060 970-33	215.10

27 823 979 +
28 285 979

NEW

Kneipp wall elbow with hose holder with individual rosettes

- laminar flow
- with volume control
- rosette Ø 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- without hose



		Euro
polished chrome	1x 27 823 979-00	474.40
	1x 28 285 979-00	84.40
	Price	558.80
platinum matt	1x 27 823 979-06	759.10
	1x 28 285 979-06	135.10
	Price	894.20
matt black	1x 27 823 979-33	640.50
	1x 28 285 979-33	113.90
	Price	754.40

Product alternative




WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10
matt black	28 286 979-33	113.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

33 300 845



Single-lever shower mixer for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.

		Euro
polished chrome	33 300 845-00	554.30
platinum matt	33 300 845-06	886.80
matt black	33 300 845-33	748.30

34 442 979



Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.


		Euro
polished chrome	34 442 979-00	564.60
platinum matt	34 442 979-06	903.20
matt black	34 442 979-33	762.00

36 060 845



Concealed single-lever mixer with cover plate

- cover plate 78 x 78 mm



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
polished chrome	36 060 845-00	332.20
platinum matt	36 060 845-06	531.50

		Euro
Concealed rough parts	35 860 970 90	180.80


36 050 970



Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
matt black	36 050 970-33	504.40

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 120 845



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 845-00	431.00
platinum matt	36 120 845-06	689.70
matt black	36 120 845-33	581.90




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 425 845



Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 845-00	632.10
platinum matt	36 425 845-06	1,011.60
matt black	36 425 845-33	853.30




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 426 845



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

	Euro	
polished chrome	36 426 845-00	749.70
platinum matt	36 426 845-06	1,199.60
matt black	36 426 845-33	1,012.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

	Euro	
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

	Euro	
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 340 970 90	90.90


36 427 845



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

	Euro	
polished chrome	36 427 845-00	777.50
platinum matt	36 427 845-06	1,244.10
matt black	36 427 845-33	1,049.70




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

	Euro	
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

	Euro	
Concealed rough parts	35 428 970 90	385.50



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 200 845



Single-lever bath mixer for wall mounting without shower set

- 190-200 mm projection
- circular normal flow
- automatic bath/shower diverter
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 13.5 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

		Euro
polished chrome	33 200 845-00	649.40
platinum matt	33 200 845-06	1,039.00
matt black	33 200 845-33	876.60

27 412 845




Three-hole single-lever bath mixer for bath rim or tile edge installation

- 200 mm projection
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 141 mm
- height up to aerator 88 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 50mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 16.9 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 412 845-00	1,542.60
platinum matt	27 412 845-06	2,468.10
matt black	27 412 845-33	2,082.50



Recommended miscellaneous

Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60
matt black	12 801 970-33	60.60


13 801 845



bath spout for wall mounting

- 210 mm projection
- circular normal flow
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 21.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 845-00	468.70
platinum matt	13 801 845-06	750.00
matt black	13 801 845-33	632.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 702 979



Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette Ø 50 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 6.8 l/min

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

	Euro	
polished chrome	27 702 979-00	467.40
platinum matt	27 702 979-06	747.70
matt black	27 702 979-33	631.00


36 120 845



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

	Euro	
polished chrome	36 120 845-00	431.00
platinum matt	36 120 845-06	689.70
matt black	36 120 845-33	581.90




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

	Euro	
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

	Euro	
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 340 970 90	90.90

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

	Euro	
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
matt black	36 243 970-33	240.40

	Euro	
Concealed rough parts	35 227 970 90	144.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 247 970



bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
matt black	36 247 970-33	363.30



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 248 970 90	397.30



Required miscellaneous

Vacuum breaker

- rosette 70 mm

		Euro
polished chrome	36 150 970-00	73.80
platinum matt	36 150 970-06	118.10
matt black	36 150 970-33	99.70



Required miscellaneous

Vacuum breaker

- 3/4" connection

		Euro
Concealed rough parts	35 150 970 90	253.30



Lissé

83 020 979



Bath grip

- gauge 200 mm
- width 240mm
- height 40 mm
- rosette Ø 40 mm
- 75 mm projection

		Euro
polished chrome	83 020 979-00	232.90
platinum matt	83 020 979-06	372.60
matt black	83 020 979-33	314.40

83 060 979



Towel bar

- gauge 600 mm
- width 640mm
- height 40 mm
- rosette Ø 40 mm
- 65 mm projection

		Euro
polished chrome	83 060 979-00	238.70
platinum matt	83 060 979-06	381.90
matt black	83 060 979-33	322.40

83 061 979



Towel bar in two parts

- gauge 600 mm
- width 640mm
- height 40 mm
- rosette Ø 40 mm
- 130 mm projection

		Euro
polished chrome	83 061 979-00	358.00
platinum matt	83 061 979-06	572.90
matt black	83 061 979-33	483.40

83 080 979



Towel bar

- gauge 800 mm
- width 840mm
- height 40 mm
- rosette Ø 40 mm
- 65 mm projection

		Euro
polished chrome	83 080 979-00	248.50
platinum matt	83 080 979-06	397.50
matt black	83 080 979-33	335.50

83 211 979



Towel bar 1-piece non-swivel

- rosette Ø 40 mm
- 490 mm projection

		Euro
polished chrome	83 211 979-00	136.50
platinum matt	83 211 979-06	218.60
matt black	83 211 979-33	184.30

83 215 979



Towel bar 1-piece non-swivel

- rosette Ø 40 mm
- 360 mm projection

		Euro
polished chrome	83 215 979-00	125.20
platinum matt	83 215 979-06	200.60
matt black	83 215 979-33	169.00

83 210 979



Towel bar in two parts non-swivel

- gauge 72 mm
- width 112mm
- height 40 mm
- rosette Ø 40 mm
- 500 mm projection

		Euro
polished chrome	83 210 979-00	260.50
platinum matt	83 210 979-06	416.80
matt black	83 210 979-33	351.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 200 979



Towel ring round

- width 185mm
- rosette Ø 40 mm
- 55 mm projection

		Euro
polished chrome	83 200 979-00	142.10
platinum matt	83 200 979-06	227.70
matt black	83 200 979-33	201.50

83 251 220



Hooks

- 55 mm projection

		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
matt black	83 251 220-33	48.80

83 251 979



Hooks

- rosette Ø 40 mm
- 50 mm projection

		Euro
polished chrome	83 251 979-00	59.10
platinum matt	83 251 979-06	94.70
matt black	83 251 979-33	83.80

83 256 979



Hooks in two parts

- width 80mm
- rosette Ø 40 mm
- 55 mm projection

		Euro
polished chrome	83 256 979-00	109.60
platinum matt	83 256 979-06	175.70
matt black	83 256 979-33	147.90

83 410 979



Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
matt black	83 410 979-33	314.40

84 410 780



Soap dish free-standing model

- width 120mm
- height 10 mm
- 120 mm projection

		Euro
polished chrome	84 410 780-00	283.30
platinum matt	84 410 780-06	453.00
matt black	84 410 780-33	382.50

83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
matt black	83 435 970-33	497.30

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
matt black	84 435 970-33	458.10

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20
matt black	83 400 979-33	303.00



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
matt black	83 401 979-33	303.00



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 481 970



Shelf wall model

- width 200mm
- height 26 mm
- 100 mm projection
- **without grid element**

		Euro
polished chrome	83 481 970-00	106.50
platinum matt	83 481 970-06	170.40
matt black	83 481 970-33	143.80

Required miscellaneous

Grid element

- plastic grid elements

		Euro
light grey	82 481 970-52	40.60
creamy white	82 481 970-51	40.60
taupe	82 481 970-53	40.60
matt black	82 481 970-33	40.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 482 970



- Shelf wall model**
- width 300mm
 - height 26 mm
 - 100 mm projection
 - **without grid element**

		Euro
polished chrome	83 482 970-00	126.40
platinum matt	83 482 970-06	202.20
matt black	83 482 970-33	170.80

Required miscellaneous

Grid element

- plastic grid elements

		Euro
matt black	82 482 970-33	53.80
light grey	82 482 970-52	53.80
creamy white	82 482 970-51	53.80
taupe	82 482 970-53	53.80


83 281 530



- Corner soap basket**
- width 150mm
 - height 40 mm
 - 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
matt black	83 281 530-33	246.70

83 290 970



- Shower basket for wall mounting**
- width 200mm
 - height 70 mm
 - 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
matt black	83 290 970-33	240.80

82 290 970



- Shower basket for subsequent mounting on riser**
- width 200mm
 - height 62 mm
 - 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
matt black	82 290 970-33	240.80

83 500 979



- Tissue holder without cover**
- width 150mm
 - height 95 mm
 - rosette Ø 40 mm
 - 40 mm projection

		Euro
polished chrome	83 500 979-00	211.30
platinum matt	83 500 979-06	338.10
matt black	83 500 979-33	285.30

83 510 979



- Tissue holder with cover**
- width 150mm
 - height 95 mm
 - rosette Ø 40 mm
 - 40 mm projection

		Euro
polished chrome	83 510 979-00	271.20
platinum matt	83 510 979-06	433.70
matt black	83 510 979-33	366.20

83 590 979

Reserve tissue holder

- rosette Ø 40 mm
- 105 mm projection



		Euro
polished chrome	83 590 979-00	138.90
platinum matt	83 590 979-06	222.40
matt black	83 590 979-33	196.90

83 900 970

Toilet brush set wall model

- crystal glass
- brush, matt black
- width 126mm
- height 415 mm
- 120 mm projection



Recommended miscellaneous

Brush white

		Euro
polished chrome	83 900 970-00	319.00
platinum matt	83 900 970-06	510.20
matt black	83 900 970-33	430.70

		Euro
Concealed rough parts	08 18 50 600 90	12.30



Recommended miscellaneous

Brush matt black

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Glass matt

		Euro
Concealed rough parts	08 90 04 008 82	50.20



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 507 00-00	86.00
platinum matt	90 20 97 507 00-06	137.60
matt black	90 20 97 507 00-33	114.70

83 910 979

Toilet brush set wall model

- brush, matt black
- width 100mm
- height 456 mm
- 110 mm projection



Recommended miscellaneous

Brush matt black

		Euro
polished chrome	83 910 979-00	417.90
platinum matt	83 910 979-06	668.80
matt black	83 910 979-33	564.20

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 505 01-00	143.30
platinum matt	90 20 97 505 01-06	229.10
matt black	90 20 97 505 01-33	193.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

84 910 979



Toilet brush set free-standing model

- brush, matt black
- width 100mm
- height 456 mm

		Euro
polished chrome	84 910 979-00	378.10
platinum matt	84 910 979-06	604.80
matt black	84 910 979-33	510.40



Recommended miscellaneous

Brush matt black

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 505 01-00	143.30
platinum matt	90 20 97 505 01-06	229.10
matt black	90 20 97 505 01-33	193.60

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
matt black	12 660 979-33	926.10





LULU

Sieger Design

Basin

from page 202

Bidet

from page 204

Shower

from page 205

Thermostats, mixers, diverters and valves

from page 221

Bath

from page 227

Accessories

from page 231



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Single-lever basin mixer

155 mm projection



33 500 710
33 521 710*

with raised base

210 mm projection



33 534 710*

Three-hole basin mixer

155 mm projection



20 713 710

Wall-mounted single-lever basin mixer

200 mm projection



36 860 710





CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Overview of bath fittings

Bath mixers



33 233 710



33 200 710



27 512 710



27 412 710

Bath shower set / three-hole single-lever bath mixer

Bath spout



13 801 710

Single-lever mixer



36 122 710

integrated bath filling



36 247 970

Miscellaneous



36 243 970

33 500 710



Single-lever basin mixer with pop-up waste

- 155 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 113 mm
- height up to aerator 90 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 500 710-00	790.80
platinum matt	33 500 710-06	1,265.30



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 521 710-00	751.10
platinum matt	33 521 710-06	1,202.10

33 534 710



Single-lever basin mixer with raised base without pop-up waste

- 210 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 257 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 534 710-00	1,068.40
platinum matt	33 534 710-06	1,709.60

20 713 710



Three-hole basin mixer with pop-up waste

- 155 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 114 mm
- height up to aerator 90 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 47 x 55 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 713 710-00	1,080.00
platinum matt	20 713 710-06	1,728.10



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90


36 860 710



Wall-mounted single-lever basin mixer without pop-up waste

- 200 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	36 860 710-00	742.00
platinum matt	36 860 710-06	1,187.50



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer on right

NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30

22 901 979



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

		Euro
polished chrome	22 901 979-00	151.80
platinum matt	22 901 979-06	242.80

Miscellaneous

10 060 970



Siphon for basin

- rosette Ø 70 mm

		Euro
polished chrome	10 060 970-00	272.50
platinum matt	10 060 970-06	436.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 600 710



Single-lever bidet mixer with pop-up waste

- **183 mm projection**
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 98 mm
- height up to aerator 63 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 7 l/min

		Euro
polished chrome	33 600 710-00	988.80
platinum matt	33 600 710-06	1,581.90


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00



Recommended miscellaneous


Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80





Shower set solution



Shower set without hand shower

• Shower set see page 566



Hand shower 15 l/min

• Hand shower see page 612




Concealed single-lever mixer with cover plate


• More control elements can be found from page 638 onwards



Wall elbow



Concealed wall-mounted single-lever mixer



Concealed wall elbow



xGRID Installation track set

		Euro
polished chrome	Price	1,852.10
platinum matt	Price	2,659.80

		Euro
polished chrome	26 413 710-00	565.00

		Euro
polished chrome	28 012 979-00	190.00

		Euro
polished chrome	36 060 710-00	452.80

		Euro
polished chrome	28 450 710-00	138.90

		Euro
Concealed rough parts	35 860 970 90	180.80

		Euro
Concealed rough parts	35 085 970 90	98.80

		Euro
Concealed rough parts	12 380 970 90	225.80



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Headshower solution


		Euro
polished chrome	Price	2,424.10
platinum matt	Price	3,510.50



Shower head

- Shower head see page 580

		Euro
polished chrome	28 508 710-00	529.40



Hand shower set with individual rosettes

- Hand Shower set see page 616


		Euro
polished chrome	27 808 710-00	553.00



Concealed single-lever mixer with diverter

- More control elements can be found from page 638 onwards


		Euro
polished chrome	36 122 710-00	727.60



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed single-lever mixer

		Euro
Concealed rough parts	35 020 970 90	190.70



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80

Showerpipe solution



Hand shower 15 l/min


- Hand shower see page 612

		Euro
polished chrome	Price	2,587.60
platinum matt	Price	4,140.20

		Euro
polished chrome	28 018 979-00	109.20



Rainshower solution



Rain shower with wall fixing

- Rain shower see page 596




Hand shower set with individual rosettes

- Hand Shower set see page 616




Concealed thermostat with two function volume control

- More control elements can be found from page 638 onwards



Concealed wall elbow

This article is needed 2x.



Concealed thermostat



xGRID Installation track set

	Euro	
polished chrome	Price	3,321.80
platinum matt	Price	4,850.70

	Euro	
polished chrome	28 786 710-00	1,189.20

	Euro	
polished chrome	27 808 710-00	553.00

	Euro	
polished chrome	36 426 710-00	805.40

	Euro	
Concealed rough parts	35 085 970 90	98.80

	Euro	
Concealed rough parts	35 425 970 90	350.80

	Euro	
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
Price		751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
Price		1,202.80



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

Shower

36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
Price		868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
Price		1,388.50



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	platinum matt	28 018 979-06




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	platinum matt	28 012 979-06



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

26 413 710 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 78 x 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

			Euro
polished chrome	1x 26 413 710-00	565.00	
	1x 28 012 979-00	190.00	
	Price		755.00
platinum matt	1x 26 413 710-06	903.60	
	1x 28 012 979-06	304.00	
	Price		1,207.60

Product alternative



Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

			Euro
polished chrome	28 018 979-00	109.20	
platinum matt	28 018 979-06	174.80	

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

			Euro
polished chrome	28 017 979-00 0010	146.40	
platinum matt	28 017 979-06 0010	234.10	

Recommended miscellaneous




Wall elbow

For details and miscellaneous, see main items

			Euro
polished chrome	28 450 710-00	138.90	
platinum matt	28 450 710-06	222.00	

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

			Euro
Concealed rough parts	35 085 970 90	98.80	



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 979-00	338.40
	1x 28 018 979-00	109.20
	Price	447.60
platinum matt	1x 26 413 979-06	551.80
	1x 28 018 979-06	174.80
	Price	726.60



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 112 970 +
28 015 979



Showerpipe with single-lever shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- automatic diverter for fixed-riser shower/hand shower

Intrinsic protection against back flow.

Product alternative		Euro	
	Hand shower 15 l/min	polished chrome	28 016 979-00 157.60
	<ul style="list-style-type: none"> • three settings: normal flow, soft flow, massage flow • spray head Ø 130 mm • max. flow 15 l/min • Hand shower see page 612 	platinum matt	28 016 979-06 252.40
For details and miscellaneous, see page 614			

Product alternative		Euro	
	Hand shower 15 l/min	polished chrome	28 019 979-00 191.10
	<ul style="list-style-type: none"> • normal flow • max. flow 15 l/min • Hand shower see page 612 	platinum matt	28 019 979-06 305.90
For details and miscellaneous, see page 613			

Required miscellaneous		Euro	
	Concealed wall mounting	Concealed rough parts	35 050 970 90 258.30
	<ul style="list-style-type: none"> • min. recess depth 80 mm • max. recess depth 105 mm 		
For details and miscellaneous, see page 684			



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 979 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 979-00	2,089.80
	1x 28 015 979-00	101.60
	Price	2,191.40
platinum matt	1x 34 459 979-06	3,268.60
	1x 28 015 979-06	162.70
	Price	3,431.30

Product alternative



- Hand shower 15 l/min**
- three settings: normal flow, soft flow, massage flow
 - spray head Ø 130 mm
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40

Product alternative



- Bar-type hand shower 6.8 l/min**
- normal flow
 - max. flow 6.8 l/min
 - Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 460 979-00	2,201.20
	1x 28 018 979-00	109.20
	Price	2,310.40
platinum matt	1x 34 460 979-06	3,521.90
	1x 28 018 979-06	174.80
	Price	3,696.70

Product alternative



- Hand shower 15 l/min**
- four settings: normal flow, soft flow, massage flow, cascade
 - spray head Ø 120mm
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00

Product alternative



- Bar-type hand shower 6.8 l/min**
- normal flow
 - max. flow 6.8 l/min
 - Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90


28 508 710



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette 78 x 55 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 710-00	529.40
platinum matt	28 508 710-06	847.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 786 710



Rain shower with wall fixing

- 450 mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- rosette 78 x 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 786 710-00	1,189.20
platinum matt	28 786 710-06	1,902.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 796 710



Rain shower with ceiling fixing

- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 78 x 55, as required
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 796 710-00	1,011.00
platinum matt	28 796 710-06	1,617.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 041 980

NEW



Rain shower for ceiling fixing

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 041 980-00	601.10
platinum matt	28 041 980-06	961.80



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 041 970 90	400.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 042 980	NEW	Rain shower for ceiling fixing with light		Euro			
			<ul style="list-style-type: none"> • rain shower 300 x 240mm • Rain flow, max. flow rate 12 l/min • Spray flow, max. flow rate 6 l/min • Distance to ceiling from bottom edge of shower 40 mm • with anti-scale system • central LED Spot 3000 K 	<table border="0"> <tr> <td>polished chrome</td> <td style="text-align: right;">28 042 980-00</td> <td style="text-align: right;">903.20</td> </tr> <tr> <td>platinum matt</td> <td style="text-align: right;">28 042 980-06</td> <td style="text-align: right;">1,445.10</td> </tr> </table>	polished chrome	28 042 980-00	903.20
polished chrome	28 042 980-00	903.20					
platinum matt	28 042 980-06	1,445.10					



Required miscellaneous		Euro
Concealed ceiling installation box for ceiling fixing with light	Concealed rough parts	35 042 970 90
<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 115 mm 		602.10

For details and miscellaneous, see page 701

28 043 980	NEW	Rain shower for ceiling installation		Euro			
			<ul style="list-style-type: none"> • rain shower 300 x 240mm • Rain flow, max. flow rate 12 l/min • Spray flow, max. flow rate 6 l/min • min. recess depth 137,5 mm • with anti-scale system 	<table border="0"> <tr> <td>polished chrome</td> <td style="text-align: right;">28 043 980-00</td> <td style="text-align: right;">1,205.20</td> </tr> <tr> <td>platinum matt</td> <td style="text-align: right;">28 043 980-06</td> <td style="text-align: right;">1,928.30</td> </tr> </table>	polished chrome	28 043 980-00	1,205.20
polished chrome	28 043 980-00	1,205.20					
platinum matt	28 043 980-06	1,928.30					



Required miscellaneous		Euro
Concealed ceiling installation box for ceiling installation	Concealed rough parts	35 043 970 90
<ul style="list-style-type: none"> • recess depth 137mm 		803.50

For details and miscellaneous, see page 700


28 044 980	NEW	Rain shower for ceiling installation with light		Euro			
			<ul style="list-style-type: none"> • rain shower 300 x 240mm • Rain flow, max. flow rate 12 l/min • Spray flow, max. flow rate 6 l/min • min. recess depth 137,5 mm • with anti-scale system • central RGBW LED spot • RGBW LED ambient lighting 	<table border="0"> <tr> <td>polished chrome</td> <td style="text-align: right;">28 044 980-00</td> <td style="text-align: right;">1,809.30</td> </tr> <tr> <td>platinum matt</td> <td style="text-align: right;">28 044 980-06</td> <td style="text-align: right;">2,894.90</td> </tr> </table>	polished chrome	28 044 980-00	1,809.30
polished chrome	28 044 980-00	1,809.30					
platinum matt	28 044 980-06	2,894.90					



Required miscellaneous		Euro
Concealed ceiling installation box for ceiling installation with light	Concealed rough parts	35 044 970 90
<ul style="list-style-type: none"> • recess depth 137mm 		1,206.20

For details and miscellaneous, see page 701

27 808 710		Hand shower set with individual rosettes		Euro			
			<ul style="list-style-type: none"> • normal flow • with anti-scale system • 3/8" shower outlet • rosette for wall elbow 78 x 55mm • rosette for shower holder 78 x 55mm • metal shower hose 1250mm with integrated anti-twist protection • 1/2" wall elbow • max. flow 15 l/min 	<table border="0"> <tr> <td>polished chrome</td> <td style="text-align: right;">27 808 710-00</td> <td style="text-align: right;">553.00</td> </tr> <tr> <td>platinum matt</td> <td style="text-align: right;">27 808 710-06</td> <td style="text-align: right;">884.80</td> </tr> </table>	polished chrome	27 808 710-00	553.00
polished chrome	27 808 710-00	553.00					
platinum matt	27 808 710-06	884.80					



Recommended miscellaneous		Euro
Concealed wall elbow	Concealed rough parts	35 085 970 90
<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm 		98.80

For details and miscellaneous, see main items


28 518 710



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- anti-scale system
- rosette 78 x 55 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 710-00	282.50
platinum matt	28 518 710-06	452.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8,3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 517 979



WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

13 415 979




WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30

Recommended miscellaneous




Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 420 979



WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 820 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- rosette Ø 70 mm
- holder for Kneipp hose
- hose nozzle with sleeve M33
- with holding ring
- 1/2" wall elbow

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 820 979-00	400.10
	1x 28 285 979-00	84.40
	Price	484.50
platinum matt	1x 27 820 979-06	640.20
	1x 28 285 979-06	135.10
	Price	775.30




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 710




Wall elbow

- 3/8" shower outlet
- rosette 78 x 55 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 710-00	138.90
platinum matt	28 450 710-06	222.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 050 710

Wall bracket

- rosette 78 x 55 mm



		Euro
polished chrome	28 050 710-00	184.70
platinum matt	28 050 710-06	295.80

28 060 970

Wall bracket swivel



		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90

27 823 979 +
28 285 979

NEW

Kneipp wall elbow with hose holder with individual rosettes

- laminar flow
- with volume control
- **rosette Ø 60 mm**
- holder for Kneipp hose
- 1/2" wall elbow
- **without hose**



		Euro
polished chrome	1x 27 823 979-00	474.40
	1x 28 285 979-00	84.40
	Price	558.80
platinum matt	1x 27 823 979-06	759.10
	1x 28 285 979-06	135.10
	Price	894.20

Product alternative




WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

34 442 979

Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.




		Euro
polished chrome	34 442 979-00	564.60
platinum matt	34 442 979-06	903.20

36 060 710

Concealed single-lever mixer with cover plate

- cover plate 78 x 78 mm



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
polished chrome	36 060 710-00	452.80
platinum matt	36 060 710-06	724.80


		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970

Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684


		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20

		Euro
Concealed rough parts	35 050 970 90	258.30

36 122 710

Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm



Required miscellaneous


Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
polished chrome	36 122 710-00	727.60
platinum matt	36 122 710-06	1,164.30

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 425 710



Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 710-00	680.70
platinum matt	36 425 710-06	1,089.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 426 710



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 710-00	805.40
platinum matt	36 426 710-06	1,288.80




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90




36 427 710



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset


		Euro
polished chrome	36 427 710-00	835.80
platinum matt	36 427 710-06	1,337.30



Required miscellaneous		Euro
Concealed thermostat	Concealed rough parts	35 427 970 90 367.50

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689



Required miscellaneous		Euro
Concealed thermostat with built-in isolators	Concealed rough parts	35 428 970 90 385.50


- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689



Required miscellaneous		Euro
xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90 90.30

For details and miscellaneous, see page 704



Recommended miscellaneous		Euro
xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90 90.90

For details and miscellaneous, see page 704


36 501 710 +
36 607 710



xTOOL Thermostat module with 1 valve

- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 501 710-00	1,052.30
	1x 36 607 710-00	211.00
	Price	1,263.30
platinum matt	1x 36 501 710-06	1,683.30
	1x 36 607 710-06	337.30
	Price	2,020.60



Required miscellaneous		Euro
xTOOL Concealed thermostat module with 1 valve 3/4"	Concealed rough parts	35 511 970 90 570.10


- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 691



Required miscellaneous		Euro
xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90 90.30

For details and miscellaneous, see page 704



Recommended miscellaneous		Euro
xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90 90.90

For details and miscellaneous, see page 704



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 503 710 +
2x 36 607 710



xTOOL Thermostat module with 2 valves

- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 710-00	1,052.30
	2x 36 607 710-00	211.00
	Price	1,474.30
platinum matt	1x 36 503 710-06	1,683.30
	2x 36 607 710-06	337.30
	Price	2,357.90




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 692

		Euro
Concealed rough parts	35 521 970 90	950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 693

		Euro
Concealed rough parts	35 524 970 90	939.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 503 710 +
3x 36 607 710



xTOOL Thermostat module with 3 valves

- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

			Euro
polished chrome	1x 36 503 710-00		1,052.30
	3x 36 607 710-00		211.00
		Price	1,685.30
platinum matt	1x 36 503 710-06		1,683.30
	3x 36 607 710-06		337.30
		Price	2,695.20




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 694

			Euro
Concealed rough parts	35 531 970 90		1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 695

			Euro
Concealed rough parts	35 534 970 90		1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90

36 501 710



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

			Euro
polished chrome	36 501 710-00		1,052.30
	36 501 710-06		1,683.30



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

			Euro
polished chrome	36 503 710-00		1,052.30
	36 503 710-06		1,683.30



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 690

			Euro
Concealed rough parts	35 503 970 90		695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 607 710



Wall valve clockwise closing 1/2"

- rosette 78 x 55 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 710-00	211.00
platinum matt	36 607 710-06	337.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 608 710



Wall valve clockwise closing 3/4"

- rosette 78 x 55 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 710-00	211.00
platinum matt	36 608 710-06	337.30



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90


36 200 710

NEW

Concealed two-way diverter

- rotary diverter
- rosette 60 x 78 mm

		Euro
polished chrome	36 200 710-00	500.00
platinum matt	36 200 710-06	800.00



Required miscellaneous

Concealed two-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20


36 210 710

NEW

Concealed three-way diverter

- rotary diverter
- rosette 60 x 78 mm

		Euro
polished chrome	36 210 710-00	500.00
platinum matt	36 210 710-06	800.00



Required miscellaneous

Concealed three-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00


25 863 710



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- 215 mm projection
- spout: circular, air-enriched flow
- complete hand shower set: normal flow
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 932 - 1002 mm
- stand pipe height 598 - 668 mm
- height up to aerator 825 - 895 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 26.4 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 863 710-00	3,910.70
platinum matt	25 863 710-06	6,257.10

		Euro
Concealed rough parts	35 945 970 90	676.20

33 200 710



Single-lever bath mixer for wall mounting without shower set

- 190 mm projection
- circular normal flow
- automatic bath/shower diverter
- 3/8" shower outlet
- 1/2" connection
- gauge 150 mm - 10 mm
- max. flow 17.8 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

		Euro
polished chrome	33 200 710-00	959.80
platinum matt	33 200 710-06	1,535.90

33 233 710



Single-lever bath mixer for wall mounting with hand shower set

- 190 mm projection
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- gauge 150 mm - 10 mm
- 1/2" connection
- metal shower hose 1250mm with integrated anti-twist protection
- rosette wall bracket 78 x 55mm
- max. flow 22 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	33 233 710-00	1,440.50
platinum matt	33 233 710-06	2,304.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 412 710




Three-hole single-lever bath mixer for bath rim or tile edge installation

- **215 mm projection**
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 84 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 63 x 63mm
- rosette for complete hand shower set 63 x 63mm
- rosette for single-lever mixer 52 x 52mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 26.4 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 412 710-00	1,788.30
platinum matt	27 412 710-06	2,861.40



Recommended miscellaneous

Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60

27 512 710




Bath shower set for bath rim or tile edge installation

- **215 mm projection**
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 84 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 63 x 63mm
- rosette for complete hand shower set 63 x 63mm
- rosette for deck valve 63 x 63mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 23.5 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 512 710-00	1,787.70
platinum matt	27 512 710-06	2,860.40



Recommended miscellaneous

Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60


13 801 710



bath spout for wall mounting

- 200 mm projection
- circular normal flow
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 23.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 710-00	520.00
platinum matt	13 801 710-06	831.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


36 122 710



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 122 710-00	727.60
platinum matt	36 122 710-06	1,164.30




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 243 970



Pop-up waste and overflow

- drain Ø 52mm
- Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 227 970 90	144.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 247 970



bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 248 970 90	397.30



Required miscellaneous

Vacuum breaker

- rosette 70 mm

		Euro
polished chrome	36 150 970-00	73.80
platinum matt	36 150 970-06	118.10



Required miscellaneous

Vacuum breaker

- 3/4" connection

		Euro
Concealed rough parts	35 150 970 90	253.30



LULU

83 030 710



Bath grip

- gauge 185 mm
- width 300mm
- height 35 mm
- 70 mm projection

		Euro
polished chrome	83 030 710-00	321.00
platinum matt	83 030 710-06	513.60

83 070 710



Towel bar

- gauge 400 mm
- width 704mm
- height 35 mm
- 100 mm projection

		Euro
polished chrome	83 070 710-00	366.70
platinum matt	83 070 710-06	586.80

83 200 710



Towel ring angular

- width 180mm
- height 35 mm
- 87 mm projection

		Euro
polished chrome	83 200 710-00	259.30
platinum matt	83 200 710-06	414.80

83 251 710



Hooks

- width 21mm
- height 40 mm
- 40 mm projection

		Euro
polished chrome	83 251 710-00	87.00
platinum matt	83 251 710-06	139.60

83 251 220



Hooks

- 55 mm projection

		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60

83 410 979



Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60

83 410 780



Soap dish wall model

- width 120mm
- height 45 mm
- 120 mm projection

		Euro
polished chrome	83 410 780-00	308.00
platinum matt	83 410 780-06	492.40



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

84 410 780



Soap dish free-standing model

- width 120mm
- height 10 mm
- 120 mm projection

		Euro
polished chrome	84 410 780-00	283.30
platinum matt	84 410 780-06	453.00

83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 400 780



Tumbler holder wall model

- crystal glass
- width 75mm
- height 118 mm
- 85 mm projection



Recommended miscellaneous

Crystal tumbler transparent

		Euro
polished chrome	83 400 780-00	301.30
platinum matt	83 400 780-06	482.20

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 281 530




Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40

83 500 710



Tissue holder without cover

- width 140mm
- height 35 mm
- 87 mm projection

		Euro
polished chrome	83 500 710-00	233.90
platinum matt	83 500 710-06	374.30

83 590 780



Reserve tissue holder

- width 132mm
- height 35 mm
- 116 mm projection

		Euro
polished chrome	83 590 780-00	247.60
platinum matt	83 590 780-06	396.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 900 710



Toilet brush set wall model

- crystal glass brush holder, matt
- brush, matt black
- width 152mm
- height 415 mm
- 118 mm projection



		Euro
polished chrome	83 900 710-00	362.60
platinum matt	83 900 710-06	580.10

Recommended miscellaneous Euro

Brush matt black	Concealed rough parts	08 18 50 601 90	27.90
-------------------------	-----------------------	-----------------	-------

Recommended miscellaneous Euro

Glass matt	Concealed rough parts	08 90 04 008 82	50.20
-------------------	-----------------------	-----------------	-------

Recommended miscellaneous Euro

Brush handle	polished chrome	90 20 97 507 00-00	86.00
	platinum matt	90 20 97 507 00-06	137.60

83 910 979



Toilet brush set wall model

- brush, matt black
- width 100mm
- height 456 mm
- 110 mm projection



		Euro
polished chrome	83 910 979-00	417.90
platinum matt	83 910 979-06	668.80

Recommended miscellaneous Euro

Brush matt black	Concealed rough parts	08 18 50 601 90	27.90
-------------------------	-----------------------	-----------------	-------

Recommended miscellaneous Euro

Brush handle	polished chrome	90 20 97 505 01-00	143.30
	platinum matt	90 20 97 505 01-06	229.10

84 910 979



Toilet brush set free-standing model

- brush, matt black
- width 100mm
- height 456 mm



		Euro
polished chrome	84 910 979-00	378.10
platinum matt	84 910 979-06	604.80

Recommended miscellaneous Euro

Brush matt black	Concealed rough parts	08 18 50 601 90	27.90
-------------------------	-----------------------	-----------------	-------

Recommended miscellaneous Euro

Brush handle	polished chrome	90 20 97 505 01-00	143.30
	platinum matt	90 20 97 505 01-06	229.10

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Madison

Basin

from page 240

Bidet

from page 243

Shower

from page 244

Thermostats, mixers, diverters and valves

from page 258

Bath

from page 266

Accessories

from page 270



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Single-hole basin mixer

130 mm projection



22 500 360

Three-hole basin mixers

135 mm projection



20 700 360



20 700 370
2x 11 170 370

Wall-mounted basin mixer

190 mm projection



36 712 361

Alternative porcelain inserts



Porcelain inserts PLAIN, HOT/COLD, CHAUD/FROID, WARM/KALT

The porcelain inserts are supplied by default in English (HOT-COLD). They are available in French (CHAUD-FROID) and German (WARM-KALT) on request.



Overview of bath fittings

Free-standing bath fitting



25 943 360

Bath shower sets



27 502 360

27 502 370
2x 11 170 370

Bath mixer for wall mounting



25 023 360

Bath spout



13 801 380

integrated bath filling



36 247 970

Miscellaneous



36 243 970



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

22 500 360



Single-hole basin mixer with pop-up waste

- 130 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 100 mm
- height up to aerator 65 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	22 500 360-00	791.00
platinum matt	22 500 360-06	1,265.80
platinum	22 500 360-08	1,265.80
Durabrass	22 500 360-09	1,566.30
brushed Durabrass	22 500 360-28	1,566.30
Dark Platinum matt	22 500 360-99	1,423.80

20 700 360



Three-hole basin mixer with pop-up waste

- 135 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 72 mm
- height up to aerator 40 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- without rosette
- 2x 1/2" x 1/2" high pressure hose
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 700 360-00	1,210.10
platinum matt	20 700 360-06	2,011.40
platinum	20 700 360-08	2,011.40
Durabrass	20 700 360-09	2,489.10
brushed Durabrass	20 700 360-28	2,489.10
Dark Platinum matt	20 700 360-99	2,262.90



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

20 700 370 +
2x 11 170 370



Three-hole basin mixer with pop-up waste

- 135 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 72 mm
- height up to aerator 40 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- without rosette
- 2x 1/2" x 1/2" high pressure hose
- max. flow 7 l/min
- lead-free

NOTE: For the white lever inserts please order 2x 11 170 370-12

Only suitable for basins with an overflow.

		Euro
polished chrome	1x 20 700 370-00	1,225.60
	2x 11 170 370-00	92.00
	Price	1,409.60
platinum matt	1x 20 700 370-06	1,960.80
	2x 11 170 370-06	147.30
	Price	2,255.40
platinum	1x 20 700 370-08	1,960.80
	2x 11 170 370-08	147.30
	Price	2,255.40
Durabrass	1x 20 700 370-09	2,426.60
	2x 11 170 370-09	182.40
	Price	2,791.40
brushed Durabrass	1x 20 700 370-28	2,426.60
	2x 11 170 370-28	182.40
	Price	2,791.40
Dark Platinum matt	1x 20 700 370-99	2,206.00
	2x 11 170 370-99	165.70
	Price	2,537.40



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

36 712 361



Wall-mounted basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- slide-on rosettes Ø 55 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	36 712 361-00	1,039.70
platinum matt	36 712 361-06	1,663.50
platinum	36 712 361-08	1,663.50
Durabrass	36 712 361-09	2,058.60
brushed Durabrass	36 712 361-28	2,058.60
Dark Platinum matt	36 712 361-99	1,871.50



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10

22 900 360



Angle valve

- rosette Ø 60 mm
- porcelain insert COLD

		Euro
polished chrome	22 900 360-00	172.30
platinum matt	22 900 360-06	275.80
platinum	22 900 360-08	275.80
Durabrass	22 900 360-09	341.10
brushed Durabrass	22 900 360-28	341.10
Dark Platinum matt	22 900 360-99	310.10

Miscellaneous

22 900 361



Angle valve

- rosette Ø 60 mm
- porcelain insert HOT

		Euro
polished chrome	22 900 361-00	172.30
platinum matt	22 900 361-06	275.80
platinum	22 900 361-08	275.80
Durabrass	22 900 361-09	341.10
brushed Durabrass	22 900 361-28	341.10
Dark Platinum matt	22 900 361-99	310.10

10 040 970



Siphon for basin 1 1/4"

- rosette Ø 80 mm

		Euro
polished chrome	10 040 970-00	392.70
platinum matt	10 040 970-06	628.10
platinum	10 040 970-08	628.10
Durabrass	10 040 970-09	777.40
brushed Durabrass	10 040 970-28	777.40
Dark Platinum matt	10 040 970-99	706.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Madison

11 170 370



Lever insert

- length 60 mm
- for basin fittings

NOTE: Mixers are supplied without lever inserts. Please order the lever inserts separately!

		Euro
polished chrome	11 170 370-00	92.00
platinum matt	11 170 370-06	147.30
platinum	11 170 370-08	147.30
Durabrass	11 170 370-09	182.40
brushed Durabrass	11 170 370-28	182.40
Dark Platinum matt	11 170 370-99	165.70
white	11 170 370-12	92.00



Madison

24 510 360



Single-hole bidet mixer with pop-up waste

- 125 mm projection
- ball-joint pivotable through 15°
- circular, air-enriched flow
- height of mixer 88 mm
- height up to aerator 78 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min

		Euro
polished chrome	24 510 360-00	988.80
platinum matt	24 510 360-06	1,581.90
platinum	24 510 360-08	1,581.90
Durabrand	24 510 360-09	1,957.90
brushed Durabrand	24 510 360-28	1,957.90
Dark Platinum matt	24 510 360-99	1,779.90


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00
platinum	27 701 670-08	416.00
brushed Durabrand	27 701 670-28	514.90
Dark Platinum matt	27 701 670-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00
platinum	27 701 970-08	416.00
Durabrand	27 701 970-09	514.90
brushed Durabrand	27 701 970-28	514.90
Dark Platinum matt	27 701 970-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower




Concealed articles



Miscellaneous



Kitchen



Shower set solution



Shower set without hand shower

- Shower set see page 566



Metal hand shower with porcelain insert (white) 9 l/min

- Hand shower see page 612



Shower mixer for wall mounting

- More control elements can be found from page 638 onwards


		Euro
polished chrome	Price	1,540.50
platinum matt	Price	2,464.20
platinum	Price	2,464.20
Durabrass	Price	3,050.00
brushed Durabrass	Price	3,050.10
Dark Platinum matt	Price	2,772.40

		Euro
polished chrome	26 413 360-00	621.50

		Euro
polished chrome	28 002 970-00	246.30

		Euro
polished chrome	26 101 360-00	672.70

Shower set solution



Shower set solution



Shower set without hand shower

- Shower set see page 566



Metal hand shower with porcelain insert (white) 9 l/min

- Hand shower see page 612



Shower mixer for wall mounting

- More control elements can be found from page 638 onwards

		Euro
polished chrome	Price	1,540.50
platinum matt	Price	2,464.20
platinum	Price	2,464.20
Durabrass	Price	3,050.00
brushed Durabrass	Price	3,050.10
Dark Platinum matt	Price	2,772.40

		Euro
polished chrome	26 413 370-00	621.50

		Euro
polished chrome	28 002 970-00	246.30

		Euro
polished chrome	26 101 360-00	672.70



Headshower solution

	Euro	
polished chrome	Price	2,588.30
platinum matt	Price	3,675.90
platinum	Price	3,675.90
Durabrass	Price	4,366.00
brushed Durabrass	Price	4,365.90
Dark Platinum matt	Price	4,039.40

Shower head

- Shower head see page 580

	Euro	
polished chrome	28 508 360-00	532.60

Hand shower set with individual rosettes

- Hand Shower set see page 616

	Euro	
polished chrome	27 803 361-00	548.00

Concealed thermostat with two function volume control

- More control elements can be found from page 638 onwards

	Euro	
polished chrome	36 426 977-00	733.50

Concealed wall elbow

This article is needed 2x.




	Euro	
Concealed rough parts	35 085 970 90	98.80

Concealed thermostat

	Euro	
Concealed rough parts	35 425 970 90	350.80

xGRID Installation track set

	Euro	
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Showerpipe solution



Showerpipe with shower mixer without hand shower

- Showerpipe see page 584



Metal hand shower with porcelain insert (white) 9 l/min

- Hand shower see page 612

		Euro
polished chrome	Price	2,810.70
platinum matt	Price	4,496.90
platinum	Price	4,496.90
Durabrass	Price	5,565.20
brushed Durabrass	Price	5,565.20
Dark Platinum matt	Price	5,059.10




		Euro
polished chrome	26 632 360-00	2,564.40

		Euro
polished chrome	28 002 970-00	246.30





Rainshower solution



Rain shower with ceiling fixing

- Rain shower see page 596

Hand shower set with individual rosettes

- Hand Shower set see page 616

xTOOL Concealed thermostat without volume control 3/4"

- More control elements can be found from page 638 onwards

Wall valve clockwise closing 1/2"

- More control elements can be found from page 638 onwards

This article is needed 2x.

Concealed wall elbow

This article is needed 2x.

xTOOL Concealed thermostat module with 2 valves 3/4"

xGRID Installation track set

	Euro	
polished chrome	Price	4,051.60
platinum matt	Price	5,658.20
platinum	Price	5,658.20
Durabrass	Price	6,675.90
brushed Durabrass	Price	6,676.10
Dark Platinum matt	Price	6,193.70

	Euro	
polished chrome	28 565 977-00	748.60

	Euro	
polished chrome	27 803 361-00	548.00

	Euro	
polished chrome	36 503 977-00	915.70

	Euro	
polished chrome	36 607 361-00	232.80

	Euro	
Concealed rough parts	35 085 970 90	98.80

	Euro	
Concealed rough parts	35 521 970 90	950.30

	Euro	
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 360 +
28 002 970



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- normal flow
- spray head Ø 64mm
- max. flow 9 l/min

		Euro
polished chrome	1x 26 413 360-00	621.50
	1x 28 002 970-00	246.30
	Price	867.80
platinum matt	1x 26 413 360-06	994.50
	1x 28 002 970-06	393.90
	Price	1,388.40
platinum	1x 26 413 360-08	994.50
	1x 28 002 970-08	393.90
	Price	1,388.40
Durabrass	1x 26 413 360-09	1,230.50
	1x 28 002 970-09	487.70
	Price	1,718.20
brushed Durabrass	1x 26 413 360-28	1,230.60
	1x 28 002 970-28	487.70
	Price	1,718.30
Dark Platinum matt	1x 26 413 360-99	1,118.60
	1x 28 002 970-99	443.20
	Price	1,561.80



Product alternative

Hand shower 9 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 95mm
- max. flow 9 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 002 978-00	190.00
	28 002 978-06	304.00
platinum matt	28 002 978-08	304.00
	28 002 978-09	376.20
Durabrass	28 002 978-09	376.20
	28 002 978-28	376.20
brushed Durabrass	28 002 978-28	376.20
	28 002 978-99	342.00
Dark Platinum matt	28 002 978-99	342.00



Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 410-00	86.00
	28 450 410-06	137.50
platinum matt	28 450 410-08	137.50
	28 450 410-09	170.30
Durabrass	28 450 410-09	170.30
	28 450 410-28	170.30
brushed Durabrass	28 450 410-28	170.30
	28 450 410-99	154.70
Dark Platinum matt	28 450 410-99	154.70




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 370-00	95.10
	28 450 370-06	152.10
platinum matt	28 450 370-08	152.10
	28 450 370-09	188.30
Durabrass	28 450 370-09	188.30
	28 450 370-28	188.30
brushed Durabrass	28 450 370-28	188.30
	28 450 370-99	171.10
Dark Platinum matt	28 450 370-99	171.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

Shower

26 413 370 +
28 002 970



Shower set

- slide bar
- Pipe diameter 18 mm
- rosettes Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- normal flow
- spray head Ø 64mm
- max. flow 9 l/min

		Euro
polished chrome	1x 26 413 370-00	621.50
	1x 28 002 970-00	246.30
	Price	867.80
platinum matt	1x 26 413 370-06	994.50
	1x 28 002 970-06	393.90
	Price	1,388.40
platinum	1x 26 413 370-08	994.50
	1x 28 002 970-08	393.90
	Price	1,388.40
Durabrass	1x 26 413 370-09	1,230.50
	1x 28 002 970-09	487.70
	Price	1,718.20
brushed Durabrass	1x 26 413 370-28	1,230.60
	1x 28 002 970-28	487.70
	Price	1,718.30
Dark Platinum matt	1x 26 413 370-99	1,118.60
	1x 28 002 970-99	443.20
	Price	1,561.80



Product alternative

Hand shower 9 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 95mm
- max. flow 9 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 002 978-00	190.00
	28 002 978-06	304.00
platinum matt	28 002 978-08	304.00
	28 002 978-09	376.20
Durabrass	28 002 978-09	376.20
	28 002 978-28	376.20
brushed Durabrass	28 002 978-28	376.20
	28 002 978-99	342.00
Dark Platinum matt	28 002 978-99	342.00



Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 370-00	95.10
	28 450 370-06	152.10
platinum matt	28 450 370-08	152.10
	28 450 370-09	188.30
Durabrass	28 450 370-09	188.30
	28 450 370-28	188.30
brushed Durabrass	28 450 370-28	188.30
	28 450 370-99	171.10
Dark Platinum matt	28 450 370-99	171.10




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 410-00	86.00
	28 450 410-06	137.50
platinum matt	28 450 410-08	137.50
	28 450 410-09	170.30
Durabrass	28 450 410-09	170.30
	28 450 410-28	170.30
brushed Durabrass	28 450 410-28	170.30
	28 450 410-99	154.70
Dark Platinum matt	28 450 410-99	154.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 632 360 +
28 002 970



Showerpipe with shower mixer

- **shower with fixed riser projection 420 mm**
- overhead shower: rain flow
- rain shower Ø 200mm
- max. rainshower flow 9 l/min
- hand shower: normal flow
- spray head Ø 64mm
- max. hand shower flow 9 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to top edge of elbow 1180mm
- height of fittings up to rain shower (bottom edge) 1009mm
- rosette for shower holder Ø 66mm
- rosette for wall mounting Ø 70mm
- rosette for shower mixer Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

This article does not include a hand shower!

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 632 360-00	2,564.40
	1x 28 002 970-00	246.30
	Price	2,810.70
platinum matt	1x 26 632 360-06	4,103.00
	1x 28 002 970-06	393.90
	Price	4,496.90
platinum	1x 26 632 360-08	4,103.00
	1x 28 002 970-08	393.90
	Price	4,496.90
Durabrass	1x 26 632 360-09	5,077.50
	1x 28 002 970-09	487.70
	Price	5,565.20
brushed Durabrass	1x 26 632 360-28	5,077.50
	1x 28 002 970-28	487.70
	Price	5,565.20
Dark Platinum matt	1x 26 632 360-99	4,615.90
	1x 28 002 970-99	443.20
	Price	5,059.10

Product alternative



Hand shower 9 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 95mm
- max. flow 9 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 002 978-00	190.00
platinum matt	28 002 978-06	304.00
platinum	28 002 978-08	304.00
Durabrass	28 002 978-09	376.20
brushed Durabrass	28 002 978-28	376.20
Dark Platinum matt	28 002 978-99	342.00

34 459 360 +
11 420 360 +
28 002 978



Showerpipe with shower thermostat

- shower with fixed riser projection 420 mm
- rain shower Ø 200mm
- rain shower with anti-scale system
- max. rainshower flow 9 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 95mm
- max. hand shower flow 9 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 360-00	2,560.90
	1x 11 420 360-00	231.40
	1x 28 002 978-00	190.00
	Price	2,982.30
platinum matt	1x 34 459 360-06	4,097.60
	1x 11 420 360-06	370.20
	1x 28 002 978-06	304.00
	Price	4,771.80
platinum	1x 34 459 360-08	4,097.60
	1x 11 420 360-08	370.20
	1x 28 002 978-08	304.00
	Price	4,771.80
Durabrass	1x 34 459 360-09	5,070.70
	1x 11 420 360-09	458.10
	1x 28 002 978-09	376.20
	Price	5,905.00
brushed Durabrass	1x 34 459 360-28	5,070.50
	1x 11 420 360-28	458.10
	1x 28 002 978-28	376.20
	Price	5,904.80
Dark Platinum matt	1x 34 459 360-99	4,609.70
	1x 11 420 360-99	416.50
	1x 28 002 978-99	342.00
	Price	5,368.20



Product alternative

Metal hand shower with porcelain insert (white) 9 l/min

- normal flow
- spray head Ø 64mm
- max. flow 9 l/min
- Hand shower see page 612

For details and miscellaneous, see page 613

		Euro
polished chrome	28 002 970-00	246.30
	28 002 970-06	393.90
platinum	28 002 970-08	393.90
Durabrass	28 002 970-09	487.70
brushed Durabrass	28 002 970-28	487.70
Dark Platinum matt	28 002 970-99	443.20


28 508 360



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 94mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 360-00	532.60
	28 508 360-06	852.10
platinum	28 508 360-08	852.10
Durabrass	28 508 360-09	1,054.30
brushed Durabrass	28 508 360-28	1,054.30
Dark Platinum matt	28 508 360-99	958.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


28 545 977



Rain shower with wall fixing

- 435 mm projection
- rain shower Ø 200mm
- rain flow
- max. flow 9 l/min
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 545 977-00	990.50
platinum matt	28 545 977-06	1,584.70
platinum	28 545 977-08	1,584.70
Durabrass	28 545 977-09	1,961.30
brushed Durabrass	28 545 977-28	1,961.30
Dark Platinum matt	28 545 977-99	1,782.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 565 977



Rain shower with ceiling fixing

- rain shower Ø 200mm
- rain flow
- max. flow 9 l/min
- distance between ceiling and lower edge of the shower 185mm
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 565 977-00	748.60
platinum matt	28 565 977-06	1,197.90
platinum	28 565 977-08	1,197.90
Durabrass	28 565 977-09	1,482.10
brushed Durabrass	28 565 977-28	1,482.10
Dark Platinum matt	28 565 977-99	1,347.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 803 361




Hand shower set with individual rosettes

- spray head Ø 64mm
- normal flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 66mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 9 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 803 361-00	548.00
platinum matt	27 803 361-06	876.50
platinum	27 803 361-08	876.50
Durabrass	27 803 361-09	1,085.30
brushed Durabrass	27 803 361-28	1,085.30
Dark Platinum matt	27 803 361-99	986.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



27 803 371




Hand shower set with individual rosettes

- spray head Ø 64mm
- normal flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 9 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 803 371-00	523.30
platinum matt	27 803 371-06	837.20
platinum	27 803 371-08	837.20
Durabrass	27 803 371-09	1,035.90
brushed Durabrass	27 803 371-28	1,035.90
Dark Platinum matt	27 803 371-99	941.80

Recommended miscellaneous			Euro
	Concealed wall elbow	Concealed rough parts	35 085 970 90 98.80
	<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see main items		


28 518 360



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- rosette Ø 55 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 360-00	296.40
platinum matt	28 518 360-06	474.30
platinum	28 518 360-08	474.30
Durabrass	28 518 360-09	586.90
brushed Durabrass	28 518 360-28	586.90
Dark Platinum matt	28 518 360-99	533.40

Recommended miscellaneous			Euro
	Concealed wall elbow	Concealed rough parts	35 085 970 90 98.80
	<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see main items		

36 515 979





WATER POINTS Concealed body spray


- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
platinum	36 515 979-08	707.70
brushed Durabrass	36 515 979-28	876.00
Dark Platinum matt	36 515 979-99	796.40

Required miscellaneous			Euro
	Concealed wall installation box	Concealed rough parts	35 205 970 90 179.50
	<ul style="list-style-type: none"> • min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 698		

Required miscellaneous			Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90 90.30
	For details and miscellaneous, see page 704		

Recommended miscellaneous			Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90 90.90
	For details and miscellaneous, see page 704		



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 517 979




WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
platinum	36 517 979-08	1,093.50
brushed Durabrass	36 517 979-28	1,352.80
Dark Platinum matt	36 517 979-99	1,229.80

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
platinum	36 514 979-08	1,422.70
brushed Durabrass	36 514 979-28	1,760.60
Dark Platinum matt	36 514 979-99	1,600.60

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
platinum	36 513 979-08	1,061.80
brushed Durabrass	36 513 979-28	1,313.50
Dark Platinum matt	36 513 979-99	1,194.00




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
platinum	36 512 979-08	1,061.80
brushed Durabrass	36 512 979-28	1,313.50
Dark Platinum matt	36 512 979-99	1,194.00



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


13 415 979



WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
platinum	13 415 979-08	1,465.30
brushed Durabrass	13 415 979-28	1,813.40
Dark Platinum matt	13 415 979-99	1,648.50



Recommended miscellaneous


Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 420 979



WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
platinum	13 420 979-08	2,093.90
brushed Durabrass	13 420 979-28	2,590.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
platinum	13 425 979-08	1,555.60
brushed Durabronz	13 425 979-28	1,924.80
Dark Platinum matt	13 425 979-99	1,749.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 820 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- rosette Ø 70 mm
- holder for Kneipp hose
- hose nozzle with sleeve M33
- with holding ring
- 1/2" wall elbow

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 820 979-00	400.10
	1x 28 285 979-00	84.40
	Price	484.50
platinum matt	1x 27 820 979-06	640.20
	1x 28 285 979-06	135.10
	Price	775.30
platinum	1x 27 820 979-08	640.20
	1x 28 285 979-08	135.00
	Price	775.20
brushed Durabronz	1x 27 820 979-28	792.10
	1x 28 285 979-28	167.00
	Price	959.10
Dark Platinum matt	1x 27 820 979-99	720.10
	1x 28 285 979-99	151.90
	Price	872.00




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10
platinum	28 286 979-08	135.00
brushed Durabronz	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 370




Wall elbow

- 1/2" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 370-00	95.10
platinum matt	28 450 370-06	152.10
platinum	28 450 370-08	152.10
Durabronz	28 450 370-09	188.30
brushed Durabronz	28 450 370-28	188.30
Dark Platinum matt	28 450 370-99	171.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



28 450 410




Wall elbow

- 1/2" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 410-00	86.00
platinum matt	28 450 410-06	137.50
platinum	28 450 410-08	137.50
Durabrass	28 450 410-09	170.30
brushed Durabrass	28 450 410-28	170.30
Dark Platinum matt	28 450 410-99	154.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 823 979 +
28 285 979

NEW



Kneipp wall elbow with hose holder with individual rosettes

- laminar flow
- with volume control
- **rosette Ø 60 mm**
- holder for Kneipp hose
- 1/2" wall elbow
- **without hose**

		Euro
polished chrome	1x 27 823 979-00	474.40
	1x 28 285 979-00	84.40
	Price	558.80
platinum matt	1x 27 823 979-06	759.10
	1x 28 285 979-06	135.10
	Price	894.20
platinum	1x 27 823 979-08	759.10
	1x 28 285 979-08	135.00
	Price	894.10
brushed Durabrass	1x 27 823 979-28	939.30
	1x 28 285 979-28	167.00
	Price	1,106.30
Dark Platinum matt	1x 27 823 979-99	854.00
	1x 28 285 979-99	151.90
	Price	1,005.90




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10
platinum	28 286 979-08	135.00
brushed Durabrass	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 101 360



Shower mixer for wall mounting

- 1/2" shower outlet
- rosettes Ø 70 mm
- 1/2" connection
- gauge 153 mm - 15 mm

Intrinsic protection against back flow.

		Euro
polished chrome	26 101 360-00	672.70
platinum matt	26 101 360-06	1,075.80
platinum	26 101 360-08	1,075.80
Durabrass	26 101 360-09	1,331.80
brushed Durabrass	26 101 360-28	1,331.80
Dark Platinum matt	26 101 360-99	1,210.60

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
platinum	36 050 970-08	597.20
brushed Durabrass	36 050 970-28	739.40
Dark Platinum matt	36 050 970-99	672.50



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30


36 425 977



Concealed thermostat with one function volume control

- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 977-00	613.30
platinum matt	36 425 977-06	981.10
platinum	36 425 977-08	981.10
Durabrass	36 425 977-09	1,214.20
brushed Durabrass	36 425 977-28	1,214.10
Dark Platinum matt	36 425 977-99	1,103.90




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90




36 426 977



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 977-00	733.50
platinum matt	36 426 977-06	1,173.10
platinum	36 426 977-08	1,173.10
Durabrass	36 426 977-09	1,452.20
brushed Durabrass	36 426 977-28	1,452.10
Dark Platinum matt	36 426 977-99	1,320.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

			Euro
Concealed rough parts	35 425 970 90		350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

			Euro
Concealed rough parts	35 426 970 90		368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 427 977



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 977-00	762.40
platinum matt	36 427 977-06	1,219.50
platinum	36 427 977-08	1,219.50
Durabrass	36 427 977-09	1,509.50
brushed Durabrass	36 427 977-28	1,509.40
Dark Platinum matt	36 427 977-99	1,372.30




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Madison


36 501 977 +
36 607 361



xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

			Euro
polished chrome	1x 36 501 977-00		915.70
	1x 36 607 361-00		232.80
		Price	1,148.50
platinum matt	1x 36 501 977-06		1,465.10
	1x 36 607 361-06		372.50
		Price	1,837.60
platinum	1x 36 501 977-08		1,465.10
	1x 36 607 361-08		372.50
		Price	1,837.60
Durabross	1x 36 501 977-09		1,813.00
	1x 36 607 361-09		460.90
		Price	2,273.90
brushed Durabross	1x 36 501 977-28		1,813.00
	1x 36 607 361-28		461.00
		Price	2,274.00
Dark Platinum matt	1x 36 501 977-99		1,648.20
	1x 36 607 361-99		418.90
		Price	2,067.10



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 691

			Euro
Concealed rough parts	35 511 970 90		570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 503 977 +
2x 36 607 361



xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 977-00	915.70
	2x 36 607 361-00	232.80
	Price	1,381.30
platinum matt	1x 36 503 977-06	1,465.10
	2x 36 607 361-06	372.50
	Price	2,210.10
platinum	1x 36 503 977-08	1,465.10
	2x 36 607 361-08	372.50
	Price	2,210.10
Durabronz	1x 36 503 977-09	1,813.00
	2x 36 607 361-09	460.90
	Price	2,734.80
brushed Durabronz	1x 36 503 977-28	1,813.00
	2x 36 607 361-28	461.00
	Price	2,735.00
Dark Platinum matt	1x 36 503 977-99	1,648.20
	2x 36 607 361-99	418.90
	Price	2,486.00




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 692

		Euro
Concealed rough parts	35 521 970 90	950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 693

		Euro
Concealed rough parts	35 524 970 90	939.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 503 977 +
3x 36 607 361



xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 977-00	915.70
	3x 36 607 361-00	232.80
	Price	1,614.10
platinum matt	1x 36 503 977-06	1,465.10
	3x 36 607 361-06	372.50
	Price	2,582.60
platinum	1x 36 503 977-08	1,465.10
	3x 36 607 361-08	372.50
	Price	2,582.60
Durabross	1x 36 503 977-09	1,813.00
	3x 36 607 361-09	460.90
	Price	3,195.70
brushed Durabross	1x 36 503 977-28	1,813.00
	3x 36 607 361-28	461.00
	Price	3,196.00
Dark Platinum matt	1x 36 503 977-99	1,648.20
	3x 36 607 361-99	418.90
	Price	2,904.90




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 694

		Euro
Concealed rough parts	35 531 970 90	1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 534 970 90	1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 501 977



xTOOL Concealed thermostat without volume control 1/2"

- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

		Euro
polished chrome	36 501 977-00	915.70
platinum matt	36 501 977-06	1,465.10
platinum	36 501 977-08	1,465.10
Durabrass	36 501 977-09	1,813.00
brushed Durabrass	36 501 977-28	1,813.00
Dark Platinum matt	36 501 977-99	1,648.20



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

		Euro
polished chrome	36 503 977-00	915.70
platinum matt	36 503 977-06	1,465.10
platinum	36 503 977-08	1,465.10
Durabrass	36 503 977-09	1,813.00
brushed Durabrass	36 503 977-28	1,813.00
Dark Platinum matt	36 503 977-99	1,648.20



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 690

		Euro
Concealed rough parts	35 503 970 90	695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 607 361



Wall valve clockwise closing 1/2"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL

		Euro
polished chrome	36 607 361-00	232.80
platinum matt	36 607 361-06	372.50
platinum	36 607 361-08	372.50
Durabrass	36 607 361-09	460.90
brushed Durabrass	36 607 361-28	461.00
Dark Platinum matt	36 607 361-99	418.90



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 608 361



Wall valve clockwise closing 3/4"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL

		Euro
polished chrome	36 608 361-00	232.80
platinum matt	36 608 361-06	372.50
platinum	36 608 361-08	372.50
Durabrass	36 608 361-09	460.90
brushed Durabrass	36 608 361-28	461.00
Dark Platinum matt	36 608 361-99	418.90



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 200 361


NEW



Concealed two-way diverter

- rotary diverter
- rosette Ø 60 mm
- NEUTRAL porcelain insert

		Euro
polished chrome	36 200 361-00	444.80
platinum matt	36 200 361-06	711.60
platinum	36 200 361-08	711.60
Durabrass	36 200 361-09	880.70
brushed Durabrass	36 200 361-28	880.70
Dark Platinum matt	36 200 361-99	800.60



Required miscellaneous

Concealed two-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 210 361


NEW



Concealed three-way diverter

- rotary diverter
- rosette Ø 60 mm
- NEUTRAL porcelain insert

		Euro
polished chrome	36 210 361-00	444.80
platinum matt	36 210 361-06	711.60
platinum	36 210 361-08	711.60
Durabrass	36 210 361-09	880.70
brushed Durabrass	36 210 361-28	880.70
Dark Platinum matt	36 210 361-99	800.60



Required miscellaneous

Concealed three-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

25 943 360



Two-hole bath mixer for free-standing assembly with hand shower set

- **245 mm projection**
- spout: rectangular normal flow
- hand shower: normal flow
- hand shower with anti-scale system
- rotary diverter for bath/shower
- wall bracket
- total height 901 mm
- stand pipes height 730 mm
- height up to aerator 610 mm
- slide-on rosettes Ø 90 mm
- gauge 153 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 51 l/min at 3 bar flow pressure
- max. hand shower flow 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 943 360-00	3,376.10
platinum matt	25 943 360-06	5,401.60
platinum	25 943 360-08	5,401.60
Durabrass	25 943 360-09	6,684.60
brushed Durabrass	25 943 360-28	6,684.60
Dark Platinum matt	25 943 360-99	6,077.10

		Euro
Concealed rough parts	35 944 970 90	433.00

25 023 360



Bath mixer for wall mounting with hand shower set

- **160 mm projection**
- hand shower: normal flow
- spout: rectangular normal flow
- wall bracket
- rotary diverter for bath/shower
- rosette Ø 70 mm
- 1/2" connection
- gauge 153 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. spout flow rate 26 l/min
- max. hand shower flow 9 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	25 023 360-00	1,374.80
platinum matt	25 023 360-06	2,199.40
platinum	25 023 360-08	2,199.40
Durabrass	25 023 360-09	2,722.10
brushed Durabrass	25 023 360-28	2,722.10
Dark Platinum matt	25 023 360-99	2,474.60

27 502 360




Bath shower set for bath rim or tile edge installation

- **225 mm projection**
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 185 mm
- height up to aerator 140 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 55mm
- rosette for deck valve Ø 55mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. spout flow rate 23 l/min
- max. hand shower flow 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 502 360-00	2,658.50
platinum matt	27 502 360-06	4,253.60
platinum	27 502 360-08	4,253.60
Durabron	27 502 360-09	5,264.00
brushed Durabron	27 502 360-28	5,264.00
Dark Platinum matt	27 502 360-99	4,785.40



Recommended miscellaneous

			Euro
Perfecto installation kit	Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

			Euro
Decorative caps for Perfecto	polished chrome	12 801 970-00	44.70
• 1 pair	platinum matt	12 801 970-06	71.60
	platinum	12 801 970-08	71.60
	Durabron	12 801 970-09	88.50
	brushed Durabron	12 801 970-28	88.50
	Dark Platinum matt	12 801 970-99	80.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 502 370 +
2x 11 170 370



Bath shower set for bath rim or tile edge installation


- 225 mm projection
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 185 mm
- height up to aerator 140 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 70mm
- rosette for complete hand shower set Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. spout flow rate 23 l/min
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

NOTE: For the white lever inserts please order 2x 11 170 370-12

		Euro
polished chrome	1x 27 502 370-00	2,602.40
	2x 11 170 370-00	92.00
	Price	2,786.40
platinum matt	1x 27 502 370-06	4,163.90
	2x 11 170 370-06	147.30
	Price	4,458.50
platinum	1x 27 502 370-08	4,163.90
	2x 11 170 370-08	147.30
	Price	4,458.50
Durabrass	1x 27 502 370-09	5,152.70
	2x 11 170 370-09	182.40
	Price	5,517.50
brushed Durabrass	1x 27 502 370-28	5,152.70
	2x 11 170 370-28	182.40
	Price	5,517.50
Dark Platinum matt	1x 27 502 370-99	4,684.30
	2x 11 170 370-99	165.70
	Price	5,015.70

Recommended miscellaneous



Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90

Recommended miscellaneous



Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
	12 801 970-06	71.60
platinum matt	12 801 970-08	71.60
	12 801 970-09	88.50
Durabrass	12 801 970-28	88.50
	12 801 970-99	80.40

13 801 380



bath spout for wall mounting

- 170 mm projection
- circular normal flow
- hole diameter 37 mm
- 3/4" connection
- max. flow 22 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 380-00	884.50
	13 801 380-06	1,415.20
platinum matt	13 801 380-08	1,415.20
	13 801 380-09	1,751.20
Durabrass	13 801 380-28	1,751.20
	13 801 380-99	1,592.00

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
platinum	36 243 970-08	284.80
Durabrass	36 243 970-09	352.20
brushed Durabrass	36 243 970-28	352.20
Dark Platinum matt	36 243 970-99	320.20

		Euro
Concealed rough parts	35 227 970 90	144.30

36 247 970



bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
platinum	36 247 970-08	430.70
Durabrass	36 247 970-09	532.80
brushed Durabrass	36 247 970-28	532.80
Dark Platinum matt	36 247 970-99	484.40

		Euro
Concealed rough parts	35 248 970 90	397.30



Required miscellaneous

Vacuum breaker

- rosette 70 mm

		Euro
polished chrome	36 150 970-00	73.80
platinum matt	36 150 970-06	118.10
platinum	36 150 970-08	118.10
Durabrass	36 150 970-09	146.00
brushed Durabrass	36 150 970-28	146.00
Dark Platinum matt	36 150 970-99	132.80



Required miscellaneous

Vacuum breaker

- 3/4" connection

		Euro
Concealed rough parts	35 150 970 90	253.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 030 361



Bath grip

- gauge 300 mm
- width 360mm
- height 60 mm
- rosette Ø 60 mm
- 90 mm projection

		Euro
polished chrome	83 030 361-00	277.00
platinum matt	83 030 361-06	443.50
platinum	83 030 361-08	443.50
Durabrass	83 030 361-09	548.60
brushed Durabrass	83 030 361-28	548.60
Dark Platinum matt	83 030 361-99	498.70



Recommended miscellaneous

Mounting for towel bar/tumbler mounting on two sides

- for towel bar mounting plus towel bar mounting on back.

		Euro
Concealed rough parts	12 358 970 90	60.60

83 045 361



Towel bar

- gauge 450 mm
- width 510mm
- height 60 mm
- rosette Ø 60 mm
- 90 mm projection

		Euro
polished chrome	83 045 361-00	301.00
platinum matt	83 045 361-06	481.40
platinum	83 045 361-08	481.40
Durabrass	83 045 361-09	595.90
brushed Durabrass	83 045 361-28	595.90
Dark Platinum matt	83 045 361-99	541.60



Recommended miscellaneous

Mounting for towel bar/tumbler mounting on two sides

- for towel bar mounting plus towel bar mounting on back.

		Euro
Concealed rough parts	12 358 970 90	60.60

83 060 361



Towel bar

- gauge 600 mm
- width 660mm
- height 60 mm
- rosette Ø 60 mm
- 90 mm projection

		Euro
polished chrome	83 060 361-00	311.60
platinum matt	83 060 361-06	498.60
platinum	83 060 361-08	498.60
Durabrass	83 060 361-09	616.90
brushed Durabrass	83 060 361-28	616.90
Dark Platinum matt	83 060 361-99	560.80



Recommended miscellaneous

Mounting for towel bar/tumbler mounting on two sides

- for towel bar mounting plus towel bar mounting on back.

		Euro
Concealed rough parts	12 358 970 90	60.60

83 210 361



Towel bar in two parts swivel

- width 85mm
- height 70 mm
- rosette Ø 60 mm
- 485 mm projection

		Euro
polished chrome	83 210 361-00	304.60
platinum matt	83 210 361-06	487.50
platinum	83 210 361-08	487.50
Durabrass	83 210 361-09	603.20
brushed Durabrass	83 210 361-28	603.20
Dark Platinum matt	83 210 361-99	548.50



83 200 361



Towel ring round
 • width 185mm
 • rosette Ø 60 mm
 • 97 mm projection

		Euro
polished chrome	83 200 361-00	190.20
platinum matt	83 200 361-06	304.30
platinum	83 200 361-08	304.30
Durabrass	83 200 361-09	376.60
brushed Durabrass	83 200 361-28	376.60
Dark Platinum matt	83 200 361-99	342.40

83 250 970



Hooks
 • 1 pair
 • 35 mm projection

		Euro
polished chrome	83 250 970-00	30.50
platinum matt	83 250 970-06	48.80
platinum	83 250 970-08	48.80
Durabrass	83 250 970-09	60.40
brushed Durabrass	83 250 970-28	60.40
Dark Platinum matt	83 250 970-99	54.90

83 251 970



Hooks
 • 55 mm projection

		Euro
polished chrome	83 251 970-00	29.40
platinum matt	83 251 970-06	47.20
platinum	83 251 970-08	47.20
Durabrass	83 251 970-09	58.40
brushed Durabrass	83 251 970-28	58.40
Dark Platinum matt	83 251 970-99	53.10

83 251 220



Hooks
 • 55 mm projection

		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
platinum	83 251 220-08	57.60
Durabrass	83 251 220-09	71.40
brushed Durabrass	83 251 220-28	71.40
Dark Platinum matt	83 251 220-99	64.90

83 252 970



Hooks
 • 75 mm projection

		Euro
polished chrome	83 252 970-00	38.70
platinum matt	83 252 970-06	61.60
platinum	83 252 970-08	61.60
Durabrass	83 252 970-09	76.60
brushed Durabrass	83 252 970-28	76.60
Dark Platinum matt	83 252 970-99	69.70

83 410 979



Soap dish wall model
 • width 120mm
 • height 20 mm
 • 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
platinum	83 410 979-08	372.60
Durabrass	83 410 979-09	461.20
brushed Durabrass	83 410 979-28	461.20
Dark Platinum matt	83 410 979-99	419.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 435 361



Dispenser wall model

- bottle made of opal glass
- width 85mm
- height 200 mm
- 250 ml bottle
- 121 mm projection

		Euro
polished chrome	83 435 361-00	386.40
platinum matt	83 435 361-06	618.20
platinum	83 435 361-08	618.20
Durabrass	83 435 361-09	765.10
brushed Durabrass	83 435 361-28	765.10
Dark Platinum matt	83 435 361-99	695.70

83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
platinum	83 435 970-08	589.30
brushed Durabrass	83 435 970-28	729.30
Dark Platinum matt	83 435 970-99	663.00

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
platinum	84 435 970-08	542.60
brushed Durabrass	84 435 970-28	672.00
Dark Platinum matt	84 435 970-99	610.90

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
platinum	83 401 979-08	359.20
Durabrass	83 401 979-09	444.50
brushed Durabrass	83 401 979-28	444.50
Dark Platinum matt	83 401 979-99	404.00



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40



83 281 530




Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
platinum	83 281 530-08	292.30
Durabrass	83 281 530-09	362.00
brushed Durabrass	83 281 530-28	362.00
Dark Platinum matt	83 281 530-99	328.90

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
platinum	83 290 970-08	285.40
Durabrass	83 290 970-09	353.30
brushed Durabrass	83 290 970-28	353.30
Dark Platinum matt	83 290 970-99	321.10

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
platinum	82 290 970-08	285.40
Durabrass	82 290 970-09	353.30
brushed Durabrass	82 290 970-28	353.30
Dark Platinum matt	82 290 970-99	321.10

83 500 361



Tissue holder without cover

- width 145mm
- height 120 mm
- 95 mm projection

		Euro
polished chrome	83 500 361-00	191.10
platinum matt	83 500 361-06	305.90
platinum	83 500 361-08	305.90
Durabrass	83 500 361-09	378.60
brushed Durabrass	83 500 361-28	378.60
Dark Platinum matt	83 500 361-99	344.30

83 510 361



Tissue holder with cover

- width 145mm
- height 90 mm
- 150 mm projection

		Euro
polished chrome	83 510 361-00	239.00
platinum matt	83 510 361-06	382.50
platinum	83 510 361-08	382.50
Durabrass	83 510 361-09	473.30
brushed Durabrass	83 510 361-28	473.30
Dark Platinum matt	83 510 361-99	430.40

83 590 361



Reserve tissue holder

- height 170 mm
- rosette Ø 60 mm
- 93 mm projection

		Euro
polished chrome	83 590 361-00	190.20
platinum matt	83 590 361-06	304.30
platinum	83 590 361-08	304.30
Durabrass	83 590 361-09	376.60
brushed Durabrass	83 590 361-28	376.60
Dark Platinum matt	83 590 361-99	342.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 900 361



Toilet brush set wall model

- crystal glass brush holder, matt
- brush head, white
- width 110mm
- height 400 mm
- 147 mm projection

		Euro
polished chrome	83 900 361-00	455.50
platinum matt	83 900 361-06	728.60
platinum	83 900 361-08	728.60
Durabrass	83 900 361-09	902.00
brushed Durabrass	83 900 361-28	902.00
Dark Platinum matt	83 900 361-99	819.90



Recommended miscellaneous

Brush white

		Euro
Concealed rough parts	08 18 50 600 90	12.30



Recommended miscellaneous

Glass matt

		Euro
Concealed rough parts	08 90 04 000 82	73.90



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 28 22 538 03-00	86.00
platinum matt	90 28 22 538 03-06	138.20
platinum	90 28 22 538 03-08	138.20
Durabrass	90 28 22 538 03-09	180.50
brushed Durabrass	90 28 22 538 03-28	276.10
Dark Platinum matt	90 28 22 538 03-99	344.50

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
platinum	12 660 979-08	1,097.80
brushed Durabrass	12 660 979-28	1,358.40
Dark Platinum matt	12 660 979-99	1,234.90



MEM

Sieger Design

Basin

from page 278

Bidet

from page 286

Shower

from page 287

Thermostats, mixers, diverters and valves

from page 308

Bath

from page 318

Accessories

from page 323



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Single-lever basin mixers

165 mm projection

200 mm projection



33 500 782
33 521 782*



33 501 782
33 526 782*

Three-hole basin mixers

200 mm projection

165 mm projection



20 715 782



20 713 782

Deck-mounted basin spout with raised base

200 mm projection



13 715 782
13 716 782*

Wall-mounted single-lever basin mixers

170 mm projection

170 mm projection

200 mm projection

200 mm projection

240 mm projection

240 mm projection



36 860 782



36 863 782



36 861 782



36 864 782



36 862 782



36 865 782

Wall-mounted basin mixers

Ausladung 170 mm

Ausladung 200 mm

Ausladung 240 mm



36 707 782



36 712 782



36 717 782

Wall-mounted basin spout

200 mm projection



13 800 782



Overview of bath fittings

Bath shower set / three-hole single-lever bath mixer



27 532 782



27 412 782

Bath spouts



13 801 782



13 430 740



13 630 740

Hand shower set



27 702 980

Single-lever mixers



29 300 670



36 120 670

Diverter



29 140 670

integrated bath filling



36 247 970

Miscellaneous



36 243 970



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 500 782



Single-lever basin mixer with pop-up waste

- 165 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 202 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 500 782-00	1,002.70
platinum matt	33 500 782-06	1,604.20
platinum	33 500 782-08	1,604.20
brushed Durabronz	33 500 782-28	1,985.20
Dark Platinum matt	33 500 782-99	1,804.70



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 521 782-00	955.90
platinum matt	33 521 782-06	1,529.60
platinum	33 521 782-08	1,529.60
brushed Durabronz	33 521 782-28	1,892.60
Dark Platinum matt	33 521 782-99	1,720.60

33 501 782



Single-lever basin mixer with pop-up waste

- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 340 mm
- height up to aerator 216 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 501 782-00	1,049.70
platinum matt	33 501 782-06	1,679.40
platinum	33 501 782-08	1,679.40
brushed Durabronz	33 501 782-28	2,078.40
Dark Platinum matt	33 501 782-99	1,889.50



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 526 782-00	1,000.40
platinum matt	33 526 782-06	1,601.00
platinum	33 526 782-08	1,601.00
brushed Durabronz	33 526 782-28	1,981.00
Dark Platinum matt	33 526 782-99	1,800.80

20 713 782



Three-hole basin mixer with pop-up waste

- 165 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 277 mm
- height up to aerator 170 mm
- hole diameter spout 35 mm
- deck valve hole diameter 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 8.3 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 713 782-00	1,316.40
platinum matt	20 713 782-06	2,106.50
platinum	20 713 782-08	2,106.50
brushed Durabronz	20 713 782-28	2,606.60
Dark Platinum matt	20 713 782-99	2,369.60



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90



MEM

20 715 782



Three-hole basin mixer with pop-up waste

- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 320 mm
- height up to aerator 195 mm
- hole diameter spout 35 mm
- deck valve hole diameter 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 8.3 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 715 782-00	1,378.90
platinum matt	20 715 782-06	2,206.30
platinum	20 715 782-08	2,206.30
brushed Durabross	20 715 782-28	2,730.40
Dark Platinum matt	20 715 782-99	2,482.20



Recommended miscellaneous

- High pressure hoses**
- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

13 715 782



Deck-mounted basin spout with pop-up waste

- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- rosette 60 x 60 mm
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	13 715 782-00	849.20
platinum matt	13 715 782-06	1,358.90
platinum	13 715 782-08	1,358.90
brushed Durabross	13 715 782-28	1,681.60
Dark Platinum matt	13 715 782-99	1,528.70



Product alternative

- Deck-mounted basin spout without pop-up waste**
- without pop-up waste

		Euro
polished chrome	13 716 782-00	830.40
platinum matt	13 716 782-06	1,328.60
platinum	13 716 782-08	1,328.60
brushed Durabross	13 716 782-28	1,644.10
Dark Platinum matt	13 716 782-99	1,494.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 860 782



Wall-mounted single-lever basin mixer without pop-up waste

- 177 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 860 782-00	833.60
platinum matt	36 860 782-06	1,334.20
platinum	36 860 782-08	1,334.20
brushed Durabrass	36 860 782-28	1,650.70
Dark Platinum matt	36 860 782-99	1,500.80




Product alternative

Wall-mounted single-lever basin mixer with cover plate without pop-up waste

- cover plate 80 x 180 mm

		Euro
polished chrome	36 863 782-00	949.90
platinum matt	36 863 782-06	1,519.90
platinum	36 863 782-08	1,519.90
brushed Durabrass	36 863 782-28	1,880.90
Dark Platinum matt	36 863 782-99	1,710.00



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer on right

NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30

36 861 782



Wall-mounted single-lever basin mixer without pop-up waste

- 207 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 861 782-00	879.40
platinum matt	36 861 782-06	1,407.20
platinum	36 861 782-08	1,407.20
brushed Durabrass	36 861 782-28	1,481.20
Dark Platinum matt	36 861 782-99	1,582.90




Product alternative

Wall-mounted single-lever basin mixer with cover plate without pop-up waste

- cover plate 80 x 180 mm

		Euro
polished chrome	36 864 782-00	995.70
platinum matt	36 864 782-06	1,592.90
platinum	36 864 782-08	1,592.90
brushed Durabrass	36 864 782-28	1,971.40
Dark Platinum matt	36 864 782-99	1,792.30



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer on right

NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30



MEM

36 862 782



Wall-mounted single-lever basin mixer without pop-up waste

- 247 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 862 782-00	916.00
platinum matt	36 862 782-06	1,466.10
platinum	36 862 782-08	1,466.10
brushed Durabrass	36 862 782-28	1,813.60
Dark Platinum matt	36 862 782-99	1,648.70




Product alternative

Wall-mounted single-lever basin mixer with cover plate without pop-up waste

- cover plate 80 x 180 mm

		Euro
polished chrome	36 865 782-00	1,038.20
platinum matt	36 865 782-06	1,661.30
platinum	36 865 782-08	1,661.30
brushed Durabrass	36 865 782-28	2,055.80
Dark Platinum matt	36 865 782-99	1,868.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer on right

NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30

36 707 782



Wall-mounted basin mixer without pop-up waste

- 170 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosettes 60 x 60 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 707 782-00	1,010.70
platinum matt	36 707 782-06	1,617.20
platinum	36 707 782-08	1,617.20
brushed Durabrass	36 707 782-28	2,001.30
Dark Platinum matt	36 707 782-99	1,819.40



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 712 782



Wall-mounted basin mixer without pop-up waste

- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosettes 60 x 60 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 712 782-00	1,056.50
platinum matt	36 712 782-06	1,690.30
platinum	36 712 782-08	1,690.30
brushed Durabronz	36 712 782-28	2,091.80
Dark Platinum matt	36 712 782-99	1,901.60



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10


36 717 782



Wall-mounted basin mixer without pop-up waste

- 240 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosette 60 x 60 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 717 782-00	1,101.00
platinum matt	36 717 782-06	1,761.20
platinum	36 717 782-08	1,761.20
brushed Durabronz	36 717 782-28	2,180.00
Dark Platinum matt	36 717 782-99	1,981.90



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10


13 800 782



Wall-mounted basin spout without pop-up waste

- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	13 800 782-00	615.90
platinum matt	13 800 782-06	985.10
platinum	13 800 782-08	985.10
brushed Durabronz	13 800 782-28	1,219.50
Dark Platinum matt	13 800 782-99	1,108.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

44 521 782

NEW

Washstand fitting with electronic opening and closing function without pop-up waste



- Infrared sensor technology
 - **165 mm projection**
 - height of mixer 313 mm
 - height up to aerator 206 mm
 - hole diameter 35 mm
 - fixed spout
 - max. flow 5.7 l/min
 - rectangular, air-enriched flow
 - suitable for thermal disinfection
 - Automatic shut-off after pre-set time is reached
 - Indirect temperature control (undercounter)
 - Control box included
 - Adjustable sensor detection range
 - Battery or plug-in power supply operated (batteries not included)
 - 4x AA (1.5V) batteries required
 - lead-free
 - 1x screw-in M 8 x 1 pressure hose, leak-tested
- Batteries not included

		Euro
polished chrome	44 521 782-00	739.10
platinum matt	44 521 782-06	1,182.50
platinum	44 521 782-08	1,182.50
brushed Durabrass	44 521 782-28	1,463.30
Dark Platinum matt	44 521 782-99	1,330.30

13 716 782 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting




- **200 mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 782-00	830.40
	1x 42 765 970 90	553.30
	Price	1,383.70
platinum matt	1x 13 716 782-06	1,328.60
	1x 42 765 970 90	553.30
	Price	1,881.90
platinum	1x 13 716 782-08	1,328.60
	1x 42 765 970 90	553.30
	Price	1,881.90
brushed Durabrass	1x 13 716 782-28	1,644.10
	1x 42 765 970 90	553.30
	Price	2,197.40
Dark Platinum matt	1x 13 716 782-99	1,494.70
	1x 42 765 970 90	553.30
	Price	2,048.00



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 740 970 90	252.50



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 716 782 +
42 766 970**eSET Touchfree Basin mixer without pop-up waste without temperature setting**


- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 782-00	830.40
	1x 42 766 970 90	461.10
	Price	1,291.50
platinum matt	1x 13 716 782-06	1,328.60
	1x 42 766 970 90	461.10
	Price	1,789.70
platinum	1x 13 716 782-08	1,328.60
	1x 42 766 970 90	461.10
	Price	1,789.70
brushed Durabronz	1x 13 716 782-28	1,644.10
	1x 42 766 970 90	461.10
	Price	2,105.20
Dark Platinum matt	1x 13 716 782-99	1,494.70
	1x 42 766 970 90	461.10
	Price	1,955.80



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 742 970 90	229.40



MEM

13 800 782 +
42 765 970**eSET Touchfree Basin mixer without pop-up waste with temperature setting**


- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 782-00	615.90
	1x 42 765 970 90	553.30
	Price	1,169.20
platinum matt	1x 13 800 782-06	985.10
	1x 42 765 970 90	553.30
	Price	1,538.40
platinum	1x 13 800 782-08	985.10
	1x 42 765 970 90	553.30
	Price	1,538.40
brushed Durabronz	1x 13 800 782-28	1,219.50
	1x 42 765 970 90	553.30
	Price	1,772.80
Dark Platinum matt	1x 13 800 782-99	1,108.70
	1x 42 765 970 90	553.30
	Price	1,662.00




Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 800 782 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 782-00	615.90
	1x 42 766 970 90	461.10
	Price	1,077.00
platinum matt	1x 13 800 782-06	985.10
	1x 42 766 970 90	461.10
	Price	1,446.20
platinum	1x 13 800 782-08	985.10
	1x 42 766 970 90	461.10
	Price	1,446.20
brushed Durabronz	1x 13 800 782-28	1,219.50
	1x 42 766 970 90	461.10
	Price	1,680.60
Dark Platinum matt	1x 13 800 782-99	1,108.70
	1x 42 766 970 90	461.10
	Price	1,569.80




Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 743 970 90	229.40



Recommended miscellaneous

Concealed wall elbow

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

22 901 782



Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

		Euro
polished chrome	22 901 782-00	173.10
platinum matt	22 901 782-06	277.00
platinum	22 901 782-08	277.00
brushed Durabronz	22 901 782-28	342.80
Dark Platinum matt	22 901 782-99	311.70

Miscellaneous

10 060 780



Siphon for basin 1 1/4"

- rosette 78 x 78 mm

		Euro
polished chrome	10 060 780-00	311.80
platinum matt	10 060 780-06	498.90
platinum	10 060 780-08	498.90
brushed Durabronz	10 060 780-28	617.30
Dark Platinum matt	10 060 780-99	561.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 600 782



Single-lever bidet mixer with pop-up waste

- 110 mm projection
- ball-joint pivotable through 44°
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 140 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 6 l/min

		Euro
polished chrome	33 600 782-00	1,236.50
platinum matt	33 600 782-06	1,978.40
platinum	33 600 782-08	1,978.40
brushed Durabrass	33 600 782-28	2,448.30
Dark Platinum matt	33 600 782-99	2,225.70


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00
platinum	27 701 670-08	416.00
brushed Durabrass	27 701 670-28	514.90
Dark Platinum matt	27 701 670-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00
platinum	27 701 970-08	416.00
brushed Durabrass	27 701 970-28	514.90
Dark Platinum matt	27 701 970-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Shower set solution



Shower set without hand shower

- Shower set see page 566



Hand shower 15 l/min

- Hand shower see page 612




Concealed single-lever mixer with cover plate


- More control elements can be found from page 638 onwards



Wall elbow



Concealed wall-mounted single-lever mixer



Concealed wall elbow



xGRID Installation track set

	Euro	
polished chrome	Price	1,771.40
platinum matt	Price	2,536.30
platinum	Price	2,536.30
brushed Durabross	Price	3,011.80
Dark Platinum matt	Price	2,783.80

	Euro	
polished chrome	26 413 980-00	564.90

	Euro	
polished chrome	28 012 979-00	190.00

	Euro	
polished chrome	36 060 670-00	378.10

	Euro	
polished chrome	28 450 980-00	133.00

	Euro	
Concealed rough parts	35 860 970 90	180.80

	Euro	
Concealed rough parts	35 085 970 90	98.80

	Euro	
Concealed rough parts	12 380 970 90	225.80



Headshower solution


		Euro
polished chrome	Price	2,162.80
platinum matt	Price	3,085.60
platinum	Price	3,092.00
brushed Durabrass	Price	3,680.30
Dark Platinum matt	Price	3,401.60



Shower head

- Shower head see page 580

		Euro
polished chrome	28 504 670-00	493.40



Hand shower set with individual rosettes

- Hand Shower set see page 616


		Euro
polished chrome	27 808 980-00	570.30



Concealed single-lever mixer with diverter

- More control elements can be found from page 638 onwards


		Euro
polished chrome	36 120 670-00	485.00



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed single-lever mixer

		Euro
Concealed rough parts	35 020 970 90	190.70



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80



Showerpipe solution

Fits CL.1, IMO, MEM, Symetrics

		Euro
polished chrome	Price	2,587.60
platinum matt	Price	4,140.20
platinum	Price	4,140.10
brushed Durabrass	Price	5,123.40
Dark Platinum matt	Price	4,657.60



Hand shower 15 l/min

- Hand shower see page 612

		Euro
polished chrome	28 018 979-00	109.20




MEM



Rainshower solution

Fits CL.1, IMO, MEM, Symetrics

	Euro	
polished chrome	Price	4,471.00
platinum matt	Price	6,329.40
platinum	Price	6,329.40
brushed Durabrass	Price	7,506.50
Dark Platinum matt	Price	6,948.50



Rain shower with ceiling fixing

• Rain shower see page 596

	Euro	
polished chrome	28 775 980-00	1,045.80



Hand shower set with individual rosettes

• Hand Shower set see page 616

	Euro	
polished chrome	27 808 980-00	570.30



xTOOL Concealed thermostat without volume control 3/4"

• More control elements can be found from page 638 onwards

	Euro	
polished chrome	36 503 780-00	1,039.40




Wall valve clockwise closing 1/2"

• More control elements can be found from page 638 onwards

	Euro	
polished chrome	36 607 782-00	220.90


This article is needed 2x.



Concealed wall elbow

This article is needed 2x.

	Euro	
Concealed rough parts	35 085 970 90	98.80



xTOOL Concealed thermostat module with 2 valves 3/4"

	Euro	
Concealed rough parts	35 521 970 90	950.30



xGRID Installation track set

	Euro	
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Rainshower solution



Rainshower solution



Rain shower with wall fixing
• Rain shower see page 596



Shower set without hand shower
• Shower set see page 566




Hand shower 15 l/min
• Hand shower see page 612




Concealed thermostat with two function volume control
• More control elements can be found from page 638 onwards



Wall elbow



Concealed thermostat



Concealed wall elbow
This article is needed 2x.



xGRID Installation track set

		Euro
polished chrome	Price	3,581.50
platinum matt	Price	5,276.50
platinum	Price	5,276.50
brushed Durabrass	Price	6,332.30
Dark Platinum matt	Price	5,826.80

		Euro
polished chrome	28 765 980-00	1,230.30

		Euro
polished chrome	26 413 980-00	564.90

		Euro
polished chrome	28 016 979-00	157.60

		Euro
polished chrome	36 426 670-00	721.50

		Euro
polished chrome	28 450 980-00	133.00

		Euro
Concealed rough parts	35 425 970 90	350.80

		Euro
Concealed rough parts	35 085 970 90	98.80

		Euro
Concealed rough parts	12 380 970 90	225.80

36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
	Price	751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
	Price	1,202.80
platinum	1x 36 002 970-08	969.00
	1x 28 017 979-08	234.30
	Price	1,203.30
brushed Durabron	1x 36 002 970-28	1,198.60
	1x 28 017 979-28	289.80
	Price	1,488.40
Dark Platinum matt	1x 36 002 970-99	1,089.50
	1x 28 017 979-99	263.50
	Price	1,353.00



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabron	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabron	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Shower

36 013 970 +
28 012 979**Concealed single-lever mixer with integrated shower connection with shower set**

- cover plate 80 x 80 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 013 970-00	749.00
	1x 28 012 979-00	190.00
	Price	939.00
platinum matt	1x 36 013 970-06	1,208.60
	1x 28 012 979-06	304.00
	Price	1,512.60
platinum	1x 36 013 970-08	1,197.20
	1x 28 012 979-08	304.00
	Price	1,501.20
brushed Durabrass	1x 36 013 970-28	1,483.00
	1x 28 012 979-28	376.20
	Price	1,859.20
Dark Platinum matt	1x 36 013 970-99	1,347.60
	1x 28 012 979-99	342.00
	Price	1,689.60



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabrass	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30



MEM

36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
	Price	868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
	Price	1,388.50
platinum	1x 36 110 970-08	1,154.90
	1x 28 017 979-08	234.30
	Price	1,389.20
brushed Durabronz	1x 36 110 970-28	1,428.60
	1x 28 017 979-28	289.80
	Price	1,718.40
Dark Platinum matt	1x 36 110 970-99	1,298.40
	1x 28 017 979-99	263.50
	Price	1,561.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabronz	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabronz	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
platinum	1x 36 111 970-08	1,322.40
	1x 28 018 979-08	174.80
	Price	1,497.20
brushed Durabrass	1x 36 111 970-28	1,635.60
	1x 28 018 979-28	216.20
	Price	1,851.80
Dark Platinum matt	1x 36 111 970-99	1,486.70
	1x 28 018 979-99	196.60
	Price	1,683.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



MEM

26 413 980 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

Intrinsic protection against back flow.

			Euro
polished chrome	1x 26 413 980-00		564.90
	1x 28 012 979-00		190.00
		Price	754.90
platinum matt	1x 26 413 980-06		903.50
	1x 28 012 979-06		304.00
		Price	1,207.50
platinum	1x 26 413 980-08		903.50
	1x 28 012 979-08		304.00
		Price	1,207.50
brushed Durabrass	1x 26 413 980-28		1,118.30
	1x 28 012 979-28		376.20
		Price	1,494.50
Dark Platinum matt	1x 26 413 980-99		1,016.50
	1x 28 012 979-99		342.00
		Price	1,358.50



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

			Euro
polished chrome	28 018 979-00		109.20
	28 018 979-06		174.80
platinum	28 018 979-08		174.80
	28 018 979-28		216.20
Dark Platinum matt	28 018 979-99		196.60



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

			Euro
polished chrome	28 017 979-00 0010		146.40
	28 017 979-06 0010		234.10
platinum	28 017 979-08 0010		234.10
	28 017 979-28 0010		289.60
Dark Platinum matt	28 017 979-99 0010		263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

			Euro
polished chrome	28 450 980-00		133.00
	28 450 980-06		212.90
platinum	28 450 980-08		212.90
	28 450 980-28		263.30
Dark Platinum matt	28 450 980-99		239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

			Euro
Concealed rough parts	35 085 970 90		98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 979-00	338.40
	1x 28 018 979-00	109.20
	Price	447.60
platinum matt	1x 26 413 979-06	551.80
	1x 28 018 979-06	174.80
	Price	726.60
platinum	1x 26 413 979-08	541.30
	1x 28 018 979-08	174.80
	Price	716.10
brushed Durabrass	1x 26 413 979-28	669.90
	1x 28 018 979-28	216.20
	Price	886.10
Dark Platinum matt	1x 26 413 979-99	608.90
	1x 28 018 979-99	196.60
	Price	805.50



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 980-00	133.00
	28 450 980-06	212.90
platinum	28 450 980-08	212.90
	28 450 980-28	263.30
Dark Platinum matt	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



MEM

34 459 980 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower 300 x 240mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 980-00	2,478.40
	1x 28 018 979-00	109.20
	Price	2,587.60
platinum matt	1x 34 459 980-06	3,965.40
	1x 28 018 979-06	174.80
	Price	4,140.20
platinum	1x 34 459 980-08	3,965.30
	1x 28 018 979-08	174.80
	Price	4,140.10
brushed Durabronz	1x 34 459 980-28	4,907.20
	1x 28 018 979-28	216.20
	Price	5,123.40
Dark Platinum matt	1x 34 459 980-99	4,461.00
	1x 28 018 979-99	196.60
	Price	4,657.60



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabronz	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
platinum matt	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
brushed Durabronz	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90


28 504 670



Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 670-00	493.40
platinum matt	28 504 670-06	783.00
platinum	28 504 670-08	789.40
brushed Durabronz	28 504 670-28	976.90
Dark Platinum matt	28 504 670-99	888.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


28 508 980



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 980-00	547.60
platinum matt	28 508 980-06	876.00
platinum	28 508 980-08	876.20
brushed Durabronz	28 508 980-28	1,084.40
Dark Platinum matt	28 508 980-99	985.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 765 980



Rain shower with wall fixing

- 450 mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 765 980-00	1,230.30
platinum matt	28 765 980-06	1,968.50
platinum	28 765 980-08	1,968.50
brushed Durabronz	28 765 980-28	2,436.00
Dark Platinum matt	28 765 980-99	2,214.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 775 980



Rain shower with ceiling fixing

- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 775 980-00	1,045.80
platinum matt	28 775 980-06	1,673.30
platinum	28 775 980-08	1,673.30
brushed Durabronz	28 775 980-28	2,070.70
Dark Platinum matt	28 775 980-99	1,882.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 041 980

NEW



Rain shower for ceiling fixing

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 041 980-00	601.10
platinum matt	28 041 980-06	961.80
platinum	28 041 980-08	961.80
brushed Durabronz	28 041 980-28	1,190.20
Dark Platinum matt	28 041 980-99	1,082.00



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 041 970 90	400.70

28 042 980 **NEW**



Rain shower for ceiling fixing with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

		Euro
polished chrome	28 042 980-00	903.20
platinum matt	28 042 980-06	1,445.10
platinum	28 042 980-08	1,445.10
brushed Durabrass	28 042 980-28	1,788.30
Dark Platinum matt	28 042 980-99	1,625.80



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 042 970 90	602.10

28 043 980 **NEW**



Rain shower for ceiling installation

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

		Euro
polished chrome	28 043 980-00	1,205.20
platinum matt	28 043 980-06	1,928.30
platinum	28 043 980-08	1,928.30
brushed Durabrass	28 043 980-28	2,386.30
Dark Platinum matt	28 043 980-99	2,169.40



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 043 970 90	803.50

28 044 980 **NEW**



Rain shower for ceiling installation with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

		Euro
polished chrome	28 044 980-00	1,809.30
platinum matt	28 044 980-06	2,894.90
platinum	28 044 980-08	2,894.90
brushed Durabrass	28 044 980-28	3,582.40
Dark Platinum matt	28 044 980-99	3,256.70



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 044 970 90	1,206.20

27 802 970




Hand shower set with integrated shower holder

- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 802 970-00	378.00
platinum matt	27 802 970-06	604.10
platinum	27 802 970-08	604.10
brushed Durabrass	27 802 970-28	748.30
Dark Platinum matt	27 802 970-99	680.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 808 980




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 808 980-00	570.30
platinum matt	27 808 980-06	912.50
platinum	27 808 980-08	912.50
brushed Durabrass	27 808 980-28	1,129.00
Dark Platinum matt	27 808 980-99	1,026.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 809 980




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 980-00	717.30
platinum matt	27 809 980-06	1,147.70
platinum	27 809 980-08	1,147.50
brushed Durabrass	27 809 980-28	1,420.10
Dark Platinum matt	27 809 980-99	1,291.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 809 985




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 985-00	748.60
platinum matt	27 809 985-06	1,197.90
platinum	27 809 985-08	1,197.70
brushed Durabrass	27 809 985-28	1,482.10
Dark Platinum matt	27 809 985-99	1,347.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 818 980




Hand shower set with cover plate

- normal flow
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 818 980-00	678.10
platinum matt	27 818 980-06	1,084.70
platinum	27 818 980-08	1,085.10
brushed Durabrass	27 818 980-28	1,342.60
Dark Platinum matt	27 818 980-99	1,220.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 518 782



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 782-00	304.60
platinum matt	28 518 782-06	487.50
platinum	28 518 782-08	487.50
brushed Durabrass	28 518 782-28	603.20
Dark Platinum matt	28 518 782-99	548.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
platinum	36 515 979-08	707.70
brushed Durabrass	36 515 979-28	876.00
Dark Platinum matt	36 515 979-99	796.40



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 517 979




WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
platinum	36 517 979-08	1,093.50
brushed Durabrass	36 517 979-28	1,352.80
Dark Platinum matt	36 517 979-99	1,229.80

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
platinum	36 514 979-08	1,422.70
brushed Durabrass	36 514 979-28	1,760.60
Dark Platinum matt	36 514 979-99	1,600.60

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



MEM

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
platinum	36 513 979-08	1,061.80
brushed Durabrass	36 513 979-28	1,313.50
Dark Platinum matt	36 513 979-99	1,194.00




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
platinum	36 512 979-08	1,061.80
brushed Durabrass	36 512 979-28	1,313.50
Dark Platinum matt	36 512 979-99	1,194.00

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

13 415 979




WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
platinum	13 415 979-08	1,465.30
brushed Durabrass	13 415 979-28	1,813.40
Dark Platinum matt	13 415 979-99	1,648.50

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 420 979




WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
platinum	13 420 979-08	2,093.90
brushed Durabrass	13 420 979-28	2,590.80

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
platinum	13 425 979-08	1,555.60
brushed Durabronz	13 425 979-28	1,924.80
Dark Platinum matt	13 425 979-99	1,749.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 838 979




Affusion pipe with cover plate

- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 9.5 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 838 979-00	726.80
platinum matt	27 838 979-06	1,162.70
platinum	27 838 979-08	1,162.70
brushed Durabronz	27 838 979-28	1,438.90
Dark Platinum matt	27 838 979-99	1,308.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



MEM

27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 821 979-00	551.60
	1x 28 285 979-00	84.40
	Price	636.00
platinum matt	1x 27 821 979-06	882.60
	1x 28 285 979-06	135.10
	Price	1,017.70
platinum	1x 27 821 979-08	882.60
	1x 28 285 979-08	135.00
	Price	1,017.60
brushed Durabronz	1x 27 821 979-28	1,092.40
	1x 28 285 979-28	167.00
	Price	1,259.40
Dark Platinum matt	1x 27 821 979-99	993.00
	1x 28 285 979-99	151.90
	Price	1,144.90




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10
platinum	28 286 979-08	135.00
brushed Durabronz	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 822 979 +
28 285 979



Kneipp wall elbow

- laminar flow
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 822 979-00	467.00
	1x 28 285 979-00	84.40
Price		551.40
platinum matt	1x 27 822 979-06	747.20
	1x 28 285 979-06	135.10
Price		882.30
platinum	1x 27 822 979-08	747.20
	1x 28 285 979-08	135.00
Price		882.20
brushed Durabronz	1x 27 822 979-28	924.80
	1x 28 285 979-28	167.00
Price		1,091.80
Dark Platinum matt	1x 27 822 979-99	840.70
	1x 28 285 979-99	151.90
Price		992.60




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 970




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 970-00	191.90
	28 490 970-06	307.20
platinum	28 490 970-08	307.20
	28 490 970-28	379.90
Dark Platinum matt	28 490 970-99	345.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 980




Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 980-00	133.00
	28 450 980-06	212.90
platinum	28 450 980-08	212.90
	28 450 980-28	263.30
Dark Platinum matt	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 980

Wall bracket

- rosette 60 x 60 mm



		Euro
polished chrome	28 050 980-00	172.60
platinum matt	28 050 980-06	276.40
platinum	28 050 980-08	276.40
brushed Durabrass	28 050 980-28	341.70
Dark Platinum matt	28 050 980-99	310.70

28 060 970

Wall bracket swivel



		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
platinum	28 060 970-08	254.90
brushed Durabrass	28 060 970-28	315.30
Dark Platinum matt	28 060 970-99	286.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

29 210 782



Single-lever basin mixer

- hole diameter 35 mm
- rosette 60 x 60 mm
- 3x screw-in M 10 x 1 pressure hose, leak-tested

		Euro
polished chrome	29 210 782-00	416.30
platinum matt	29 210 782-06	665.90
platinum	29 210 782-08	665.90
brushed Durabrass	29 210 782-28	824.30
Dark Platinum matt	29 210 782-99	749.30

34 442 979



Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.

		Euro
polished chrome	34 442 979-00	564.90
platinum matt	34 442 979-06	903.20
platinum	34 442 979-08	903.20
brushed Durabrass	34 442 979-28	1,117.80
Dark Platinum matt	34 442 979-99	1,016.00


36 060 670



Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

		Euro
polished chrome	36 060 670-00	378.10
platinum matt	36 060 670-06	610.50
platinum	36 060 670-08	610.50
brushed Durabrass	36 060 670-28	748.60
Dark Platinum matt	36 060 670-99	680.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
platinum	36 050 970-08	597.20
brushed Durabrass	36 050 970-28	739.40
Dark Platinum matt	36 050 970-99	672.50



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



MEM


36 045 970



Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate 80 x 80 mm
- Intrinsic protection against back flow.

		Euro
polished chrome	36 045 970-00	384.90
platinum matt	36 045 970-06	615.60
platinum	36 045 970-08	615.60
brushed Durabrass	36 045 970-28	762.20
Dark Platinum matt	36 045 970-99	693.20



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30


36 120 670



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
platinum	36 120 670-08	776.00
brushed Durabrass	36 120 670-28	960.30
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 425 670



Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 670-00	608.50
platinum matt	36 425 670-06	982.40
platinum	36 425 670-08	982.40
brushed Durabrass	36 425 670-28	1,204.80
Dark Platinum matt	36 425 670-99	1,095.30




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 426 670



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 670-00	721.50
platinum matt	36 426 670-06	1,165.00
platinum	36 426 670-08	1,165.00
brushed Durabrass	36 426 670-28	1,428.40
Dark Platinum matt	36 426 670-99	1,298.50




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



MEM


36 427 670



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 670-00	765.00
platinum matt	36 427 670-06	1,235.10
platinum	36 427 670-08	1,199.00
brushed Durabrass	36 427 670-28	1,514.60
Dark Platinum matt	36 427 670-99	1,376.90




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 501 780 +
36 607 782




xTOOL Thermostat module with 1 valve

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

36 501 985-FF can also be used as an alternative.

		Euro
polished chrome	1x 36 501 780-00	1,039.40
	1x 36 607 782-00	220.90
	Price	1,260.30
platinum matt	1x 36 501 780-06	1,663.30
	1x 36 607 782-06	353.30
	Price	2,016.60
platinum	1x 36 501 780-08	1,663.30
	1x 36 607 782-08	353.30
	Price	2,016.60
brushed Durabrass	1x 36 501 780-28	2,058.10
	1x 36 607 782-28	437.50
	Price	2,495.60
Dark Platinum matt	1x 36 501 780-99	1,871.00
	1x 36 607 782-99	397.50
	Price	2,268.50



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 691

		Euro
Concealed rough parts	35 511 970 90	570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



MEM


36 503 780 +
2x 36 607 782



xTOOL Thermostat module with 2 valves

- cover plate 120 x 120 mm
 - rosette 60 x 60 mm
 - temperature control handle with safety limit stop at 38°C
 - thermostat cartridge
 - 2x head part with cut-to-length spindle and sleeve
- 36 503 985-FF can also be used as an alternative.**

		Euro
polished chrome	1x 36 503 780-00	1,039.40
	2x 36 607 782-00	220.90
	Price	1,481.20
platinum matt	1x 36 503 780-06	1,663.30
	2x 36 607 782-06	353.30
	Price	2,369.90
platinum	1x 36 503 780-08	1,663.30
	2x 36 607 782-08	353.30
	Price	2,369.90
brushed Durabrass	1x 36 503 780-28	2,058.10
	2x 36 607 782-28	437.50
	Price	2,933.10
Dark Platinum matt	1x 36 503 780-99	1,871.00
	2x 36 607 782-99	397.50
	Price	2,666.00




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 692

		Euro
Concealed rough parts	35 521 970 90	950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 693

		Euro
Concealed rough parts	35 524 970 90	939.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 503 780 +
3x 36 607 782



xTOOL Thermostat module with 3 valves

- cover plate 120 x 120 mm
 - rosette 60 x 60 mm
 - temperature control handle with safety limit stop at 38°C
 - thermostat cartridge
 - 3x head part with cut-to-length spindle and sleeve
- 36 503 985-FF can also be used as an alternative.**

		Euro
polished chrome	1x 36 503 780-00	1,039.40
	3x 36 607 782-00	220.90
	Price	1,702.10
platinum matt	1x 36 503 780-06	1,663.30
	3x 36 607 782-06	353.30
	Price	2,723.20
platinum	1x 36 503 780-08	1,663.30
	3x 36 607 782-08	353.30
	Price	2,723.20
brushed Durabronz	1x 36 503 780-28	2,058.10
	3x 36 607 782-28	437.50
	Price	3,370.60
Dark Platinum matt	1x 36 503 780-99	1,871.00
	3x 36 607 782-99	397.50
	Price	3,063.50




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 694

		Euro
Concealed rough parts	35 531 970 90	1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 534 970 90	1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



MEM

36 501 780



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

		Euro
polished chrome	36 501 780-00	1,039.40
platinum matt	36 501 780-06	1,663.30
platinum	36 501 780-08	1,663.30
brushed Durabrass	36 501 780-28	2,058.10
Dark Platinum matt	36 501 780-99	1,871.00



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

		Euro
polished chrome	36 503 780-00	1,039.40
platinum matt	36 503 780-06	1,663.30
platinum	36 503 780-08	1,663.30
brushed Durabrass	36 503 780-28	2,058.10
Dark Platinum matt	36 503 780-99	1,871.00



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 690

		Euro
Concealed rough parts	35 503 970 90	695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 501 985



- xTOOL Concealed thermostat without volume control 1/2"**
- cover plate 120 x 120 mm
 - temperature control handle with safety limit stop at 38°C
 - thermostat cartridge

		Euro
polished chrome	36 501 985-00	1,062.10
platinum matt	36 501 985-06	1,699.40
platinum	36 501 985-08	1,699.40
brushed Durabrass	36 501 985-28	2,102.90
Dark Platinum matt	36 501 985-99	1,911.70



Product alternative

- xTOOL Concealed thermostat without volume control 3/4"**
- 3/4" thermostat cartridge with integrated filters

		Euro
polished chrome	36 503 985-00	1,062.10
platinum matt	36 503 985-06	1,699.40
platinum	36 503 985-08	1,699.40
brushed Durabrass	36 503 985-28	2,102.90
Dark Platinum matt	36 503 985-99	1,911.70



Required miscellaneous

- xTOOL Concealed thermostat module without volume control 3/4"**
- min. recess depth 95 mm
 - max. recess depth 160 mm

For details and miscellaneous, see page 690

		Euro
Concealed rough parts	35 503 970 90	695.90




Required miscellaneous

- xGRID Installation track 555 mm**

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

- xGRID Attachment set for integrating in the dry wall construction**

For details and miscellaneous, see page 704


		Euro
Concealed rough parts	12 340 970 90	90.90

36 607 782



- Wall valve clockwise closing 1/2"**
- rosette 60 x 60 mm
 - head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 782-00	220.90
platinum matt	36 607 782-06	353.30
platinum	36 607 782-08	353.30
brushed Durabrass	36 607 782-28	437.50
Dark Platinum matt	36 607 782-99	397.50



Required miscellaneous

- Wall valve 1/2"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 695


		Euro
Concealed rough parts	35 607 970 90	73.20

36 608 782



- Wall valve clockwise closing 3/4"**
- rosette 60 x 60 mm
 - head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 782-00	220.90
platinum matt	36 608 782-06	353.30
platinum	36 608 782-08	353.30
brushed Durabrass	36 608 782-28	437.50
Dark Platinum matt	36 608 782-99	397.50



Required miscellaneous

- Wall valve 3/4"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

20 000 782



Deck valve clockwise closing cold

- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

		Euro
polished chrome	20 000 782-00	264.90
platinum matt	20 000 782-06	423.80
platinum	20 000 782-08	423.80
brushed Durabrass	20 000 782-28	524.40
Dark Platinum matt	20 000 782-99	476.80



Product alternative

Deck valve anti-clockwise closing hot

		Euro
polished chrome	20 000 783-00	264.90
platinum matt	20 000 783-06	423.80
platinum	20 000 783-08	423.80
brushed Durabrass	20 000 783-28	524.40
Dark Platinum matt	20 000 783-99	476.80

36 200 782


NEW



Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

		Euro
polished chrome	36 200 782-00	515.60
platinum matt	36 200 782-06	825.00
platinum	36 200 782-08	825.00
brushed Durabrass	36 200 782-28	1,021.00
Dark Platinum matt	36 200 782-99	928.10



Required miscellaneous

Concealed two-way diverter

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 210 782


NEW



Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm

		Euro
polished chrome	36 210 782-00	515.60
platinum matt	36 210 782-06	825.00
platinum	36 210 782-08	825.00
brushed Durabrass	36 210 782-28	1,021.00
Dark Platinum matt	36 210 782-99	928.10



Required miscellaneous

Concealed three-way diverter

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 672 780



bath spout without diverter for free-standing assembly

- 280 mm projection
- cascade
- total height 830 - 900 mm
- height up to aerator 665 - 735 mm
- push-on rosette 130 x 130 mm
- max. flow 47.8 l/min at 3 bar flow pressure

		Euro
polished chrome	13 672 780-00	1,966.60
platinum matt	13 672 780-06	3,146.70
platinum	13 672 780-08	3,146.70
brushed Durabrass	13 672 780-28	3,893.80



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 697

		Euro
Concealed rough parts	35 945 970 90	676.20

27 412 782




Three-hole single-lever bath mixer for bath rim or tile edge installation

- 220 mm projection
- spout: rectangular normal flow
- complete hand shower set: normal flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter spout 32 mm
- single-lever mixer hole diameter 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 20.4 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 412 782-00	2,219.50
platinum matt	27 412 782-06	3,551.50
platinum	27 412 782-08	3,551.50
brushed Durabrass	27 412 782-28	4,394.60
Dark Platinum matt	27 412 782-99	3,995.10



Recommended miscellaneous

Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60
platinum	12 801 970-08	71.60
brushed Durabrass	12 801 970-28	88.50
Dark Platinum matt	12 801 970-99	80.40

27 532 782




Bath shower set for bath rim or tile edge installation

- **220 mm projection**
- complete hand shower set: normal flow
- spout: rectangular normal flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 27.3 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 532 782-00	2,106.80
platinum matt	27 532 782-06	3,370.80
platinum	27 532 782-08	3,370.80
brushed Durabross	27 532 782-28	4,171.40
Dark Platinum matt	27 532 782-99	3,792.20



Recommended miscellaneous

Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60
platinum	12 801 970-08	71.60
brushed Durabross	12 801 970-28	88.50
Dark Platinum matt	12 801 970-99	80.40

13 630 740



Bath cascade spout without diverter for deck mounting

- **235 mm projection**
- cascade
- height of mixer 100 mm
- height up to aerator 80 mm
- hole diameter 32 mm
- 1/2" connection
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 630 740-00	1,830.60
platinum matt	13 630 740-06	2,929.00
platinum	13 630 740-08	2,928.90
brushed Durabross	13 630 740-28	3,624.60
Dark Platinum matt	13 630 740-99	3,295.10


13 801 782



bath spout for wall mounting

- **220 mm projection**
- rectangular, air-enriched flow
- rosette 60 x 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 38.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 782-00	588.40
platinum matt	13 801 782-06	941.60
platinum	13 801 782-08	941.60
brushed Durabross	13 801 782-28	1,165.00
Dark Platinum matt	13 801 782-99	1,059.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


13 430 740



Bath cascade spout for wall mounting

- 200 mm projection
- cascade
- plate 180 mm x 60 mm
- hole diameter 40 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 430 740-00	1,364.10
platinum matt	13 430 740-06	2,182.50
platinum	13 430 740-08	2,182.50
brushed Durabronz	13 430 740-28	2,700.90
Dark Platinum matt	13 430 740-99	2,455.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 702 980



Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 6.8 l/min

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

		Euro
polished chrome	27 702 980-00	459.50
platinum matt	27 702 980-06	735.20
platinum	27 702 980-08	735.20
brushed Durabronz	27 702 980-28	909.80
Dark Platinum matt	27 702 980-99	827.10

29 300 670



Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

		Euro
polished chrome	29 300 670-00	544.00
platinum matt	29 300 670-06	870.20
platinum	29 300 670-08	870.20
brushed Durabronz	29 300 670-28	1,077.10
Dark Platinum matt	29 300 670-99	979.20

29 140 670



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

		Euro
polished chrome	29 140 670-00	701.80
platinum matt	29 140 670-06	1,123.00
platinum	29 140 670-08	1,123.00
brushed Durabronz	29 140 670-28	1,389.60
Dark Platinum matt	29 140 670-99	1,263.30



MEM


36 120 670



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
platinum	36 120 670-08	776.00
brushed Durabrass	36 120 670-28	960.30
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
platinum	36 243 970-08	284.80
brushed Durabrass	36 243 970-28	352.20
Dark Platinum matt	36 243 970-99	320.20



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 227 970 90	144.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 247 970



bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
platinum	36 247 970-08	430.70
brushed Durabrass	36 247 970-28	532.80
Dark Platinum matt	36 247 970-99	484.40



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 248 970 90	397.30



Required miscellaneous

Vacuum breaker

- rosette 70 mm

		Euro
polished chrome	36 150 970-00	73.80
platinum matt	36 150 970-06	118.10
platinum	36 150 970-08	118.10
brushed Durabrass	36 150 970-28	146.00
Dark Platinum matt	36 150 970-99	132.80



Required miscellaneous

Vacuum breaker

- 3/4" connection

		Euro
Concealed rough parts	35 150 970 90	253.30



MEM

83 030 780
Bath grip

- gauge 185 mm
- width 300mm
- height 35 mm
- 65 mm projection



		Euro
polished chrome	83 030 780-00	339.50
platinum matt	83 030 780-06	542.90
platinum	83 030 780-08	542.90
brushed Durabronz	83 030 780-28	672.10
Dark Platinum matt	83 030 780-99	611.00

83 060 780
Towel bar

- gauge 400 mm
- width 600mm
- height 35 mm
- 80 mm projection



		Euro
polished chrome	83 060 780-00	388.20
platinum matt	83 060 780-06	621.00
platinum	83 060 780-08	621.00
brushed Durabronz	83 060 780-28	768.60
Dark Platinum matt	83 060 780-99	698.70

83 210 780
Towel bar in two parts non-swivel

- width 90mm
- height 35 mm
- 420 mm projection



		Euro
polished chrome	83 210 780-00	344.50
platinum matt	83 210 780-06	551.30
platinum	83 210 780-08	551.30
brushed Durabronz	83 210 780-28	682.10
Dark Platinum matt	83 210 780-99	620.00

83 200 780
Towel ring angular

- width 190mm
- height 35 mm
- 105 mm projection



		Euro
polished chrome	83 200 780-00	274.10
platinum matt	83 200 780-06	438.50
platinum	83 200 780-08	438.50
brushed Durabronz	83 200 780-28	542.60
Dark Platinum matt	83 200 780-99	493.30

83 251 780
Hooks

- width 19mm
- height 44 mm
- 35 mm projection



		Euro
polished chrome	83 251 780-00	92.30
platinum matt	83 251 780-06	147.80
platinum	83 251 780-08	147.80
brushed Durabronz	83 251 780-28	182.90
Dark Platinum matt	83 251 780-99	166.30

83 251 220
Hooks

- 55 mm projection



		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
platinum	83 251 220-08	57.60
brushed Durabronz	83 251 220-28	71.40
Dark Platinum matt	83 251 220-99	64.90

83 410 979
Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection



		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
platinum	83 410 979-08	372.60
brushed Durabronz	83 410 979-28	461.20
Dark Platinum matt	83 410 979-99	419.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 410 780



Soap dish wall model

- width 120mm
- height 45 mm
- 120 mm projection

		Euro
polished chrome	83 410 780-00	308.00
platinum matt	83 410 780-06	492.40
platinum	83 410 780-08	492.40
brushed Durabrass	83 410 780-28	609.90
Dark Platinum matt	83 410 780-99	554.40

84 410 780



Soap dish free-standing model

- width 120mm
- height 10 mm
- 120 mm projection

		Euro
polished chrome	84 410 780-00	283.30
platinum matt	84 410 780-06	453.00
platinum	84 410 780-08	453.00
brushed Durabrass	84 410 780-28	561.00
Dark Platinum matt	84 410 780-99	509.90

83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
platinum	83 435 970-08	589.30
brushed Durabrass	83 435 970-28	729.30
Dark Platinum matt	83 435 970-99	663.00

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
platinum	84 435 970-08	542.60
brushed Durabrass	84 435 970-28	672.00
Dark Platinum matt	84 435 970-99	610.90

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40



MEM

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
platinum	83 401 979-08	359.20
brushed Durabrass	83 401 979-28	444.50
Dark Platinum matt	83 401 979-99	404.00



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 400 780



Tumbler holder wall model

- crystal glass
- width 75mm
- height 118 mm
- 85 mm projection

		Euro
polished chrome	83 400 780-00	301.30
platinum matt	83 400 780-06	482.20
platinum	83 400 780-08	482.20
brushed Durabrass	83 400 780-28	596.40
Dark Platinum matt	83 400 780-99	542.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 281 530




Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
platinum	83 281 530-08	292.30
brushed Durabrass	83 281 530-28	362.00
Dark Platinum matt	83 281 530-99	328.90

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
platinum	83 290 970-08	285.40
brushed Durabrass	83 290 970-28	353.30
Dark Platinum matt	83 290 970-99	321.10

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
platinum	82 290 970-08	285.40
brushed Durabrass	82 290 970-28	353.30
Dark Platinum matt	82 290 970-99	321.10

83 500 780



Tissue holder without cover

- width 140mm
- height 35 mm
- 85 mm projection

		Euro
polished chrome	83 500 780-00	247.60
platinum matt	83 500 780-06	396.10
platinum	83 500 780-08	396.10
brushed Durabrass	83 500 780-28	490.30
Dark Platinum matt	83 500 780-99	445.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 590 780



Reserve tissue holder

- width 132mm
- height 35 mm
- 116 mm projection

		Euro
polished chrome	83 590 780-00	247.60
platinum matt	83 590 780-06	396.10
platinum	83 590 780-08	396.10
brushed Durabrass	83 590 780-28	490.30
Dark Platinum matt	83 590 780-99	445.70

83 900 780



Toilet brush set wall model

- crystal glass brush holder, matt
- brush, matt black
- width 118mm
- height 415 mm
- 118 mm projection

		Euro
polished chrome	83 900 780-00	382.80
platinum matt	83 900 780-06	612.50
platinum	83 900 780-08	612.50
brushed Durabrass	83 900 780-28	758.00
Dark Platinum matt	83 900 780-99	689.10



Recommended miscellaneous

		Euro
Brush matt black	Concealed rough parts 08 18 50 601 90	27.90



Recommended miscellaneous

		Euro
Glass matt	Concealed rough parts 08 90 04 008 82	50.20



Recommended miscellaneous

		Euro
Brush handle	polished chrome 90 20 97 507 00-00	86.00
	platinum matt 90 20 97 507 00-06	137.60
	platinum 90 20 97 507 00-08	137.60
	brushed Durabrass 90 20 97 507 00-28	170.30
	Dark Platinum matt 90 20 97 507 00-99	154.80

83 910 979



Toilet brush set wall model

- brush, matt black
- width 100mm
- height 456 mm
- 110 mm projection

		Euro
polished chrome	83 910 979-00	417.90
platinum matt	83 910 979-06	668.80
platinum	83 910 979-08	668.80
brushed Durabrass	83 910 979-28	827.40
Dark Platinum matt	83 910 979-99	752.20



Recommended miscellaneous

		Euro
Brush matt black	Concealed rough parts 08 18 50 601 90	27.90



Recommended miscellaneous

		Euro
Brush handle	polished chrome 90 20 97 505 01-00	143.30
	platinum matt 90 20 97 505 01-06	229.10
	platinum 90 20 97 505 01-08	229.10
	brushed Durabrass 90 20 97 505 01-28	283.50
	Dark Platinum matt 90 20 97 505 01-99	257.80

84 910 979



Toilet brush set free-standing model

- brush, matt black
- width 100mm
- height 456 mm



Recommended miscellaneous

Brush matt black

		Euro
polished chrome	84 910 979-00	378.10
platinum matt	84 910 979-06	604.80
platinum	84 910 979-08	604.80
brushed Durabrass	84 910 979-28	748.60
Dark Platinum matt	84 910 979-99	680.50

		Euro
Concealed rough parts	08 18 50 601 90	27.90

Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 505 01-00	143.30
platinum matt	90 20 97 505 01-06	229.10
platinum	90 20 97 505 01-08	229.10
brushed Durabrass	90 20 97 505 01-28	283.50
Dark Platinum matt	90 20 97 505 01-99	257.80

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
platinum	12 660 979-08	1,097.80
brushed Durabrass	12 660 979-28	1,358.40
Dark Platinum matt	12 660 979-99	1,234.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Meta

Sieger Design

Basin

from page 333

Bidet

from page 346

Shower

from page 347

Thermostats, mixers, diverters and valves

from page 374

Bath

from page 384

Accessories

from page 389



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Single-lever basin mixers

105 mm projection

125 mm projection



33 525 660*



33 525 664*



33 501 660
33 526 660*



33 501 662
33 526 662*



33 501 664
33 526 664*

Single-lever basin mixers

120 mm projection

165 mm projection

165 mm projection



33 510 661
33 525 661*



33 510 665
33 525 665*



33 500 661
33 505 661*



33 500 665
33 505 665*



33 560 661
33 565 661*

Single-lever basin mixer with high spout

135 mm projection



33 502 660
33 522 660*

Single-lever basin mixers with raised base

135/165 mm projection

200 mm projection



33 537 660*
33 539 660*



33 537 662*
33 539 662*



33 537 664*
33 539 664*



33 534 661*



33 534 665*

Deck-mounted basin spout

165 mm projection



13 716 882*





CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Basin fittings overview

Wall-mounted single-lever basin mixers

160 mm projection

190/250 mm projection



36 804 661



36 860 660
36 861 660



36 860 662
36 861 662



36 860 664
36 861 664



36 862 660
36 863 660

Wall-mounted basin spout

190 mm projection



13 800 882

Pillar tap

105 mm projection

123 mm projection



17 500 660



17 500 661

Three-hole basin mixer

168 mm projection



20 713 661

*without pop-up waste

Overview of bath fittings

Bath mixers



33 233 660



33 200 660

Bath thermostats



34 234 979



34 201 979

Bath shower set



27 632 661

Bath spout



13 801 660

Hand shower sets



27 702 660

Single-lever mixers



29 300 660



36 120 660

Diverter



29 140 979

integrated bath filling



36 247 970

Miscellaneous



36 243 970



33 525 660



Single-lever basin mixer without pop-up waste

- 105 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 57 mm
- hole diameter 35 mm
- rosette Ø 50 mm optional
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	33 525 660-00	323.90
platinum matt	33 525 660-06	518.20
platinum	33 525 660-08	518.30
brushed Durabrass	33 525 660-28	641.40
Dark Platinum matt	33 525 660-99	583.10
matt black	33 525 660-33	437.20

33 501 660



Single-lever basin mixer with pop-up waste

- 125 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 133 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 501 660-00	393.60
platinum matt	33 501 660-06	629.80
matt black	33 501 660-33	531.10



Product alternative

Single-lever basin mixer without pop-up waste
• without pop-up waste

		Euro
polished chrome	33 526 660-00	366.10
platinum matt	33 526 660-06	585.70
matt black	33 526 660-33	493.90

33 502 660



Single-lever basin mixer with pop-up waste

- 135 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 158 mm
- height up to aerator 77 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 502 660-00	430.10
platinum matt	33 502 660-06	688.00
matt black	33 502 660-33	580.10



Product alternative

Single-lever basin mixer without pop-up waste
• without pop-up waste

		Euro
polished chrome	33 522 660-00	400.00
platinum matt	33 522 660-06	639.80
matt black	33 522 660-33	539.80

33 501 662



META SLIM Single-lever basin mixer with pop-up waste

- 125 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 134 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 501 662-00	463.10
platinum matt	33 501 662-06	740.90
platinum	33 501 662-08	740.90
brushed Durabrass	33 501 662-28	916.90
Dark Platinum matt	33 501 662-99	833.50
matt black	33 501 662-33	625.10



Product alternative

META SLIM Single-lever basin mixer without pop-up waste
• without pop-up waste

		Euro
polished chrome	33 526 662-00	430.70
platinum matt	33 526 662-06	689.20
matt black	33 526 662-33	581.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 525 664



META PURE Single-lever basin mixer without pop-up waste

- 105 mm projection
- progressive cartridge
- circular, air-enriched flow
- height of mixer 137 mm
- height up to aerator 57 mm
- hole diameter 35 mm
- rosette Ø 50 mm optional
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	33 525 664-00	381.10
platinum matt	33 525 664-06	609.70
matt black	33 525 664-33	514.50

33 501 664



META PURE Single-lever basin mixer with pop-up waste

- 125 mm projection
- progressive cartridge
- fixed spout
- circular, air-enriched flow
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 501 664-00	463.10
platinum matt	33 501 664-06	740.90
matt black	33 501 664-33	625.10



Product alternative

META PURE Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 526 664-00	430.70
platinum matt	33 526 664-06	689.20
matt black	33 526 664-33	581.40

33 510 661



Single-lever basin mixer with pop-up waste

- 123 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 272 mm
- height up to aerator 202 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 510 661-00	599.40
platinum matt	33 510 661-06	959.10
matt black	33 510 661-33	809.20



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 525 661-00	550.40
platinum matt	33 525 661-06	880.60
matt black	33 525 661-33	743.00

33 560 661



Single-lever basin mixer with pop-up waste

- 180° spout
- **165 mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

	Euro	
polished chrome	33 560 661-00	633.70
platinum matt	33 560 661-06	1,013.90
matt black	33 560 661-33	855.50



Product alternative

Single-lever basin mixer without pop-up waste

	Euro	
polished chrome	33 565 661-00	584.70
platinum matt	33 565 661-06	935.30
matt black	33 565 661-33	789.40

33 500 661



Single-lever basin mixer with pop-up waste

- **167 mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 225 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

	Euro	
polished chrome	33 500 661-00	633.70
platinum matt	33 500 661-06	1,013.90
matt black	33 500 661-33	855.50



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

	Euro	
polished chrome	33 505 661-00	584.70
platinum matt	33 505 661-06	935.30
matt black	33 505 661-33	789.40



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste
- 180° spout

	Euro	
polished chrome	33 565 661-00	584.70
platinum matt	33 565 661-06	935.30
matt black	33 565 661-33	789.40

33 510 665



META PURE Single-lever basin mixer with pop-up waste

- **123 mm projection**
- **progressive cartridge**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 272 mm
- height up to aerator 202 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

	Euro	
polished chrome	33 510 665-00	599.40
platinum matt	33 510 665-06	959.10
matt black	33 510 665-33	809.20



Product alternative

META PURE Single-lever basin mixer without pop-up waste

- without pop-up waste

	Euro	
polished chrome	33 525 665-00	550.40
platinum matt	33 525 665-06	880.60
matt black	33 525 665-33	743.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 500 665



META PURE Single-lever basin mixer with pop-up waste

- 167 mm projection
- progressive cartridge
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 225 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 500 665-00	633.70
platinum matt	33 500 665-06	1,013.90
matt black	33 500 665-33	855.50



Product alternative

META PURE Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 505 665-00	584.70
platinum matt	33 505 665-06	935.30
matt black	33 505 665-33	789.40

33 539 660



Single-lever basin mixer with raised base without pop-up waste

- 165 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 260 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 539 660-00	566.10
platinum matt	33 539 660-06	905.90
matt black	33 539 660-33	763.90

33 537 660



Single-lever basin mixer with raised base without pop-up waste

- 135 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 260 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 537 660-00	536.80
platinum matt	33 537 660-06	859.00
matt black	33 537 660-33	724.50



33 537 662



META SLIM Single-lever basin mixer with raised base without pop-up waste

- 135 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 261 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 537 662-00	631.60
platinum matt	33 537 662-06	1,010.50
matt black	33 537 662-33	852.60

33 539 662



META SLIM Single-lever basin mixer with raised base without pop-up waste

- 165 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 260 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 539 662-00	666.00
platinum matt	33 539 662-06	1,065.70
matt black	33 539 662-33	899.10

33 537 664



META PURE Single-lever basin mixer with raised base without pop-up waste

- 135 mm projection
- progressive cartridge
- fixed spout
- circular, air-enriched flow
- height of mixer 267 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 537 664-00	631.60
platinum matt	33 537 664-06	1,010.50
matt black	33 537 664-33	852.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 539 664



META PURE Single-lever basin mixer with raised base without pop-up waste

- 165 mm projection
- progressive cartridge
- fixed spout
- circular, air-enriched flow
- height of mixer 267 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 539 664-00	666.00
platinum matt	33 539 664-06	1,065.70
matt black	33 539 664-33	899.10

33 534 661



Single-lever basin mixer with raised base without pop-up waste

- 201 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 397 mm
- height up to aerator 299 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 534 661-00	822.30
platinum matt	33 534 661-06	1,315.70
matt black	33 534 661-33	1,110.30

33 534 665



META PURE Single-lever basin mixer with raised base without pop-up waste

- 201 mm projection
- progressive cartridge
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 397 mm
- height up to aerator 299 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	33 534 665-00	822.30
platinum matt	33 534 665-06	1,315.70
matt black	33 534 665-33	1,110.30

20 713 661



Three-hole basin mixer with pop-up waste

- 168 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

	Euro	
polished chrome	20 713 661-00	901.80
platinum matt	20 713 661-06	1,443.00
matt black	20 713 661-33	1,217.40



Recommended miscellaneous

High pressure hoses

- 2x 1/2" x 3/8" high pressure hose

	Euro	
Concealed rough parts	12 506 970 90	158.90

17 500 660



Pillar tap cold water

- 105 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 136 mm
- height up to aerator 57 mm
- hole diameter 35 mm
- 1/2" connection
- rosette Ø 50 mm
- max. flow 5.7 l/min
- lead-free

	Euro	
polished chrome	17 500 660-00	312.30
platinum matt	17 500 660-06	499.80
matt black	17 500 660-33	421.60

17 500 661



Pillar tap cold water

- 123 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 238 mm
- height up to aerator 168 mm
- hole diameter 35 mm
- rosette Ø 50 mm
- max. flow 5.7 l/min
- lead-free

	Euro	
polished chrome	17 500 661-00	331.60
platinum matt	17 500 661-06	530.60
matt black	17 500 661-33	447.50


36 804 661



Wall-mounted single-lever basin mixer without pop-up waste

- 160 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 60 mm
- rosette Ø 78 mm
- max. flow 5.7 l/min
- lead-free
- with single-point mounting

	Euro	
polished chrome	36 804 661-00	619.30
platinum matt	36 804 661-06	990.70
matt black	36 804 661-33	836.10



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

	Euro	
Concealed rough parts	35 003 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 860 660



Wall-mounted single-lever basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 860 660-00	536.70
platinum matt	36 860 660-06	859.00
matt black	36 860 660-33	724.70



Product alternative

Wall-mounted single-lever basin mixer with individual rosettes

- 90° spout

		Euro
polished chrome	36 862 660-00	536.70
platinum matt	36 862 660-06	859.00
matt black	36 862 660-33	724.70



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

NOTE:Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30

36 861 660



Wall-mounted single-lever basin mixer without pop-up waste

- 250 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 60mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 861 660-00	570.60
platinum matt	36 861 660-06	912.50
matt black	36 861 660-33	770.10



Product alternative

Wall-mounted single-lever basin mixer with individual rosettes

- 90° spout

		Euro
polished chrome	36 863 660-00	570.60
platinum matt	36 863 660-06	912.50
matt black	36 863 660-33	770.10



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

NOTE:Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30




36 860 662



META SLIM Wall-mounted single-lever basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 860 662-00	616.70
platinum matt	36 860 662-06	986.80
matt black	36 860 662-33	832.50



Required miscellaneous Euro

Concealed wall-mounted single-lever mixer Concealed rough parts 35 860 970 90 180.80

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685



Required miscellaneous Euro

Concealed wall-mounted single-lever mixer mixer on right Concealed rough parts 35 816 970 90 310.30

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684


36 861 662



META SLIM Wall-mounted single-lever basin mixer without pop-up waste

- 250 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 861 662-00	656.30
platinum matt	36 861 662-06	1,049.60
matt black	36 861 662-33	885.90



Required miscellaneous Euro

Concealed wall-mounted single-lever mixer Concealed rough parts 35 860 970 90 180.80

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685



Required miscellaneous Euro

Concealed wall-mounted single-lever mixer mixer on right Concealed rough parts 35 816 970 90 310.30

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 860 664



META PURE Wall-mounted single-lever basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 860 664-00	616.70
platinum matt	36 860 664-06	986.80
matt black	36 860 664-33	832.50



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30


36 861 664



META PURE Wall-mounted single-lever basin mixer without pop-up waste

- 250 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 861 664-00	656.30
platinum matt	36 861 664-06	1,049.60
matt black	36 861 664-33	885.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30

44 511 660

NEW



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- 125 mm projection
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Plug-in power supply included
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested

		Euro
polished chrome	44 511 660-00	774.10
platinum matt	44 511 660-06	1,238.60
platinum	44 511 660-08	1,238.60
brushed Durabrass	44 511 660-28	1,532.80
Dark Platinum matt	44 511 660-99	1,393.40
matt black	44 511 660-33	1,045.10

44 515 660

NEW



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **125 mm projection**
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Battery-powered (batteries not included)
- 1x CR-P2 battery required
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested

Batteries not included

		Euro
polished chrome	44 515 660-00	774.10
platinum matt	44 515 660-06	1,238.60
platinum	44 515 660-08	1,238.60
brushed Durabross	44 515 660-28	1,532.80
Dark Platinum matt	44 515 660-99	1,393.40
matt black	44 515 660-33	1,045.10

44 521 660

NEW



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **165 mm projection**
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested

Batteries not included

		Euro
polished chrome	44 521 660-00	599.00
platinum matt	44 521 660-06	958.40
platinum	44 521 660-08	958.40
brushed Durabross	44 521 660-28	1,186.00
Dark Platinum matt	44 521 660-99	1,078.20
matt black	44 521 660-33	808.70

13 716 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- **166 mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 882-00	513.00
	1x 42 765 970 90	553.30
	Price	1,066.30
brushed Durabross	1x 13 716 882-28	1,015.70
	1x 42 765 970 90	553.30
	Price	1,569.00
Dark Platinum matt	1x 13 716 882-99	923.30
	1x 42 765 970 90	553.30
	Price	1,476.60



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 740 970 90	252.50



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 716 882 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 166 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 882-00	513.00
	1x 42 766 970 90	461.10
	Price	974.10
brushed Durabronz	1x 13 716 882-28	1,015.70
	1x 42 766 970 90	461.10
	Price	1,476.80
Dark Platinum matt	1x 13 716 882-99	923.30
	1x 42 766 970 90	461.10
	Price	1,384.40



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 742 970 90	229.40

13 800 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 882-00	433.20
	1x 42 765 970 90	553.30
	Price	986.50
brushed Durabronz	1x 13 800 882-28	857.80
	1x 42 765 970 90	553.30
	Price	1,411.10
Dark Platinum matt	1x 13 800 882-99	779.80
	1x 42 765 970 90	553.30
	Price	1,333.10




Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50



Recommended miscellaneous

- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 800 882 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 882-00	433.20
	1x 42 766 970 90	461.10
	Price	894.30
brushed Durabrass	1x 13 800 882-28	857.80
	1x 42 766 970 90	461.10
	Price	1,318.90
Dark Platinum matt	1x 13 800 882-99	779.80
	1x 42 766 970 90	461.10
	Price	1,240.90




Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 743 970 90	229.40



Recommended miscellaneous

Concealed wall elbow

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

22 901 979



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

		Euro
polished chrome	22 901 979-00	151.80
platinum matt	22 901 979-06	242.80
platinum	22 901 979-08	242.80
brushed Durabrass	22 901 979-28	300.50
Dark Platinum matt	22 901 979-99	273.10
matt black	22 901 979-33	204.90

Miscellaneous

10 060 970



Siphon for basin

- rosette Ø 70 mm

		Euro
polished chrome	10 060 970-00	272.50
platinum matt	10 060 970-06	436.20
platinum	10 060 970-08	436.20
brushed Durabrass	10 060 970-28	539.60
Dark Platinum matt	10 060 970-99	490.50
matt black	10 060 970-33	368.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 600 660



Single-lever bidet mixer with pop-up waste

- **125 mm projection**
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 133 mm
- height up to aerator 55 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min

		Euro
polished chrome	33 600 660-00	554.00
platinum matt	33 600 660-06	886.20
matt black	33 600 660-33	747.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00
platinum	27 701 970-08	416.00
brushed Durabrass	27 701 970-28	514.90
Dark Platinum matt	27 701 970-99	468.10



Recommended miscellaneous


Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80





Shower set solution

Fits Meta



Shower set without hand shower

• Shower set see page 566



Hand shower 15 l/min

• Hand shower see page 612



Single-lever shower mixer for wall mounting

• More control elements can be found from page 638 onwards


		Euro
polished chrome	Price	1,220.10
platinum matt	Price	1,952.40
matt black	Price	1,648.10

		Euro
polished chrome	26 413 625-00	564.20

		Euro
polished chrome	28 015 979-00	101.60

		Euro
polished chrome	33 300 660-00	554.30

Shower set solution



Shower set solution



Shower set without hand shower

• Shower set see page 566



Hand shower 15 l/min

• Hand shower see page 612



Concealed single-lever mixer with cover plate with integrated shower connection

• More control elements can be found from page 638 onwards



Concealed wall mounting

		Euro
polished chrome	Price	1,282.30
platinum matt	Price	1,896.80
matt black	Price	1,640.70

		Euro
polished chrome	26 413 625-00	564.20

		Euro
polished chrome	28 015 979-00	101.60

		Euro
polished chrome	36 045 660-00	358.20

		Euro
Concealed rough parts	35 003 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Headshower solution

		Euro
polished chrome	Price	1,716.20
platinum matt	Price	2,376.90
matt black	Price	2,101.50



Shower head
 • Shower head see page 580

		Euro
polished chrome	28 505 979-00	296.80




Hand shower set with integrated shower holder
 • Hand Shower set see page 616

		Euro
polished chrome	27 803 660-00	355.10




Concealed single-lever mixer with diverter
 • More control elements can be found from page 638 onwards

		Euro
polished chrome	36 120 660-00	450.20



Concealed wall elbow
 This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed single-lever mixer

		Euro
Concealed rough parts	35 020 970 90	190.70



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80

Showerpipe solution



Showerpipe with shower thermostat without hand shower
 • Showerpipe see page 584

		Euro
polished chrome	Price	2,581.80
platinum matt	Price	4,131.10
matt black	Price	3,485.40

		Euro
polished chrome	34 459 892-00	2,480.20



Hand shower 15 l/min
 • Hand shower see page 612

		Euro
polished chrome	28 015 979-00	101.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Rainshower solution



Rain shower with ceiling fixing

- Rain shower see page 596



Shower set without hand shower

- Shower set see page 566



Hand shower 15 l/min

- Hand shower see page 612



xTOOL Concealed thermostat without volume control 3/4"

- More control elements can be found from page 638 onwards




Wall valve clockwise closing 1/2"

- More control elements can be found from page 638 onwards


This article is needed 2x.



Wall elbow



xTOOL Concealed thermostat module with 2 valves 3/4"



Concealed wall elbow

This article is needed 2x.



xGRID Installation track set

	Euro	
polished chrome	Price	4,170.40
platinum matt	Price	5,848.90
matt black	Price	5,149.10

	Euro	
polished chrome	28 669 970-00	659.40

	Euro	
polished chrome	26 413 625-00	564.20

	Euro	
polished chrome	28 015 979-00	101.60

	Euro	
polished chrome	36 503 979-00	914.60

	Euro	
polished chrome	36 607 740-00	231.90

	Euro	
polished chrome	28 450 625-00	93.10

	Euro	
Concealed rough parts	35 521 970 90	950.30

	Euro	
Concealed rough parts	35 085 970 90	98.80

	Euro	
Concealed rough parts	12 380 970 90	225.80

Rainshower solution



Rainshower solution

		Euro
polished chrome	Price	2,561.20
platinum matt	Price	3,633.50
matt black	Price	3,186.80



Rain shower with wall fixing

- Rain shower see page 596

		Euro
polished chrome	28 649 970-00	775.90



Hand shower set with integrated shower holder

- Hand Shower set see page 616


		Euro
polished chrome	27 802 660-00	366.40



Concealed thermostat with two function volume control

- More control elements can be found from page 638 onwards


		Euro
polished chrome	36 426 970-00	644.70



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed thermostat

		Euro
Concealed rough parts	35 425 970 90	350.80



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80



36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
	Price	751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
	Price	1,202.80
platinum	1x 36 002 970-08	969.00
	1x 28 017 979-08	234.30
	Price	1,203.30
brushed Durabrass	1x 36 002 970-28	1,198.60
	1x 28 017 979-28	289.80
	Price	1,488.40
Dark Platinum matt	1x 36 002 970-99	1,089.50
	1x 28 017 979-99	263.50
	Price	1,353.00
matt black	1x 36 002 970-33	817.20
	1x 28 017 979-33	197.70
	Price	1,014.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabrass	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60
matt black	28 018 979-33	147.50




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Shower

36 013 660 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- cover plate Ø 78 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 013 660-00	767.20
	1x 28 018 979-00	109.20
	Price	876.40
platinum matt	1x 36 013 660-06	1,227.30
	1x 28 018 979-06	174.80
	Price	1,402.10
platinum	1x 36 013 660-08	1,228.00
	1x 28 018 979-08	174.80
	Price	1,402.80
brushed Durabrass	1x 36 013 660-28	1,519.10
	1x 28 018 979-28	216.20
	Price	1,735.30
Dark Platinum matt	1x 36 013 660-99	1,380.80
	1x 28 018 979-99	196.60
	Price	1,577.40
matt black	1x 36 013 660-33	1,035.80
	1x 28 018 979-33	147.50
	Price	1,183.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt black	28 017 979-33 0010	197.70



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30



36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
	Price	868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
	Price	1,388.50
platinum	1x 36 110 970-08	1,154.90
	1x 28 017 979-08	234.30
	Price	1,389.20
brushed Durabrass	1x 36 110 970-28	1,428.60
	1x 28 017 979-28	289.80
	Price	1,718.40
Dark Platinum matt	1x 36 110 970-99	1,298.40
	1x 28 017 979-99	263.50
	Price	1,561.90
matt black	1x 36 110 970-33	974.10
	1x 28 017 979-33	197.70
	Price	1,171.80



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabrass	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60
matt black	28 018 979-33	147.50




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
platinum	1x 36 111 970-08	1,322.40
	1x 28 018 979-08	174.80
	Price	1,497.20
brushed Durabronz	1x 36 111 970-28	1,635.60
	1x 28 018 979-28	216.20
	Price	1,851.80
Dark Platinum matt	1x 36 111 970-99	1,486.70
	1x 28 018 979-99	196.60
	Price	1,683.30
matt black	1x 36 111 970-33	1,115.30
	1x 28 018 979-33	147.50
	Price	1,262.80



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum matt	28 012 979-08	304.00
	28 012 979-28	376.20
brushed Durabronz	28 012 979-99	342.00
	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum matt	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
brushed Durabronz	28 017 979-99 0010	263.30
	28 017 979-33 0010	197.70



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

26 413 625 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

Intrinsic protection against back flow.

			Euro
polished chrome	1x 26 413 625-00		564.20
	1x 28 018 979-00		109.20
		Price	673.40
platinum matt	1x 26 413 625-06		902.90
	1x 28 018 979-06		174.80
		Price	1,077.70
platinum	1x 26 413 625-08		902.90
	1x 28 018 979-08		174.80
		Price	1,077.70
brushed Durabrass	1x 26 413 625-28		1,117.20
	1x 28 018 979-28		216.20
		Price	1,333.40
Dark Platinum matt	1x 26 413 625-99		1,015.80
	1x 28 018 979-99		196.60
		Price	1,212.40
matt black	1x 26 413 625-33		761.40
	1x 28 018 979-33		147.50
		Price	908.90



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

			Euro
polished chrome	28 012 979-00		190.00
	28 012 979-06		304.00
platinum matt	28 012 979-08		304.00
	28 012 979-08		304.00
brushed Durabrass	28 012 979-28		376.20
	28 012 979-28		376.20
Dark Platinum matt	28 012 979-99		342.00
	28 012 979-99		342.00
matt black	28 012 979-33		256.40
	28 012 979-33		256.40



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

			Euro
polished chrome	28 017 979-00 0010		146.40
	28 017 979-06 0010		234.10
platinum matt	28 017 979-08 0010		234.10
	28 017 979-08 0010		234.10
brushed Durabrass	28 017 979-28 0010		289.60
	28 017 979-28 0010		289.60
Dark Platinum matt	28 017 979-99 0010		263.30
	28 017 979-99 0010		263.30
matt black	28 017 979-33 0010		197.70
	28 017 979-33 0010		197.70




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

			Euro
polished chrome	28 450 625-00		93.10
	28 450 625-06		149.00
platinum matt	28 450 625-08		149.00
	28 450 625-08		149.00
brushed Durabrass	28 450 625-28		184.40
	28 450 625-28		184.40
Dark Platinum matt	28 450 625-99		167.60
	28 450 625-99		167.60
matt black	28 450 625-33		125.50
	28 450 625-33		125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

			Euro
Concealed rough parts	35 085 970 90		98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 979-00	338.40
	1x 28 018 979-00	109.20
	Price	447.60
platinum matt	1x 26 413 979-06	551.80
	1x 28 018 979-06	174.80
	Price	726.60
platinum	1x 26 413 979-08	541.30
	1x 28 018 979-08	174.80
	Price	716.10
brushed Durabronz	1x 26 413 979-28	669.90
	1x 28 018 979-28	216.20
	Price	886.10
Dark Platinum matt	1x 26 413 979-99	608.90
	1x 28 018 979-99	196.60
	Price	805.50
matt black	1x 26 413 979-33	465.50
	1x 28 018 979-33	147.50
	Price	613.00



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabronz	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabronz	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt black	28 017 979-33 0010	197.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



36 112 970 +
28 015 979



Showerpipe with single-lever shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- automatic diverter for fixed-riser shower/hand shower

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 112 970-00	1,931.30
	1x 28 015 979-00	101.60
	Price	2,032.90
platinum matt	1x 36 112 970-06	3,090.10
	1x 28 015 979-06	162.70
	Price	3,252.80
platinum	1x 36 112 970-08	3,021.40
	1x 28 015 979-08	162.70
	Price	3,184.10
brushed Durabronz	1x 36 112 970-28	3,823.90
	1x 28 015 979-28	201.10
	Price	4,025.00
Dark Platinum matt	1x 36 112 970-99	3,399.20
	1x 28 015 979-99	182.90
	Price	3,582.10
matt black	1x 36 112 970-33	2,607.30
	1x 28 015 979-33	137.10
	Price	2,744.40



Product alternative

- Hand shower 15 l/min**
- three settings: normal flow, soft flow, massage flow
 - spray head Ø 130 mm
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
platinum matt	28 016 979-06	252.40
platinum	28 016 979-08	252.40
brushed Durabronz	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70
matt black	28 016 979-33	212.90




Product alternative

- Hand shower 15 l/min**
- normal flow
 - max. flow 15 l/min
 - Hand shower see page 612

For details and miscellaneous, see page 613

		Euro
polished chrome	28 019 979-00	191.10
platinum matt	28 019 979-06	305.90
platinum	28 019 979-08	305.90
brushed Durabronz	28 019 979-28	378.50
Dark Platinum matt	28 019 979-99	344.10
matt black	28 019 979-33	258.10



Required miscellaneous

- Concealed wall mounting**
- min. recess depth 80 mm
 - max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 892 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 452 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 963mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 892-00	2,480.20
	1x 28 015 979-00	101.60
	Price	2,581.80
platinum matt	1x 34 459 892-06	3,968.40
	1x 28 015 979-06	162.70
	Price	4,131.10
platinum	1x 34 459 892-08	3,968.40
	1x 28 015 979-08	162.70
	Price	4,131.10
brushed Durabronz	1x 34 459 892-28	4,910.90
	1x 28 015 979-28	201.10
	Price	5,112.00
Dark Platinum matt	1x 34 459 892-99	4,464.40
	1x 28 015 979-99	182.90
	Price	4,647.30
matt black	1x 34 459 892-33	3,348.30
	1x 28 015 979-33	137.10
	Price	3,485.40



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40
platinum matt	28 016 979-08	252.40
	28 016 979-28	312.10
brushed Durabronz	28 016 979-99	283.70
	28 016 979-33	212.90



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum matt	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
brushed Durabronz	28 013 979-99 0010	305.90
	28 013 979-33 0010	258.10



34 459 979 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 979-00	2,089.80
	1x 28 015 979-00	101.60
	Price	2,191.40
platinum matt	1x 34 459 979-06	3,268.60
	1x 28 015 979-06	162.70
	Price	3,431.30
platinum	1x 34 459 979-08	3,268.60
	1x 28 015 979-08	162.70
	Price	3,431.30
brushed Durabrass	1x 34 459 979-28	4,137.90
	1x 28 015 979-28	201.10
	Price	4,339.00
Dark Platinum matt	1x 34 459 979-99	3,677.30
	1x 28 015 979-99	182.90
	Price	3,860.20
matt black	1x 34 459 979-33	2,758.10
	1x 28 015 979-33	137.10
	Price	2,895.20



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
platinum matt	28 016 979-06	252.40
platinum	28 016 979-08	252.40
brushed Durabrass	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70
matt black	28 016 979-33	212.90



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
platinum matt	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
brushed Durabrass	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
matt black	28 013 979-33 0010	258.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 460 979-00	2,201.20
	1x 28 018 979-00	109.20
	Price	2,310.40
platinum matt	1x 34 460 979-06	3,521.90
	1x 28 018 979-06	174.80
	Price	3,696.70
platinum	1x 34 460 979-08	3,521.70
	1x 28 018 979-08	174.80
	Price	3,696.50
brushed Durabrass	1x 34 460 979-28	4,358.30
	1x 28 018 979-28	216.20
	Price	4,574.50
Dark Platinum matt	1x 34 460 979-99	3,962.00
	1x 28 018 979-99	196.60
	Price	4,158.60
matt black	1x 34 460 979-33	2,971.60
	1x 28 018 979-33	147.50
	Price	3,119.10



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum matt	28 012 979-08	304.00
	28 012 979-28	376.20
brushed Durabrass	28 012 979-99	342.00
	28 012 979-33	256.40



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum matt	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
brushed Durabrass	28 013 979-99 0010	305.90
	28 013 979-33 0010	258.10



26 024 661 +
28 019 979



Shower system with single-lever shower mixer without hand shower

- shower with fixed riser projection 450 mm
- pivotable 180°
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- max. hand shower flow 15 l/min
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 024 661-00	4,036.10
	1x 28 019 979-00	191.10
	Price	4,227.20
platinum matt	1x 26 024 661-06	6,457.70
	1x 28 019 979-06	305.90
	Price	6,763.60
platinum	1x 26 024 661-08	6,457.80
	1x 28 019 979-08	305.90
	Price	6,763.70
brushed Durabross	1x 26 024 661-28	7,991.40
	1x 28 019 979-28	378.50
	Price	8,369.90
Dark Platinum matt	1x 26 024 661-99	7,265.00
	1x 28 019 979-99	344.10
	Price	7,609.10
matt black	1x 26 024 661-33	5,448.70
	1x 28 019 979-33	258.10
	Price	5,706.80

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabross	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt black	28 017 979-33 0010	197.70

Product alternative




Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabross	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40

Required miscellaneous



Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30

28 504 979




Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 979-00	476.20
platinum matt	28 504 979-06	762.10
platinum	28 504 979-08	762.00
brushed Durabross	28 504 979-28	943.00
Dark Platinum matt	28 504 979-99	857.30
matt black	28 504 979-33	642.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


28 508 979



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 979-00	532.60
platinum matt	28 508 979-06	852.00
platinum	28 508 979-08	852.00
brushed Durabronz	28 508 979-28	1,054.30
Dark Platinum matt	28 508 979-99	958.50
matt black	28 508 979-33	719.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 505 979



Shower head

- 155 mm projection
- ball-joint pivotable through 18° (in any direction)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 7.6 l/min

		Euro
polished chrome	28 505 979-00	296.80
platinum matt	28 505 979-06	474.90
platinum	28 505 979-08	474.90
brushed Durabronz	28 505 979-28	587.70
Dark Platinum matt	28 505 979-99	534.30
matt black	28 505 979-33	400.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



28 649 970



Rain shower with wall fixing

- 450 mm projection
- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 649 970-00	775.90
platinum matt	28 649 970-06	1,241.50
platinum	28 649 970-08	1,241.50
brushed Durabrass	28 649 970-28	1,536.30
Dark Platinum matt	28 649 970-99	1,396.70
matt black	28 649 970-33	1,047.60



Product alternative

Rain shower with wall fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 679 970-00	914.10
platinum matt	28 679 970-06	1,462.90
platinum	28 679 970-08	1,462.90
brushed Durabrass	28 679 970-28	1,810.00
Dark Platinum matt	28 679 970-99	1,645.50
matt black	28 679 970-33	1,234.40




Product alternative

Rain shower with wall fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 659 970-00	1,600.40
platinum matt	28 659 970-06	2,560.60
platinum	28 659 970-08	2,560.60
brushed Durabrass	28 659 970-28	3,168.70
Dark Platinum matt	28 659 970-99	2,880.60
matt black	28 659 970-33	2,160.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 669 970



Rain shower with ceiling fixing

- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 669 970-00	659.40
platinum matt	28 669 970-06	1,055.30
platinum	28 669 970-08	1,055.30
brushed Durabronz	28 669 970-28	1,305.70
Dark Platinum matt	28 669 970-99	1,186.90
matt black	28 669 970-33	890.50



Product alternative

Rain shower with ceiling fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 689 970-00	777.40
platinum matt	28 689 970-06	1,243.50
platinum	28 689 970-08	1,243.50
brushed Durabronz	28 689 970-28	1,539.30
Dark Platinum matt	28 689 970-99	1,399.30
matt black	28 689 970-33	1,049.30




Product alternative

Rain shower with ceiling fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 699 970-00	1,431.10
platinum matt	28 699 970-06	2,289.80
platinum	28 699 970-08	2,289.80
brushed Durabronz	28 699 970-28	2,833.70
Dark Platinum matt	28 699 970-99	2,576.00
matt black	28 699 970-33	1,932.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items

28 031 970

NEW



Rain shower for ceiling fixing

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 031 970-00	601.10
platinum matt	28 031 970-06	961.80
platinum	28 031 970-08	961.80
brushed Durabronz	28 031 970-28	1,190.20
Dark Platinum matt	28 031 970-99	1,082.00
matt black	28 031 970-33	811.50



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

		Euro
Concealed rough parts	35 041 970 90	400.70

For details and miscellaneous, see page 701

28 032 970

NEW

Rain shower for ceiling fixing with light



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

	Euro	
polished chrome	28 032 970-00	903.20
platinum matt	28 032 970-06	1,445.10
platinum	28 032 970-08	1,445.10
brushed Durabronz	28 032 970-28	1,788.30
Dark Platinum matt	28 032 970-99	1,625.80
matt black	28 032 970-33	1,219.30



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

	Euro	
Concealed rough parts	35 042 970 90	602.10

28 033 970

NEW

Rain shower for ceiling installation



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

	Euro	
polished chrome	28 033 970-00	1,205.20
platinum matt	28 033 970-06	1,928.30
platinum	28 033 970-08	1,928.30
brushed Durabronz	28 033 970-28	2,386.30
Dark Platinum matt	28 033 970-99	2,169.40
matt black	28 033 970-33	1,627.00



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

	Euro	
Concealed rough parts	35 033 970 90	803.50

28 034 970

NEW

Rain shower for ceiling installation with light



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- min. recess depth 137,5 mm
- Spray flow, max. flow rate 6 l/min
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

	Euro	
polished chrome	28 034 970-00	1,809.30
platinum matt	28 034 970-06	2,894.90
platinum	28 034 970-08	2,894.90
brushed Durabronz	28 034 970-28	3,582.40
Dark Platinum matt	28 034 970-99	3,256.70
matt black	28 034 970-33	2,442.60



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

	Euro	
Concealed rough parts	35 034 970 90	1,206.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 802 660




Hand shower set with integrated shower holder

- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 802 660-00	366.40
platinum matt	27 802 660-06	586.50
platinum	27 802 660-08	586.50
brushed Durabrass	27 802 660-28	725.50
Dark Platinum matt	27 802 660-99	659.30
matt black	27 802 660-33	494.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 803 660




Hand shower set with integrated shower holder

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 803 660-00	355.10
platinum matt	27 803 660-06	567.90
platinum	27 803 660-08	567.90
brushed Durabrass	27 803 660-28	703.10
Dark Platinum matt	27 803 660-99	638.40
matt black	27 803 660-33	478.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 805 625



Hand shower set

- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 805 625-00	264.30
platinum matt	27 805 625-06	422.90
brushed Durabrass	27 805 625-28	523.40
matt black	27 805 625-33	356.80




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
brushed Durabrass	28 450 625-28	184.40
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



27 806 625



Hand shower set

- normal flow
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 806 625-00	272.50
platinum matt	27 806 625-06	436.30
brushed Durabrass	27 806 625-28	539.60
matt black	27 806 625-33	367.50




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
brushed Durabrass	28 450 625-28	184.40
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 518 979



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 979-00	251.90
platinum matt	28 518 979-06	403.20
platinum	28 518 979-08	403.20
brushed Durabrass	28 518 979-28	498.80
Dark Platinum matt	28 518 979-99	453.40
matt black	28 518 979-33	340.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
platinum	36 515 979-08	707.70
brushed Durabrass	36 515 979-28	876.00
Dark Platinum matt	36 515 979-99	796.40
matt black	36 515 979-33	597.30



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 517 979



WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
platinum	36 517 979-08	1,093.50
brushed Durabrass	36 517 979-28	1,352.80
Dark Platinum matt	36 517 979-99	1,229.80
matt black	36 517 979-33	940.70



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
platinum	36 514 979-08	1,422.70
brushed Durabrand	36 514 979-28	1,760.60
Dark Platinum matt	36 514 979-99	1,600.60
matt black	36 514 979-33	1,200.30

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
platinum	36 513 979-08	1,061.80
brushed Durabrand	36 513 979-28	1,313.50
Dark Platinum matt	36 513 979-99	1,194.00
matt black	36 513 979-33	913.30

Product alternative




WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
platinum	36 512 979-08	1,061.80
brushed Durabrand	36 512 979-28	1,313.50
Dark Platinum matt	36 512 979-99	1,194.00
matt black	36 512 979-33	913.30

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


13 415 979



WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
platinum	13 415 979-08	1,465.30
brushed Durabrass	13 415 979-28	1,813.40
Dark Platinum matt	13 415 979-99	1,648.50
matt black	13 415 979-33	1,236.30



Recommended miscellaneous


Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 420 979



WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
platinum	13 420 979-08	2,093.90
brushed Durabrass	13 420 979-28	2,590.80
matt black	13 420 979-33	1,766.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
platinum	13 425 979-08	1,555.60
brushed Durabrass	13 425 979-28	1,924.80
Dark Platinum matt	13 425 979-99	1,749.90
matt black	13 425 979-33	1,312.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



27 820 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- rosette Ø 70 mm
- holder for Kneipp hose
- hose nozzle with sleeve M33
- with holding ring
- 1/2" wall elbow

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 820 979-00	400.10
	1x 28 285 979-00	84.40
Price		484.50
platinum matt	1x 27 820 979-06	640.20
	1x 28 285 979-06	135.10
Price		775.30
platinum	1x 27 820 979-08	640.20
	1x 28 285 979-08	135.00
Price		775.20
brushed Durabrass	1x 27 820 979-28	792.10
	1x 28 285 979-28	167.00
Price		959.10
Dark Platinum matt	1x 27 820 979-99	720.10
	1x 28 285 979-99	151.90
Price		872.00
matt black	1x 27 820 979-33	540.10
	1x 28 285 979-33	113.90
Price		654.00




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10
platinum	28 286 979-08	135.00
brushed Durabrass	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90
matt black	28 286 979-33	113.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 660




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 660-00	181.00
platinum matt	28 490 660-06	289.40
platinum	28 490 660-08	289.40
brushed Durabrass	28 490 660-28	358.30
Dark Platinum matt	28 490 660-99	325.40
matt black	28 490 660-33	244.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 450 625




Wall elbow

- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
platinum	28 450 625-08	149.00
brushed Durabrass	28 450 625-28	184.40
Dark Platinum matt	28 450 625-99	167.60
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 625



Wall bracket

- rosette Ø 55 mm

		Euro
polished chrome	28 050 625-00	130.00
platinum matt	28 050 625-06	208.20
matt black	28 050 625-33	175.60

28 060 970



Wall bracket swivel

		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
matt black	28 060 970-33	215.10



27 823 979 +
28 285 979

NEW

Kneipp wall elbow with hose holder with individual rosettes

- laminar flow
- with volume control
- **rosette Ø 60 mm**
- holder for Kneipp hose
- 1/2" wall elbow
- **without hose**



		Euro
polished chrome	1x 27 823 979-00	474.40
	1x 28 285 979-00	84.40
	Price	558.80
platinum matt	1x 27 823 979-06	759.10
	1x 28 285 979-06	135.10
	Price	894.20
platinum	1x 27 823 979-08	759.10
	1x 28 285 979-08	135.00
	Price	894.10
brushed Durabrass	1x 27 823 979-28	939.30
	1x 28 285 979-28	167.00
	Price	1,106.30
Dark Platinum matt	1x 27 823 979-99	854.00
	1x 28 285 979-99	151.90
	Price	1,005.90
matt black	1x 27 823 979-33	640.50
	1x 28 285 979-33	113.90
	Price	754.40

Product alternative




WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90
	28 286 979-33	113.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 300 660



Single-lever shower mixer for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.

		Euro
polished chrome	33 300 660-00	554.30
platinum matt	33 300 660-06	886.80
matt black	33 300 660-33	749.60

34 442 979



Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.

		Euro
polished chrome	34 442 979-00	564.60
platinum matt	34 442 979-06	903.20
platinum	34 442 979-08	903.20
brushed Durabronz	34 442 979-28	1,117.80
Dark Platinum matt	34 442 979-99	1,016.00
matt black	34 442 979-33	762.00


36 060 660



Concealed single-lever mixer with cover plate

- cover plate Ø 78 mm

		Euro
polished chrome	36 060 660-00	298.40
platinum matt	36 060 660-06	477.20
platinum	36 060 660-08	477.20
brushed Durabronz	36 060 660-28	591.20
Dark Platinum matt	36 060 660-99	537.40
matt black	36 060 660-33	402.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
platinum	36 050 970-08	597.20
brushed Durabronz	36 050 970-28	739.40
Dark Platinum matt	36 050 970-99	672.50
matt black	36 050 970-33	504.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30


36 045 660



Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate Ø 78 mm
- Intrinsic protection against back flow.

		Euro
polished chrome	36 045 660-00	358.20
platinum matt	36 045 660-06	572.90
platinum	36 045 660-08	573.10
brushed Durabrass	36 045 660-28	709.20
Dark Platinum matt	36 045 660-99	644.70
matt black	36 045 660-33	483.90



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30


36 120 660



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

		Euro
polished chrome	36 120 660-00	450.20
platinum matt	36 120 660-06	720.00
platinum	36 120 660-08	720.30
brushed Durabrass	36 120 660-28	891.30
Dark Platinum matt	36 120 660-99	810.30
matt black	36 120 660-33	608.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 425 970



Concealed thermostat with one function volume control

- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 970-00	542.50
platinum matt	36 425 970-06	868.00
platinum	36 425 970-08	868.00
brushed Durabrass	36 425 970-28	1,074.50
Dark Platinum matt	36 425 970-99	976.70
matt black	36 425 970-33	732.50




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Meta


36 426 970



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 970-00	644.70
platinum matt	36 426 970-06	1,031.30
platinum	36 426 970-08	1,031.30
brushed Durabrass	36 426 970-28	1,276.60
Dark Platinum matt	36 426 970-99	1,160.60
matt black	36 426 970-33	870.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

			Euro
Concealed rough parts	35 425 970 90		350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

			Euro
Concealed rough parts	35 426 970 90		368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 427 970



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 970-00	672.70
platinum matt	36 427 970-06	1,076.30
platinum	36 427 970-08	1,076.30
brushed Durabrass	36 427 970-28	1,331.90
Dark Platinum matt	36 427 970-99	1,210.90
matt black	36 427 970-33	908.60




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 501 979 +
36 607 740



xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 501 979-00	914.60
	1x 36 607 740-00	231.90
	Price	1,146.50
platinum matt	1x 36 501 979-06	1,463.30
	1x 36 607 740-06	371.00
	Price	1,834.30
matt black	1x 36 501 979-33	1,234.90
	1x 36 607 740-33	313.00
	Price	1,547.90



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 691

		Euro
Concealed rough parts	35 511 970 90	570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 503 979 +
2x 36 607 740



xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

			Euro
polished chrome	1x 36 503 979-00		914.60
	2x 36 607 740-00		231.90
		Price	1,378.40
platinum matt	1x 36 503 979-06		1,463.30
	2x 36 607 740-06		371.00
		Price	2,205.30
matt black	1x 36 503 979-33		1,234.90
	2x 36 607 740-33		313.00
		Price	1,860.90




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 692

			Euro
Concealed rough parts	35 521 970 90		950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 693

			Euro
Concealed rough parts	35 524 970 90		939.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 503 979 +
3x 36 607 740



xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 979-00	914.60
	3x 36 607 740-00	231.90
	Price	1,610.30
platinum matt	1x 36 503 979-06	1,463.30
	3x 36 607 740-06	371.00
	Price	2,576.30
matt black	1x 36 503 979-33	1,234.90
	3x 36 607 740-33	313.00
	Price	2,173.90




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 694

		Euro
Concealed rough parts	35 531 970 90	1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 534 970 90	1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



36 501 979



xTOOL Concealed thermostat without volume control 1/2"

- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

		Euro
polished chrome	36 501 979-00	914.60
platinum matt	36 501 979-06	1,463.30
platinum	36 501 979-08	1,463.30
brushed Durabrass	36 501 979-28	1,811.00
Dark Platinum matt	36 501 979-99	1,646.20
matt black	36 501 979-33	1,234.90



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

		Euro
polished chrome	36 503 979-00	914.60
platinum matt	36 503 979-06	1,463.30
platinum	36 503 979-08	1,463.30
brushed Durabrass	36 503 979-28	1,811.00
Dark Platinum matt	36 503 979-99	1,646.20
matt black	36 503 979-33	1,234.90



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 690

		Euro
Concealed rough parts	35 503 970 90	695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 607 740



Wall valve clockwise closing 1/2"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 740-00	231.90
platinum matt	36 607 740-06	371.00
brushed Durabrass	36 607 740-28	459.20
Dark Platinum matt	36 607 740-99	417.40
matt black	36 607 740-33	313.00



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 608 740



Wall valve clockwise closing 3/4"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 740-00	231.90
platinum matt	36 608 740-06	371.00
brushed Durabrass	36 608 740-28	459.20
Dark Platinum matt	36 608 740-99	417.40
matt black	36 608 740-33	313.00




Required miscellaneous

Wall valve 1/2"

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



Required miscellaneous

Wall valve 3/4"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 200 661


NEW



Concealed two-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

		Euro
polished chrome	36 200 661-00	455.10
platinum matt	36 200 661-06	728.10
matt black	36 200 661-33	614.30



Required miscellaneous

Concealed two-way diverter

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 200 740


NEW



Concealed two-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

		Euro
polished chrome	36 200 740-00	275.10
platinum matt	36 200 740-06	440.20
Dark Platinum matt	36 200 740-99	495.20
matt black	36 200 740-33	371.40



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 116 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 210 661


NEW



Concealed three-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

		Euro
polished chrome	36 210 661-00	455.10
platinum matt	36 210 661-06	728.10
matt black	36 210 661-33	614.30



Required miscellaneous

Concealed three-way diverter

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



36 210 740


NEW

Concealed three-way diverter



- rotary diverter
- without rosette
- handle Ø 60mm

		Euro
polished chrome	36 210 740-00	275.10
platinum matt	36 210 740-06	440.20
Dark Platinum matt	36 210 740-99	495.20
matt black	36 210 740-33	371.40



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 116 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


25 863 661



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- 281 mm projection
- 360° pivotable spout
- spout: circular, air-enriched flow
- complete hand shower set: normal flow
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 1031 - 1101 mm
- stand pipe height 565 - 635 mm
- height up to aerator 899 - 969 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 24.6 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 863 661-00	2,669.20
platinum matt	25 863 661-06	4,270.90
brushed Durabrass	25 863 661-28	5,285.20
Dark Platinum matt	25 863 661-99	4,804.70
matt black	25 863 661-33	3,604.30

		Euro
Concealed rough parts	35 945 970 90	676.20

33 200 660



Single-lever bath mixer for wall mounting without shower set

- 202 mm projection
- circular normal flow
- automatic bath/shower diverter
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 14 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

		Euro
polished chrome	33 200 660-00	618.60
platinum matt	33 200 660-06	989.60
matt black	33 200 660-33	835.00

33 233 660



Single-lever bath mixer for wall mounting with hand shower set

- 202 mm projection
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- slide-on rosettes Ø 60 mm
- gauge 150 mm - 15 mm
- 1/2" connection
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm
- max. flow 14 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	33 233 660-00	915.80
platinum matt	33 233 660-06	1,465.40
matt black	33 233 660-33	1,236.80



34 201 979



Bath thermostat for wall mounting without shower set

- 210 mm projection
- circular normal flow
- rotary diverter with volume control and shut-off function
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 16.9 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

	Euro	
polished chrome	34 201 979-00	775.70
platinum matt	34 201 979-06	1,241.10
matt black	34 201 979-33	1,047.10



Recommended miscellaneous

Hand shower set
For details and miscellaneous, see main items

	Euro	
platinum matt	27 806 625-06	436.30

34 234 979



Bath thermostat for wall mounting with hand shower set

- 210 mm projection
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm
- max. flow 16.9 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.


	Euro	
polished chrome	34 234 979-00	1,096.30
platinum matt	34 234 979-06	1,754.00
matt black	34 234 979-33	1,480.00

13 672 661



bath spout without diverter for free-standing assembly

- 282 mm projection
- circular normal flow
- total height 811 - 881 mm
- height up to aerator 671 - 741 mm
- slide-on rosettes Ø 135 mm
- max. flow 28.6 l/min at 3 bar flow pressure



Required miscellaneous

Concealed floor mounting
• min. recess depth 80 mm
• max. recess depth 150 mm
For details and miscellaneous, see page 697

	Euro	
polished chrome	13 672 661-00	1,437.40
platinum matt	13 672 661-06	2,299.80
matt black	13 672 661-33	1,940.40

	Euro	
Concealed rough parts	35 945 970 90	676.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 632 661




Bath shower set for bath rim or tile edge installation

- **221 mm projection**
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 319 mm
- height up to aerator 216 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 23.5 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 632 661-00	1,493.00
platinum matt	27 632 661-06	2,388.70
matt black	27 632 661-33	2,014.60



Recommended miscellaneous

Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60
matt black	12 801 970-33	60.60


13 801 660



bath spout for wall mounting

- **200 mm projection**
- circular normal flow
- rosette Ø 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 660-00	455.50
platinum matt	13 801 660-06	728.60
matt black	13 801 660-33	615.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 702 660



Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette Ø 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 6.8 l/min

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

		Euro
polished chrome	27 702 660-00	378.40
platinum matt	27 702 660-06	605.20
matt black	27 702 660-33	510.90

29 300 660



Single-lever bath mixer for bath rim or tile edge installation

- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

		Euro
polished chrome	29 300 660-00	492.60
platinum matt	29 300 660-06	788.20
matt black	29 300 660-33	665.10

29 140 660



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

		Euro
polished chrome	29 140 660-00	519.40
platinum matt	29 140 660-06	831.20
matt black	29 140 660-33	701.30


36 120 660



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

		Euro
polished chrome	36 120 660-00	450.20
platinum matt	36 120 660-06	720.00
platinum	36 120 660-08	720.30
brushed Durabrass	36 120 660-28	891.30
Dark Platinum matt	36 120 660-99	810.30
matt white	36 120 660-10	607.80
matt black	36 120 660-33	608.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 243 970



Pop-up waste and overflow
 • drain Ø 52mm
Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
platinum	36 243 970-08	284.80
brushed Durabrass	36 243 970-28	352.20
Dark Platinum matt	36 243 970-99	320.20
matt black	36 243 970-33	240.40



Required miscellaneous		Euro
Pop-up waste and overflow	Concealed rough parts	35 227 970 90 144.30
• bowden cable length 725 mm		

36 247 970



bath spout with pop-up waste and overflow
 • drain Ø 52mm
 • max. flow 27.8 l/min at 3 bar flow pressure
Also suitable for king-size baths.
In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
platinum	36 247 970-08	430.70
brushed Durabrass	36 247 970-28	532.80
Dark Platinum matt	36 247 970-99	484.40
matt black	36 247 970-33	363.30



Required miscellaneous		Euro
Bath spout with pop-up waste and overflow	Concealed rough parts	35 248 970 90 397.30
• bowden cable length 725 mm		



Required miscellaneous		Euro
Vacuum breaker	polished chrome	36 150 970-00 73.80
• rosette 70 mm	platinum matt	36 150 970-06 118.10
	platinum	36 150 970-08 118.10
	brushed Durabrass	36 150 970-28 146.00
	Dark Platinum matt	36 150 970-99 132.80
	matt black	36 150 970-33 99.70



Required miscellaneous		Euro
Vacuum breaker	Concealed rough parts	35 150 970 90 253.30
• 3/4" connection		



83 020 979


Bath grip

- gauge 200 mm
- width 240mm
- height 40 mm
- rosette Ø 40 mm
- 75 mm projection

		Euro
polished chrome	83 020 979-00	232.90
platinum matt	83 020 979-06	372.60
matt black	83 020 979-33	314.40

83 060 979


Towel bar

- gauge 600 mm
- width 640mm
- height 40 mm
- rosette Ø 40 mm
- 65 mm projection

		Euro
polished chrome	83 060 979-00	238.70
platinum matt	83 060 979-06	381.90
matt black	83 060 979-33	322.40

83 061 979


Towel bar in two parts

- gauge 600 mm
- width 640mm
- height 40 mm
- rosette Ø 40 mm
- 130 mm projection

		Euro
polished chrome	83 061 979-00	358.00
platinum matt	83 061 979-06	572.90
matt black	83 061 979-33	483.40

83 080 979


Towel bar

- gauge 800 mm
- width 840mm
- height 40 mm
- rosette Ø 40 mm
- 65 mm projection

		Euro
polished chrome	83 080 979-00	248.50
platinum matt	83 080 979-06	397.50
matt black	83 080 979-33	335.50

83 211 979


Towel bar 1-piece non-swivel

- rosette Ø 40 mm
- 490 mm projection

		Euro
polished chrome	83 211 979-00	136.50
platinum matt	83 211 979-06	218.60
matt black	83 211 979-33	184.30

83 215 979


Towel bar 1-piece non-swivel

- rosette Ø 40 mm
- 360 mm projection

		Euro
polished chrome	83 215 979-00	125.20
platinum matt	83 215 979-06	200.60
matt black	83 215 979-33	169.00

83 210 979


Towel bar in two parts non-swivel

- gauge 72 mm
- width 112mm
- height 40 mm
- rosette Ø 40 mm
- 500 mm projection

		Euro
polished chrome	83 210 979-00	260.50
platinum matt	83 210 979-06	416.80
matt black	83 210 979-33	351.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 200 979



Towel ring round

- width 185mm
- rosette Ø 40 mm
- 55 mm projection

		Euro
polished chrome	83 200 979-00	142.10
platinum matt	83 200 979-06	227.70
matt black	83 200 979-33	201.50

83 251 220



Hooks

- 55 mm projection

		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
platinum	83 251 220-08	57.60
brushed Durabrass	83 251 220-28	71.40
Dark Platinum matt	83 251 220-99	64.90
matt black	83 251 220-33	48.80

83 251 979



Hooks

- rosette Ø 40 mm
- 50 mm projection

		Euro
polished chrome	83 251 979-00	59.10
platinum matt	83 251 979-06	94.70
brushed Durabrass	83 251 979-28	117.10
Dark Platinum matt	83 251 979-99	106.30
matt black	83 251 979-33	83.80

83 256 979



Hooks in two parts

- width 80mm
- rosette Ø 40 mm
- 55 mm projection

		Euro
polished chrome	83 256 979-00	109.60
platinum matt	83 256 979-06	175.70
brushed Durabrass	83 256 979-28	217.10
Dark Platinum matt	83 256 979-99	197.40
matt black	83 256 979-33	147.90

83 410 979




Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
platinum	83 410 979-08	372.60
brushed Durabrass	83 410 979-28	461.20
Dark Platinum matt	83 410 979-99	419.30
matt black	83 410 979-33	314.40

84 410 780



Soap dish free-standing model

- width 120mm
- height 10 mm
- 120 mm projection

		Euro
polished chrome	84 410 780-00	283.30
platinum matt	84 410 780-06	453.00
platinum	84 410 780-08	453.00
brushed Durabrass	84 410 780-28	561.00
Dark Platinum matt	84 410 780-99	509.90
matt black	84 410 780-33	382.50



83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
platinum	83 435 970-08	589.30
brushed Durabrass	83 435 970-28	729.30
Dark Platinum matt	83 435 970-99	663.00
matt black	83 435 970-33	497.30

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
platinum	84 435 970-08	542.60
brushed Durabrass	84 435 970-28	672.00
Dark Platinum matt	84 435 970-99	610.90
matt black	84 435 970-33	458.10

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20
matt black	83 400 979-33	303.00



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
platinum	83 401 979-08	359.20
brushed Durabrass	83 401 979-28	444.50
Dark Platinum matt	83 401 979-99	404.00
matt black	83 401 979-33	303.00



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 481 970



Shelf wall model

- width 200mm
- height 26 mm
- 100 mm projection
- **without grid element**

		Euro
polished chrome	83 481 970-00	106.50
platinum matt	83 481 970-06	170.40
platinum	83 481 970-08	170.50
brushed Durabrass	83 481 970-28	211.00
Dark Platinum matt	83 481 970-99	191.80
matt black	83 481 970-33	143.80

Required miscellaneous

Grid element

- plastic grid elements

		Euro
light grey	82 481 970-52	40.60
creamy white	82 481 970-51	40.60
taupe	82 481 970-53	40.60
matt black	82 481 970-33	40.60

83 482 970



Shelf wall model

- width 300mm
- height 26 mm
- 100 mm projection
- **without grid element**

		Euro
polished chrome	83 482 970-00	126.40
platinum matt	83 482 970-06	202.20
platinum	83 482 970-08	202.40
brushed Durabrass	83 482 970-28	250.50
Dark Platinum matt	83 482 970-99	227.70
matt black	83 482 970-33	170.80

Required miscellaneous

Grid element

- plastic grid elements

		Euro
matt black	82 482 970-33	53.80
light grey	82 482 970-52	53.80
creamy white	82 482 970-51	53.80
taupe	82 482 970-53	53.80

83 281 530



Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
platinum	83 281 530-08	292.30
brushed Durabrass	83 281 530-28	362.00
Dark Platinum matt	83 281 530-99	328.90
matt black	83 281 530-33	246.70

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
platinum	83 290 970-08	285.40
brushed Durabrass	83 290 970-28	353.30
Dark Platinum matt	83 290 970-99	321.10
matt black	83 290 970-33	240.80

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
platinum	82 290 970-08	285.40
brushed Durabrass	82 290 970-28	353.30
Dark Platinum matt	82 290 970-99	321.10
matt black	82 290 970-33	240.80



83 500 979



Tissue holder without cover

- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40 mm projection

		Euro
polished chrome	83 500 979-00	211.30
platinum matt	83 500 979-06	338.10
matt black	83 500 979-33	285.30

83 510 979



Tissue holder with cover

- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40 mm projection

		Euro
polished chrome	83 510 979-00	271.20
platinum matt	83 510 979-06	433.70
matt black	83 510 979-33	366.20

83 590 979



Reserve tissue holder

- rosette Ø 40 mm
- 105 mm projection

		Euro
polished chrome	83 590 979-00	138.90
platinum matt	83 590 979-06	222.40
matt black	83 590 979-33	196.90

83 900 970



Toilet brush set wall model

- crystal glass
- brush, matt black
- width 126mm
- height 415 mm
- 120 mm projection

		Euro
polished chrome	83 900 970-00	319.00
platinum matt	83 900 970-06	510.20
Dark Platinum matt	83 900 970-99	574.10
matt black	83 900 970-33	430.70



Recommended miscellaneous

Brush white

		Euro
Concealed rough parts	08 18 50 600 90	12.30



Recommended miscellaneous

Brush matt black

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Glass matt

		Euro
Concealed rough parts	08 90 04 008 82	50.20



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 507 00-00	86.00
platinum matt	90 20 97 507 00-06	137.60
Dark Platinum matt	90 20 97 507 00-99	154.80
matt black	90 20 97 507 00-33	114.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 910 979



Toilet brush set wall model

- brush, matt black
- width 100mm
- height 456 mm
- 110 mm projection

		Euro
polished chrome	83 910 979-00	417.90
platinum matt	83 910 979-06	668.80
platinum	83 910 979-08	668.80
brushed Durabrass	83 910 979-28	827.40
Dark Platinum matt	83 910 979-99	752.20
matt black	83 910 979-33	564.20



Recommended miscellaneous

		Euro
Brush matt black	Concealed rough parts	08 18 50 601 90 27.90



Recommended miscellaneous

		Euro
Brush handle	polished chrome	90 20 97 505 01-00 143.30
	platinum matt	90 20 97 505 01-06 229.10
	platinum	90 20 97 505 01-08 229.10
	brushed Durabrass	90 20 97 505 01-28 283.50
	Dark Platinum matt	90 20 97 505 01-99 257.80
	matt black	90 20 97 505 01-33 193.60

84 910 979



Toilet brush set free-standing model

- brush, matt black
- width 100mm
- height 456 mm

		Euro
polished chrome	84 910 979-00	378.10
platinum matt	84 910 979-06	604.80
platinum	84 910 979-08	604.80
brushed Durabrass	84 910 979-28	748.60
Dark Platinum matt	84 910 979-99	680.50
matt black	84 910 979-33	510.40



Recommended miscellaneous

		Euro
Brush matt black	Concealed rough parts	08 18 50 601 90 27.90



Recommended miscellaneous

		Euro
Brush handle	polished chrome	90 20 97 505 01-00 143.30
	platinum matt	90 20 97 505 01-06 229.10
	platinum	90 20 97 505 01-08 229.10
	brushed Durabrass	90 20 97 505 01-28 283.50
	Dark Platinum matt	90 20 97 505 01-99 257.80
	matt black	90 20 97 505 01-33 193.60

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
platinum	12 660 979-08	1,097.80
brushed Durabrass	12 660 979-28	1,358.40
Dark Platinum matt	12 660 979-99	1,234.90
matt black	12 660 979-33	926.10





Symetrics

Sieger Design

Basin

from page 398

Bidet

from page 403

Shower

from page 404

Thermostats, mixers, diverters and valves

from page 424

Bath

from page 434

Accessories

from page 436



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Wall-mounted basin spouts

120 mm projection

185 mm projection

220 mm projection



13 800 740



13 800 980



13 805 980



Overview of bath fittings

Bath spouts



13 430 740



13 630 740

Hand shower set



27 702 980

Single-lever mixer



29 300 670

Diverter



29 140 670

integrated bath filling



36 247 970

Miscellaneous



36 243 970



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 800 740




Wall-mounted basin spout without pop-up waste

- 125 mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 5 l/min
- lead-free

The mounting height from the top edge of the basin to the centre of the connection should be at least 125 mm. The front edge of the spout should be at least 20 mm in front of the back edge of the sink.

For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

		Euro
polished chrome	13 800 740-00	484.90
platinum matt	13 800 740-06	775.70
platinum	13 800 740-08	775.80
brushed Durabrass	13 800 740-28	960.10
Dark Platinum matt	13 800 740-99	872.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 800 980




Wall-mounted basin spout without pop-up waste

- 185 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free

For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

		Euro
polished chrome	13 800 980-00	603.40
platinum matt	13 800 980-06	965.70
platinum	13 800 980-08	965.50
brushed Durabrass	13 800 980-28	1,194.80
Dark Platinum matt	13 800 980-99	1,086.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 805 980




Wall-mounted basin spout without pop-up waste

- 220 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free

For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

		Euro
polished chrome	13 805 980-00	650.00
platinum matt	13 805 980-06	1,040.10
platinum	13 805 980-08	1,040.10
brushed Durabrass	13 805 980-28	1,287.10
Dark Platinum matt	13 805 980-99	1,170.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80




13 800 740 +
42 765 970



Basin mixer without pop-up waste with temperature setting

		Euro
polished chrome	1x 13 800 740-00	484.90
	1x 42 765 970 90	553.30
	Price	1,038.20




Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 800 740 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 740-00	484.90
	1x 42 766 970 90	461.10
	Price	946.00



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 743 970 90	229.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 800 980 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 185 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set


Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 980-00	603.40
	1x 42 765 970 90	553.30
Price		1,156.70
platinum matt	1x 13 800 980-06	965.70
	1x 42 765 970 90	553.30
Price		1,519.00

Required miscellaneous		Euro
 <p>eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings</p> <ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 125 mm <p>For details and miscellaneous, see page 699</p>	Concealed rough parts	35 741 970 90 252.50

Recommended miscellaneous		Euro
 <p>Concealed wall elbow</p> <ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm <p>For details and miscellaneous, see main items</p>	Concealed rough parts	35 085 970 90 98.80

13 800 980 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 185 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 980-00	603.40
	1x 42 766 970 90	461.10
Price		1,064.50
platinum matt	1x 13 800 980-06	965.70
	1x 42 766 970 90	461.10
Price		1,426.80

Required miscellaneous		Euro
 <p>eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings</p> <ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 125 mm <p>For details and miscellaneous, see page 699</p>	Concealed rough parts	35 743 970 90 229.40



13 805 980 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 220 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 805 980-00	650.00
	1x 42 765 970 90	553.30
	Price	1,203.30
platinum matt	1x 13 805 980-06	1,040.10
	1x 42 765 970 90	553.30
	Price	1,593.40




Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50



Recommended miscellaneous

- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 805 980 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 220 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 805 980-00	650.00
	1x 42 766 970 90	461.10
	Price	1,111.10
platinum matt	1x 13 805 980-06	1,040.10
	1x 42 766 970 90	461.10
	Price	1,501.20



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 743 970 90	229.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

22 901 782



Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

		Euro
polished chrome	22 901 782-00	173.10
platinum matt	22 901 782-06	277.00
platinum	22 901 782-08	277.00
brushed Durabrass	22 901 782-28	342.80
Dark Platinum matt	22 901 782-99	311.70

Miscellaneous

10 060 780



Siphon for basin 1 1/4"

- rosette 78 x 78 mm

		Euro
polished chrome	10 060 780-00	311.80
platinum matt	10 060 780-06	498.90
platinum	10 060 780-08	498.90
brushed Durabrass	10 060 780-28	617.30
Dark Platinum matt	10 060 780-99	561.20



33 600 670



Single-lever bidet mixer with pop-up waste

- 130 mm projection
- fixed spout
- ball-joint pivotable through 30°
- rectangular, air-enriched flow
- height of mixer 188 mm
- height up to aerator 77 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min

		Euro
polished chrome	33 600 670-00	665.40
platinum matt	33 600 670-06	1,064.60
platinum	33 600 670-08	1,064.60
brushed Durabross	33 600 670-28	1,317.50
Dark Platinum matt	33 600 670-99	1,197.70


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00
platinum	27 701 670-08	416.00
brushed Durabross	27 701 670-28	514.90
Dark Platinum matt	27 701 670-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00
platinum	27 701 970-08	416.00
brushed Durabross	27 701 970-28	514.90
Dark Platinum matt	27 701 970-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower




Concealed articles



Miscellaneous



Kitchen



Shower set solution

Shower set without hand shower

- Shower set see page 566



Hand shower 15 l/min

- Hand shower see page 612



Concealed single-lever mixer with cover plate


- More control elements can be found from page 638 onwards




Wall elbow



Concealed wall-mounted single-lever mixer



Concealed wall elbow



xGRID Installation track set



		Euro
polished chrome	Price	1,771.40
platinum matt	Price	2,536.30
platinum	Price	2,536.30
brushed Durabronz	Price	3,011.80
Dark Platinum matt	Price	2,783.80

		Euro
polished chrome	28 413 980-00	564.90

		Euro
polished chrome	28 012 979-00	190.00

		Euro
polished chrome	36 060 670-00	378.10

		Euro
polished chrome	28 450 980-00	133.00

		Euro
Concealed rough parts	35 860 970 90	180.80

		Euro
Concealed rough parts	35 085 970 90	98.80

		Euro
Concealed rough parts	12 380 970 90	225.80





Headshower solution

Fits CL.1, IMO, MEM, Symetrics


		Euro
polished chrome	Price	2,667.20
platinum matt	Price	3,806.90
platinum	Price	3,813.70
brushed Durabrass	Price	4,522.10
Dark Platinum matt	Price	4,181.30



Shower head

• Shower head see page 580

		Euro
polished chrome	28 504 670-00	493.40



Hand shower set with cover plate

• Hand Shower set see page 616


		Euro
polished chrome	27 818 980-00	678.10



Concealed thermostat with two function volume control

• More control elements can be found from page 638 onwards


		Euro
polished chrome	36 426 670-00	721.50



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



Concealed thermostat

		Euro
Concealed rough parts	35 425 970 90	350.80



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80



Showerpipe solution

Fits CL.1, IMO, MEM, Symetrics

		Euro
polished chrome	Price	2,587.60
platinum matt	Price	4,140.20
platinum	Price	4,140.10
brushed Durabrass	Price	5,123.40
Dark Platinum matt	Price	4,657.60



Hand shower 15 l/min

• Hand shower see page 612

		Euro
polished chrome	28 018 979-00	109.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen



Rainshower solution



Rain shower with wall fixing

- Rain shower see page 596



Hand shower set with cover plate

- Hand Shower set see page 616




xTOOL Concealed thermostat without volume control 3/4"

- More control elements can be found from page 638 onwards




Wall valve anti-clockwise closing 1/2"

- More control elements can be found from page 638 onwards



Concealed wall elbow

This article is needed 2x.



xTOOL Concealed thermostat module with 2 valves 3/4"



xGRID Installation track set

		Euro
polished chrome	Price	4,834.20
platinum matt	Price	6,916.50
platinum	Price	6,917.10
brushed Durabrass	Price	8,235.80
Dark Platinum matt	Price	7,611.10

		Euro
polished chrome	28 765 980-00	1,230.30

		Euro
polished chrome	27 818 980-00	678.10

		Euro
polished chrome	36 503 985-00	1,062.10

		Euro
polished chrome	36 607 985-00	250.20

		Euro
Concealed rough parts	35 085 970 90	98.80

		Euro
Concealed rough parts	35 524 970 90	939.90

		Euro
Concealed rough parts	12 380 970 90	225.80



36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

			Euro
polished chrome	1x 36 002 970-00		605.30
	1x 28 017 979-00		146.40
		Price	751.70
platinum matt	1x 36 002 970-06		968.50
	1x 28 017 979-06		234.30
		Price	1,202.80
platinum	1x 36 002 970-08		969.00
	1x 28 017 979-08		234.30
		Price	1,203.30
brushed Durabronz	1x 36 002 970-28		1,198.60
	1x 28 017 979-28		289.80
		Price	1,488.40
Dark Platinum matt	1x 36 002 970-99		1,089.50
	1x 28 017 979-99		263.50
		Price	1,353.00



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

			Euro
polished chrome	28 018 979-00		109.20
	28 018 979-06		174.80
platinum	28 018 979-08		174.80
	28 018 979-28		216.20
Dark Platinum matt	28 018 979-99		196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

			Euro
polished chrome	28 012 979-00		190.00
	28 012 979-06		304.00
platinum	28 012 979-08		304.00
	28 012 979-28		376.20
Dark Platinum matt	28 012 979-99		342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

			Euro
Concealed rough parts	35 050 970 90		258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Shower

36 013 970 +
28 012 979



Concealed single-lever mixer with integrated shower connection with shower set

- cover plate 80 x 80 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 013 970-00	749.00
	1x 28 012 979-00	190.00
Price		939.00
platinum matt	1x 36 013 970-06	1,208.60
	1x 28 012 979-06	304.00
Price		1,512.60
platinum	1x 36 013 970-08	1,197.20
	1x 28 012 979-08	304.00
Price		1,501.20
brushed Durabrass	1x 36 013 970-28	1,483.00
	1x 28 012 979-28	376.20
Price		1,859.20
Dark Platinum matt	1x 36 013 970-99	1,347.60
	1x 28 012 979-99	342.00
Price		1,689.60



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabrass	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30



36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
	Price	868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
	Price	1,388.50
platinum	1x 36 110 970-08	1,154.90
	1x 28 017 979-08	234.30
	Price	1,389.20
brushed Durabronz	1x 36 110 970-28	1,428.60
	1x 28 017 979-28	289.80
	Price	1,718.40
Dark Platinum matt	1x 36 110 970-99	1,298.40
	1x 28 017 979-99	263.50
	Price	1,561.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabronz	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabronz	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
platinum	1x 36 111 970-08	1,322.40
	1x 28 018 979-08	174.80
	Price	1,497.20
brushed Durabrass	1x 36 111 970-28	1,635.60
	1x 28 018 979-28	216.20
	Price	1,851.80
Dark Platinum matt	1x 36 111 970-99	1,486.70
	1x 28 018 979-99	196.60
	Price	1,683.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



26 413 980 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

Intrinsic protection against back flow.

			Euro
polished chrome	1x 26 413 980-00		564.90
	1x 28 012 979-00		190.00
		Price	754.90
platinum matt	1x 26 413 980-06		903.50
	1x 28 012 979-06		304.00
		Price	1,207.50
platinum	1x 26 413 980-08		903.50
	1x 28 012 979-08		304.00
		Price	1,207.50
brushed Durabrass	1x 26 413 980-28		1,118.30
	1x 28 012 979-28		376.20
		Price	1,494.50
Dark Platinum matt	1x 26 413 980-99		1,016.50
	1x 28 012 979-99		342.00
		Price	1,358.50



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

			Euro
polished chrome	28 018 979-00		109.20
	28 018 979-06		174.80
platinum	28 018 979-08		174.80
	28 018 979-28		216.20
Dark Platinum matt	28 018 979-99		196.60



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

			Euro
polished chrome	28 017 979-00 0010		146.40
	28 017 979-06 0010		234.10
platinum	28 017 979-08 0010		234.10
	28 017 979-28 0010		289.60
Dark Platinum matt	28 017 979-99 0010		263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

			Euro
polished chrome	28 450 980-00		133.00
	28 450 980-06		212.90
platinum	28 450 980-08		212.90
	28 450 980-28		263.30
Dark Platinum matt	28 450 980-99		239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

			Euro
Concealed rough parts	35 085 970 90		98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 979-00	338.40
	1x 28 018 979-00	109.20
	Price	447.60
platinum matt	1x 26 413 979-06	551.80
	1x 28 018 979-06	174.80
	Price	726.60
platinum	1x 26 413 979-08	541.30
	1x 28 018 979-08	174.80
	Price	716.10
brushed Durabrass	1x 26 413 979-28	669.90
	1x 28 018 979-28	216.20
	Price	886.10
Dark Platinum matt	1x 26 413 979-99	608.90
	1x 28 018 979-99	196.60
	Price	805.50



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 980-00	133.00
	28 450 980-06	212.90
platinum	28 450 980-08	212.90
	28 450 980-28	263.30
Dark Platinum matt	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



34 459 980 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower 300 x 240mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 980-00	2,478.40
	1x 28 018 979-00	109.20
	Price	2,587.60
platinum matt	1x 34 459 980-06	3,965.40
	1x 28 018 979-06	174.80
	Price	4,140.20
platinum	1x 34 459 980-08	3,965.30
	1x 28 018 979-08	174.80
	Price	4,140.10
brushed Durabronz	1x 34 459 980-28	4,907.20
	1x 28 018 979-28	216.20
	Price	5,123.40
Dark Platinum matt	1x 34 459 980-99	4,461.00
	1x 28 018 979-99	196.60
	Price	4,657.60



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90


28 504 670



Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 670-00	493.40
	28 504 670-06	783.00
platinum	28 504 670-08	789.40
	28 504 670-28	976.90
Dark Platinum matt	28 504 670-99	888.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


28 508 980



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 980-00	547.60
platinum matt	28 508 980-06	876.00
platinum	28 508 980-08	876.20
brushed Durabronz	28 508 980-28	1,084.40
Dark Platinum matt	28 508 980-99	985.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 765 980



Rain shower with wall fixing

- 450 mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 765 980-00	1,230.30
platinum matt	28 765 980-06	1,968.50
platinum	28 765 980-08	1,968.50
brushed Durabronz	28 765 980-28	2,436.00
Dark Platinum matt	28 765 980-99	2,214.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 775 980



Rain shower with ceiling fixing

- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 775 980-00	1,045.80
platinum matt	28 775 980-06	1,673.30
platinum	28 775 980-08	1,673.30
brushed Durabronz	28 775 980-28	2,070.70
Dark Platinum matt	28 775 980-99	1,882.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 041 980

NEW



Rain shower for ceiling fixing

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 041 980-00	601.10
platinum matt	28 041 980-06	961.80
platinum	28 041 980-08	961.80
brushed Durabronz	28 041 980-28	1,190.20
Dark Platinum matt	28 041 980-99	1,082.00



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 041 970 90	400.70



28 042 980 **NEW**



Rain shower for ceiling fixing with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

		Euro
polished chrome	28 042 980-00	903.20
platinum matt	28 042 980-06	1,445.10
platinum	28 042 980-08	1,445.10
brushed Durabross	28 042 980-28	1,788.30
Dark Platinum matt	28 042 980-99	1,625.80



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 042 970 90	602.10

28 043 980 **NEW**



Rain shower for ceiling installation

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

		Euro
polished chrome	28 043 980-00	1,205.20
platinum matt	28 043 980-06	1,928.30
platinum	28 043 980-08	1,928.30
brushed Durabross	28 043 980-28	2,386.30
Dark Platinum matt	28 043 980-99	2,169.40



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 043 970 90	803.50

28 044 980 **NEW**



Rain shower for ceiling installation with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

		Euro
polished chrome	28 044 980-00	1,809.30
platinum matt	28 044 980-06	2,894.90
platinum	28 044 980-08	2,894.90
brushed Durabross	28 044 980-28	3,582.40
Dark Platinum matt	28 044 980-99	3,256.70



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 044 970 90	1,206.20

27 802 970




Hand shower set with integrated shower holder

- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 802 970-00	378.00
platinum matt	27 802 970-06	604.10
platinum	27 802 970-08	604.10
brushed Durabross	27 802 970-28	748.30
Dark Platinum matt	27 802 970-99	680.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 808 980




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 808 980-00	570.30
platinum matt	27 808 980-06	912.50
platinum	27 808 980-08	912.50
brushed Durabrass	27 808 980-28	1,129.00
Dark Platinum matt	27 808 980-99	1,026.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 809 980




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 980-00	717.30
platinum matt	27 809 980-06	1,147.70
platinum	27 809 980-08	1,147.50
brushed Durabrass	27 809 980-28	1,420.10
Dark Platinum matt	27 809 980-99	1,291.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 809 985




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 985-00	748.60
platinum matt	27 809 985-06	1,197.90
platinum	27 809 985-08	1,197.70
brushed Durabrass	27 809 985-28	1,482.10
Dark Platinum matt	27 809 985-99	1,347.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



27 818 980




Hand shower set with cover plate

- normal flow
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 818 980-00	678.10
platinum matt	27 818 980-06	1,084.70
platinum	27 818 980-08	1,085.10
brushed Durabross	27 818 980-28	1,342.60
Dark Platinum matt	27 818 980-99	1,220.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 518 782



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 782-00	304.60
platinum matt	28 518 782-06	487.50
platinum	28 518 782-08	487.50
brushed Durabross	28 518 782-28	603.20
Dark Platinum matt	28 518 782-99	548.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
platinum	36 515 979-08	707.70
brushed Durabross	36 515 979-28	876.00
Dark Platinum matt	36 515 979-99	796.40



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30




Recommended miscellaneous

WATER POINTS Adapter plate

- adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 305 970 90	29.00



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 517 979




WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
platinum	36 517 979-08	1,093.50
brushed Durabrass	36 517 979-28	1,352.80
Dark Platinum matt	36 517 979-99	1,229.80

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
platinum	36 514 979-08	1,422.70
brushed Durabrass	36 514 979-28	1,760.60
Dark Platinum matt	36 514 979-99	1,600.60

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
platinum	36 513 979-08	1,061.80
brushed Durabrass	36 513 979-28	1,313.50
Dark Platinum matt	36 513 979-99	1,194.00




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
platinum	36 512 979-08	1,061.80
brushed Durabrass	36 512 979-28	1,313.50
Dark Platinum matt	36 512 979-99	1,194.00



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


13 415 979



WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
platinum	13 415 979-08	1,465.30
brushed Durabrass	13 415 979-28	1,813.40
Dark Platinum matt	13 415 979-99	1,648.50



Recommended miscellaneous


Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 420 979



WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
platinum	13 420 979-08	2,093.90
brushed Durabrass	13 420 979-28	2,590.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
platinum	13 425 979-08	1,555.60
brushed Durabrass	13 425 979-28	1,924.80
Dark Platinum matt	13 425 979-99	1,749.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 838 979




Affusion pipe with cover plate

- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 9.5 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 838 979-00	726.80
platinum matt	27 838 979-06	1,162.70
platinum	27 838 979-08	1,162.70
brushed Durabrass	27 838 979-28	1,438.90
Dark Platinum matt	27 838 979-99	1,308.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 821 979-00	551.60
	1x 28 285 979-00	84.40
	Price	636.00
platinum matt	1x 27 821 979-06	882.60
	1x 28 285 979-06	135.10
	Price	1,017.70
platinum	1x 27 821 979-08	882.60
	1x 28 285 979-08	135.00
	Price	1,017.60
brushed Durabronz	1x 27 821 979-28	1,092.40
	1x 28 285 979-28	167.00
	Price	1,259.40
Dark Platinum matt	1x 27 821 979-99	993.00
	1x 28 285 979-99	151.90
	Price	1,144.90

Product alternative




WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10
platinum	28 286 979-08	135.00
brushed Durabronz	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 822 979 +
28 285 979



Kneipp wall elbow

- laminar flow
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 822 979-00	467.00
	1x 28 285 979-00	84.40
Price		551.40
platinum matt	1x 27 822 979-06	747.20
	1x 28 285 979-06	135.10
Price		882.30
platinum	1x 27 822 979-08	747.20
	1x 28 285 979-08	135.00
Price		882.20
brushed Durabronz	1x 27 822 979-28	924.80
	1x 28 285 979-28	167.00
Price		1,091.80
Dark Platinum matt	1x 27 822 979-99	840.70
	1x 28 285 979-99	151.90
Price		992.60




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 970




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 970-00	191.90
	28 490 970-06	307.20
platinum	28 490 970-08	307.20
	28 490 970-28	379.90
Dark Platinum matt	28 490 970-99	345.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 980




Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 980-00	133.00
	28 450 980-06	212.90
platinum	28 450 980-08	212.90
	28 450 980-28	263.30
Dark Platinum matt	28 450 980-99	239.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 980



Wall bracket

- rosette 60 x 60 mm

		Euro
polished chrome	28 050 980-00	172.60
platinum matt	28 050 980-06	276.40
platinum	28 050 980-08	276.40
brushed Durabrass	28 050 980-28	341.70
Dark Platinum matt	28 050 980-99	310.70

28 060 970



Wall bracket swivel

		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
platinum	28 060 970-08	254.90
brushed Durabrass	28 060 970-28	315.30
Dark Platinum matt	28 060 970-99	286.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 442 979



Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.

		Euro
polished chrome	34 442 979-00	564.60
platinum matt	34 442 979-06	903.20
platinum	34 442 979-08	903.20
brushed Durabrass	34 442 979-28	1,117.80
Dark Platinum matt	34 442 979-99	1,016.00


36 060 670



Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

		Euro
polished chrome	36 060 670-00	378.10
platinum matt	36 060 670-06	610.50
platinum	36 060 670-08	610.50
brushed Durabrass	36 060 670-28	748.60
Dark Platinum matt	36 060 670-99	680.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
platinum	36 050 970-08	597.20
brushed Durabrass	36 050 970-28	739.40
Dark Platinum matt	36 050 970-99	672.50



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

36 045 970




Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate 80 x 80 mm

Intrinsic protection against back flow.

		Euro
polished chrome	36 045 970-00	384.90
platinum matt	36 045 970-06	615.60
platinum	36 045 970-08	615.60
brushed Durabrass	36 045 970-28	762.20
Dark Platinum matt	36 045 970-99	693.20



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30




36 120 670



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
platinum	36 120 670-08	776.00
brushed Durabrass	36 120 670-28	960.30
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous Euro

Concealed single-lever mixer Concealed rough parts 35 020 970 90 **190.70**

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687



Required miscellaneous Euro

Concealed single-lever mixer with backflow preventor Concealed rough parts 35 021 970 90 **272.40**

- min. recess depth 80 mm
- max. recess depth 105 mm


For details and miscellaneous, see page 686



Required miscellaneous Euro

xGRID Installation track 555 mm Concealed rough parts 12 360 970 90 **90.30**

For details and miscellaneous, see page 704



Recommended miscellaneous Euro

xGRID Attachment set for integrating in the dry wall construction Concealed rough parts 12 340 970 90 **90.90**

For details and miscellaneous, see page 704


36 425 670



Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 670-00	608.50
platinum matt	36 425 670-06	982.40
platinum	36 425 670-08	982.40
brushed Durabrass	36 425 670-28	1,204.80
Dark Platinum matt	36 425 670-99	1,095.30




Required miscellaneous Euro

Concealed thermostat Concealed rough parts 35 425 970 90 **350.80**

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688



Required miscellaneous Euro

Concealed thermostat with built-in isolators Concealed rough parts 35 426 970 90 **368.40**

- min. recess depth 80 mm
- max. recess depth 136 mm


For details and miscellaneous, see page 688



Required miscellaneous Euro

xGRID Installation track 555 mm Concealed rough parts 12 360 970 90 **90.30**

For details and miscellaneous, see page 704



Recommended miscellaneous Euro

xGRID Attachment set for integrating in the dry wall construction Concealed rough parts 12 340 970 90 **90.90**

For details and miscellaneous, see page 704



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 426 670



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 670-00	721.50
platinum matt	36 426 670-06	1,165.00
platinum	36 426 670-08	1,165.00
brushed Durabronz	36 426 670-28	1,428.40
Dark Platinum matt	36 426 670-99	1,298.50




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 427 670



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 670-00	765.00
platinum matt	36 427 670-06	1,235.10
platinum	36 427 670-08	1,199.00
brushed Durabronz	36 427 670-28	1,514.60
Dark Platinum matt	36 427 670-99	1,376.90




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 503 780 +
2x 36 607 980



xTOOL Thermostat module with 2 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

			Euro
polished chrome	1x 36 503 780-00		1,039.40
	2x 36 607 980-00		217.20
		Price	1,473.80
platinum matt	1x 36 503 780-06		1,663.30
	2x 36 607 980-06		347.10
		Price	2,357.50
platinum	1x 36 503 780-08		1,663.30
	2x 36 607 980-08		347.60
		Price	2,358.50
brushed Durabrass	1x 36 503 780-28		2,058.10
	2x 36 607 980-28		430.10
		Price	2,918.30
Dark Platinum matt	1x 36 503 780-99		1,871.00
	2x 36 607 980-99		391.00
		Price	2,653.00




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 693

			Euro
Concealed rough parts	35 524 970 90		939.90



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 692

			Euro
Concealed rough parts	35 521 970 90		950.30



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90

36 503 985 +
2x 36 607 985



xTOOL Thermostat module

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

			Euro
polished chrome	1x 36 503 985-00		1,062.10
	2x 36 607 985-00		250.20
		Price	1,562.50
platinum matt	1x 36 503 985-06		1,699.40
	2x 36 607 985-06		400.30
		Price	2,500.00
platinum	1x 36 503 985-08		1,699.40
	2x 36 607 985-08		400.40
		Price	2,500.20
brushed Durabrass	1x 36 503 985-28		2,102.90
	2x 36 607 985-28		495.50
		Price	3,093.90
Dark Platinum matt	1x 36 503 985-99		1,911.70
	2x 36 607 985-99		450.50
		Price	2,812.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


**36 503 780 +
3x 36 607 980**



xTOOL Thermostat module with 3 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 780-00	1,039.40
	3x 36 607 980-00	217.20
	Price	1,691.00
platinum matt	1x 36 503 780-06	1,663.30
	3x 36 607 980-06	347.10
	Price	2,704.60
platinum	1x 36 503 780-08	1,663.30
	3x 36 607 980-08	347.60
	Price	2,706.10
brushed Durabrass	1x 36 503 780-28	2,058.10
	3x 36 607 980-28	430.10
	Price	3,348.40
Dark Platinum matt	1x 36 503 780-99	1,871.00
	3x 36 607 980-99	391.00
	Price	3,044.00




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 534 970 90	1,106.40



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 694

		Euro
Concealed rough parts	35 531 970 90	1,021.20




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

**36 503 985 +
3x 36 607 985**



xTOOL Thermostat module

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 985-00	1,062.10
	3x 36 607 985-00	250.20
	Price	1,812.70
platinum matt	1x 36 503 985-06	1,699.40
	3x 36 607 985-06	400.30
	Price	2,900.30
platinum	1x 36 503 985-08	1,699.40
	3x 36 607 985-08	400.40
	Price	2,900.60
brushed Durabrass	1x 36 503 985-28	2,102.90
	3x 36 607 985-28	495.50
	Price	3,589.40
Dark Platinum matt	1x 36 503 985-99	1,911.70
	3x 36 607 985-99	450.50
	Price	3,263.20



36 501 780



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

		Euro
polished chrome	36 501 780-00	1,039.40
platinum matt	36 501 780-06	1,663.30
platinum	36 501 780-08	1,663.30
brushed Durabrass	36 501 780-28	2,058.10
Dark Platinum matt	36 501 780-99	1,871.00



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

		Euro
polished chrome	36 503 780-00	1,039.40
platinum matt	36 503 780-06	1,663.30
platinum	36 503 780-08	1,663.30
brushed Durabrass	36 503 780-28	2,058.10
Dark Platinum matt	36 503 780-99	1,871.00



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 690

		Euro
Concealed rough parts	35 503 970 90	695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 501 985



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

		Euro
polished chrome	36 501 985-00	1,062.10
platinum matt	36 501 985-06	1,699.40
platinum	36 501 985-08	1,699.40
brushed Durabrass	36 501 985-28	2,102.90
Dark Platinum matt	36 501 985-99	1,911.70



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

		Euro
polished chrome	36 503 985-00	1,062.10
platinum matt	36 503 985-06	1,699.40
platinum	36 503 985-08	1,699.40
brushed Durabrass	36 503 985-28	2,102.90
Dark Platinum matt	36 503 985-99	1,911.70



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 690

		Euro
Concealed rough parts	35 503 970 90	695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 337 980



Wall valve with 2 valves with diverter for wall mounting

- cover plate 240 x 60 mm

		Euro
polished chrome	36 337 980-00	605.40
platinum matt	36 337 980-06	968.90
platinum	36 337 980-08	968.70
brushed Durabrass	36 337 980-28	1,198.80
Dark Platinum matt	36 337 980-99	1,089.80



Required miscellaneous

Wall valve module with 2 valves with diverter for wall mounting

- min. recess depth 92 mm
- max. recess depth 158 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 696 970 90	582.50


36 607 980



Wall valve anti-clockwise closing 1/2"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 980-00	217.20
platinum matt	36 607 980-06	347.10
platinum	36 607 980-08	347.60
brushed Durabrass	36 607 980-28	430.10
Dark Platinum matt	36 607 980-99	391.00



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20




36 607 985



Wall valve anti-clockwise closing 1/2"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 985-00	250.20
platinum matt	36 607 985-06	400.30
platinum	36 607 985-08	400.40
brushed Durabrass	36 607 985-28	495.50
Dark Platinum matt	36 607 985-99	450.50



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 608 980



Wall valve anti-clockwise closing 3/4"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 980-00	217.10
platinum matt	36 608 980-06	347.20
platinum	36 608 980-08	347.40
brushed Durabrass	36 608 980-28	429.80
Dark Platinum matt	36 608 980-99	390.80



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90


36 608 985



Wall valve anti-clockwise closing 3/4"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 985-00	250.20
platinum matt	36 608 985-06	400.30
platinum	36 608 985-08	400.40
brushed Durabrass	36 608 985-28	495.50
Dark Platinum matt	36 608 985-99	450.50



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

20 000 986



Deck valve clockwise closing cold

- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with cold marking

		Euro
polished chrome	20 000 986-00	292.50
platinum matt	20 000 986-06	468.00
platinum	20 000 986-08	468.10
brushed Durabrass	20 000 986-28	579.10
Dark Platinum matt	20 000 986-99	526.40



Product alternative

Deck valve anti-clockwise closing hot

- hole diameter 32 mm

		Euro
polished chrome	20 000 985-00	292.50
platinum matt	20 000 985-06	468.00
platinum	20 000 985-08	468.10
brushed Durabrass	20 000 985-28	579.10
Dark Platinum matt	20 000 985-99	526.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

20 000 740



Deck valve clockwise closing cold

- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with cold marking

		Euro
polished chrome	20 000 740-00	258.70
platinum matt	20 000 740-06	413.80
platinum	20 000 740-08	414.00
brushed Durabrass	20 000 740-28	512.20
Dark Platinum matt	20 000 740-99	465.60



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 000 741-00	258.70
platinum matt	20 000 741-06	413.80
brushed Durabrass	20 000 741-28	512.20
Dark Platinum matt	20 000 741-99	465.60

20 000 980



Deck valve anti-clockwise closing cold or hot

- hole diameter valve 32 mm
- rosette 60 x 60 mm

		Euro
polished chrome	20 000 980-00	260.00
platinum matt	20 000 980-06	416.00
platinum	20 000 980-08	416.00
brushed Durabrass	20 000 980-28	514.90
Dark Platinum matt	20 000 980-99	468.10

36 200 980


NEW

Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm



		Euro
polished chrome	36 200 980-00	260.00
platinum matt	36 200 980-06	416.00
brushed Durabrass	36 200 980-28	514.80
Dark Platinum matt	36 200 980-99	468.00



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

		Euro
Concealed rough parts	35 202 970 90	238.20

For details and miscellaneous, see page 696

36 200 985


NEW

Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm



		Euro
polished chrome	36 200 985-00	298.70
platinum matt	36 200 985-06	478.00
brushed Durabrass	36 200 985-28	591.60
Dark Platinum matt	36 200 985-99	537.80



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

		Euro
Concealed rough parts	35 202 970 90	238.20

For details and miscellaneous, see page 696



36 210 980


NEW

Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm



		Euro
polished chrome	36 210 980-00	260.00
platinum matt	36 210 980-06	416.00
brushed Durabrass	36 210 980-28	514.80
Dark Platinum matt	36 210 980-99	468.00



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00

36 210 985


NEW

Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm



		Euro
polished chrome	36 210 985-00	298.70
platinum matt	36 210 985-06	478.00
brushed Durabrass	36 210 985-28	591.40
Dark Platinum matt	36 210 985-99	537.60



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 630 740



Bath cascade spout without diverter for deck mounting

- 235 mm projection
- cascade
- height of mixer 100 mm
- height up to aerator 80 mm
- hole diameter 32 mm
- 1/2" connection
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 630 740-00	1,830.60
platinum matt	13 630 740-06	2,929.00
platinum	13 630 740-08	2,928.90
brushed Durabrass	13 630 740-28	3,624.60
Dark Platinum matt	13 630 740-99	3,295.10


13 430 740



Bath cascade spout for wall mounting

- 200 mm projection
- cascade
- plate 180 mm x 60 mm
- hole diameter 40 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 430 740-00	1,364.10
platinum matt	13 430 740-06	2,182.50
platinum	13 430 740-08	2,182.50
brushed Durabrass	13 430 740-28	2,700.90
Dark Platinum matt	13 430 740-99	2,455.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 702 980



Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 6.8 l/min

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

		Euro
polished chrome	27 702 980-00	459.50
platinum matt	27 702 980-06	735.20
platinum	27 702 980-08	735.20
brushed Durabrass	27 702 980-28	909.80
Dark Platinum matt	27 702 980-99	827.10

29 300 670



Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

		Euro
polished chrome	29 300 670-00	544.00
platinum matt	29 300 670-06	870.20
platinum	29 300 670-08	870.20
brushed Durabrass	29 300 670-28	1,077.10
Dark Platinum matt	29 300 670-99	979.20

29 140 670



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

		Euro
polished chrome	29 140 670-00	701.80
platinum matt	29 140 670-06	1,123.00
platinum	29 140 670-08	1,123.00
brushed Durabrass	29 140 670-28	1,389.60
Dark Platinum matt	29 140 670-99	1,263.30

36 243 970



Pop-up waste and overflow
 • drain Ø 52mm
Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
platinum	36 243 970-08	284.80
brushed Durabrass	36 243 970-28	352.20
Dark Platinum matt	36 243 970-99	320.20



Required miscellaneous		Euro
Pop-up waste and overflow	Concealed rough parts	35 227 970 90 144.30
• bowden cable length 725 mm		

36 247 970



bath spout with pop-up waste and overflow
 • drain Ø 52mm
 • max. flow 27.8 l/min at 3 bar flow pressure
Also suitable for king-size baths.
In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
platinum	36 247 970-08	430.70
brushed Durabrass	36 247 970-28	532.80
Dark Platinum matt	36 247 970-99	484.40



Required miscellaneous		Euro
Bath spout with pop-up waste and overflow	Concealed rough parts	35 248 970 90 397.30
• bowden cable length 725 mm		



Required miscellaneous		Euro
Vacuum breaker	polished chrome	36 150 970-00 73.80
• rosette 70 mm	platinum matt	36 150 970-06 118.10
	platinum	36 150 970-08 118.10
	brushed Durabrass	36 150 970-28 146.00
	Dark Platinum matt	36 150 970-99 132.80



Required miscellaneous		Euro
Vacuum breaker	Concealed rough parts	35 150 970 90 253.30
• 3/4" connection		



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 030 780



Bath grip

- gauge 185 mm
- width 300mm
- height 35 mm
- 65 mm projection

		Euro
polished chrome	83 030 780-00	339.50
platinum matt	83 030 780-06	542.90
platinum	83 030 780-08	542.90
brushed Durabrass	83 030 780-28	672.10
Dark Platinum matt	83 030 780-99	611.00

83 060 780



Towel bar

- gauge 400 mm
- width 600mm
- height 35 mm
- 80 mm projection

		Euro
polished chrome	83 060 780-00	388.20
platinum matt	83 060 780-06	621.00
platinum	83 060 780-08	621.00
brushed Durabrass	83 060 780-28	768.60
Dark Platinum matt	83 060 780-99	698.70

83 211 980



Towel bar 1-piece non-swivel

- 400 mm projection

		Euro
polished chrome	83 211 980-00	295.40
platinum matt	83 211 980-06	472.40
platinum	83 211 980-08	472.40
brushed Durabrass	83 211 980-28	584.70
Dark Platinum matt	83 211 980-99	531.50

83 251 220



Hooks

- 55 mm projection

		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
platinum	83 251 220-08	57.60
brushed Durabrass	83 251 220-28	71.40
Dark Platinum matt	83 251 220-99	64.90

83 251 980



Hooks

- width 20mm
- height 60 mm
- 45 mm projection

		Euro
polished chrome	83 251 980-00	99.00
platinum matt	83 251 980-06	158.50
platinum	83 251 980-08	158.40
brushed Durabrass	83 251 980-28	196.10
Dark Platinum matt	83 251 980-99	178.30

83 410 979



Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
platinum	83 410 979-08	372.60
brushed Durabrass	83 410 979-28	461.20
Dark Platinum matt	83 410 979-99	419.30

83 410 780



Soap dish wall model

- width 120mm
- height 45 mm
- 120 mm projection

		Euro
polished chrome	83 410 780-00	308.00
platinum matt	83 410 780-06	492.40
platinum	83 410 780-08	492.40
brushed Durabrass	83 410 780-28	609.90
Dark Platinum matt	83 410 780-99	554.40



83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
platinum	83 435 970-08	589.30
brushed Durabrass	83 435 970-28	729.30
Dark Platinum matt	83 435 970-99	663.00

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
platinum	84 435 970-08	542.60
brushed Durabrass	84 435 970-28	672.00
Dark Platinum matt	84 435 970-99	610.90

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
platinum	83 401 979-08	359.20
brushed Durabrass	83 401 979-28	444.50
Dark Platinum matt	83 401 979-99	404.00



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 281 530



Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
platinum	83 281 530-08	292.30
brushed Durabrass	83 281 530-28	362.00
Dark Platinum matt	83 281 530-99	328.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
platinum	83 290 970-08	285.40
brushed Durabrass	83 290 970-28	353.30
Dark Platinum matt	83 290 970-99	321.10

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
platinum	82 290 970-08	285.40
brushed Durabrass	82 290 970-28	353.30
Dark Platinum matt	82 290 970-99	321.10

83 500 980



Tissue holder without cover

- width 175mm
- height 60 mm
- 90 mm projection

		Euro
polished chrome	83 500 980-00	265.40
platinum matt	83 500 980-06	424.80
platinum	83 500 980-08	424.70
brushed Durabrass	83 500 980-28	525.50
Dark Platinum matt	83 500 980-99	477.70

83 910 979



Toilet brush set wall model

- brush, matt black
- width 100mm
- height 456 mm
- 110 mm projection

		Euro
polished chrome	83 910 979-00	417.90
platinum matt	83 910 979-06	668.80
platinum	83 910 979-08	668.80
brushed Durabrass	83 910 979-28	827.40
Dark Platinum matt	83 910 979-99	752.20



Recommended miscellaneous

		Euro
Brush matt black	Concealed rough parts 08 18 50 601 90	27.90



Recommended miscellaneous

		Euro
Brush handle	polished chrome 90 20 97 505 01-00	143.30
	platinum matt 90 20 97 505 01-06	229.10
	platinum 90 20 97 505 01-08	229.10
	brushed Durabrass 90 20 97 505 01-28	283.50
	Dark Platinum matt 90 20 97 505 01-99	257.80

84 910 979



Toilet brush set free-standing model

- brush, matt black
- width 100mm
- height 456 mm



Recommended miscellaneous

Brush matt black

		Euro
polished chrome	84 910 979-00	378.10
platinum matt	84 910 979-06	604.80
platinum	84 910 979-08	604.80
brushed Durabrass	84 910 979-28	748.60
Dark Platinum matt	84 910 979-99	680.50

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 505 01-00	143.30
platinum matt	90 20 97 505 01-06	229.10
platinum	90 20 97 505 01-08	229.10
brushed Durabrass	90 20 97 505 01-28	283.50
Dark Platinum matt	90 20 97 505 01-99	257.80

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
platinum	12 660 979-08	1,097.80
brushed Durabrass	12 660 979-28	1,358.40
Dark Platinum matt	12 660 979-99	1,234.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Tara.

Sieger Design

Basin
from page 444

Bidet
from page 453

Shower
from page 454

Thermostats, mixers,
diverters and valves
from page 485

Bath
from page 497

Accessories
from page 504



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Single-hole basin mixers

165 mm projection



22 513 892

135 mm projection



22 512 892

100 mm projection



22 302 892

with raised base

200 mm projection



22 533 892*

Three-hole basin mixers

165 mm projection



20 713 892

165 mm projection



20 713 882

135 mm projection



20 710 892

135 mm projection



20 710 882

Deck-mounted basin spout

165 mm projection



13 716 882*

Pillar tap

100 mm projection



17 500 892

Single tap for wall mounting

140 mm projection



30 010 892

Wall-mounted basin spout

190 mm projection



13 800 882

Wall-mounted basin mixers

160 mm projection



36 707 892

160 mm projection



36 707 882

190 mm projection



36 712 892

190 mm projection



36 712 882

240 mm projection



36 717 892

240 mm projection



36 717 882





CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Overview of bath fittings

Bath mixers



25 133 892



25 133882



25 100 892

Free-standing bath fittings



25 943 892



25 943 882

Single-lever bath shower set



27 512 892



27 512 882

Bath spout



13 801 892

Hand shower set



27 702 979

Single-lever mixer



36 120 660

Diverters



29 140 892



29 140 979

integrated bath filling



36 247 970

Miscellaneous



36 243 970

22 302 892



Single-hole basin mixer with pop-up waste

- 100 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 235 mm
- height up to aerator 134 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	22 302 892-00	544.00
platinum matt	22 302 892-06	870.20
platinum	22 302 892-08	870.20
brushed Durabrass	22 302 892-28	1,077.10
Dark Platinum matt	22 302 892-99	979.20
matt white	22 302 892-10	734.40
matt black	22 302 892-33	734.30

22 512 892



Single-hole basin mixer with pop-up waste

- 135 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 275 mm
- height up to aerator 168 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	22 512 892-00	572.90
platinum matt	22 512 892-06	916.60
platinum	22 512 892-08	916.60
brushed Durabrass	22 512 892-28	1,134.40
Dark Platinum matt	22 512 892-99	1,031.30
matt white	22 512 892-10	773.40
matt black	22 512 892-33	773.30

22 513 892



Single-hole basin mixer with pop-up waste

- 165 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 295 mm
- height up to aerator 172 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	22 513 892-00	606.90
platinum matt	22 513 892-06	971.00
platinum	22 513 892-08	971.00
brushed Durabrass	22 513 892-28	1,201.80
Dark Platinum matt	22 513 892-99	1,092.50
matt white	22 513 892-10	819.50
matt black	22 513 892-33	819.10

22 533 892



Single-hole basin mixer with raised base without pop-up waste

- 200 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 425 mm
- height up to aerator 280 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

for use on counter-top bowls

		Euro
polished chrome	22 533 892-00	799.30
platinum matt	22 533 892-06	1,279.10
platinum	22 533 892-08	1,279.10
brushed Durabrass	22 533 892-28	1,582.70
Dark Platinum matt	22 533 892-99	1,438.80
matt white	22 533 892-10	1,079.10
matt black	22 533 892-33	1,079.20



20 710 892



Three-hole basin mixer with pop-up waste

- 135 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 270 mm
- height up to aerator 161 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 710 892-00	962.40
platinum matt	20 710 892-06	1,539.80
platinum	20 710 892-08	1,539.80
brushed Durabross	20 710 892-28	1,905.70
Dark Platinum matt	20 710 892-99	1,732.40
matt white	20 710 892-10	1,299.40
matt black	20 710 892-33	1,299.30



Recommended miscellaneous

- High pressure hoses**
- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

20 710 882



Three-hole basin mixer with pop-up waste

- 135 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 270 mm
- height up to aerator 161 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 710 882-00	1,058.70
platinum matt	20 710 882-06	1,693.90
platinum	20 710 882-08	1,693.90
brushed Durabross	20 710 882-28	2,096.30
Dark Platinum matt	20 710 882-99	1,905.70
matt white	20 710 882-10	1,429.20
matt black	20 710 882-33	1,429.10



Recommended miscellaneous

- High pressure hoses**
- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

20 713 892



Three-hole basin mixer with pop-up waste

- 165 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	20 713 892-00	1,019.90
platinum matt	20 713 892-06	1,631.70
platinum	20 713 892-08	1,631.70
brushed Durabross	20 713 892-28	2,019.50
Dark Platinum matt	20 713 892-99	1,835.90
matt white	20 713 892-10	1,376.90
matt black	20 713 892-33	1,376.80



Recommended miscellaneous

- High pressure hoses**
- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

20 713 882



Three-hole basin mixer with pop-up waste

- 165 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	20 713 882-00	1,103.80
platinum matt	20 713 882-06	1,766.40
platinum	20 713 882-08	1,766.40
brushed Durabrass	20 713 882-28	2,185.60
Dark Platinum matt	20 713 882-99	1,986.90
matt white	20 713 882-10	1,490.20
matt black	20 713 882-33	1,490.40



Recommended miscellaneous

- High pressure hoses**
- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

17 500 892



Pillar tap cold water

- 100 mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 115 mm
- height up to aerator 40 mm
- hole diameter 35 mm
- 1/2" connection
- rosette Ø 45 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	17 500 892-00	328.00
platinum matt	17 500 892-06	524.70
platinum	17 500 892-08	524.70
brushed Durabrass	17 500 892-28	649.30
Dark Platinum matt	17 500 892-99	590.30
matt white	17 500 892-10	442.80
matt black	17 500 892-33	442.80

36 707 892



Wall-mounted basin mixer without pop-up waste

- 160 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosettes Ø 55 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	36 707 892-00	769.20
platinum matt	36 707 892-06	1,230.80
platinum	36 707 892-08	1,230.80
brushed Durabrass	36 707 892-28	1,522.90
Dark Platinum matt	36 707 892-99	1,384.40
matt white	36 707 892-10	1,038.30
matt black	36 707 892-33	1,038.30



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10



36 712 892



Wall-mounted basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	36 712 892-00	803.60
platinum matt	36 712 892-06	1,285.40
platinum	36 712 892-08	1,285.40
brushed Durabrass	36 712 892-28	1,591.10
Dark Platinum matt	36 712 892-99	1,446.40
matt white	36 712 892-10	1,084.70
matt black	36 712 892-33	1,084.50



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10


36 717 892



Wall-mounted basin mixer without pop-up waste

- 240 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	36 717 892-00	844.70
platinum matt	36 717 892-06	1,351.30
platinum	36 717 892-08	1,351.30
brushed Durabrass	36 717 892-28	1,672.60
Dark Platinum matt	36 717 892-99	1,520.40
matt white	36 717 892-10	1,140.30
matt black	36 717 892-33	1,140.50



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 707 882



Wall-mounted basin mixer without pop-up waste

- **160 mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	36 707 882-00	833.80
platinum matt	36 707 882-06	1,334.30
platinum	36 707 882-08	1,334.30
brushed Durabrass	36 707 882-28	1,650.90
Dark Platinum matt	36 707 882-99	1,500.80
matt white	36 707 882-10	1,125.60
matt black	36 707 882-33	1,125.80




Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10


36 712 882



Wall-mounted basin mixer without pop-up waste

- **190 mm projection**
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	36 712 882-00	864.20
platinum matt	36 712 882-06	1,382.70
platinum	36 712 882-08	1,382.70
brushed Durabrass	36 712 882-28	1,711.00
Dark Platinum matt	36 712 882-99	1,555.70
matt white	36 712 882-10	1,166.60
matt black	36 712 882-33	1,166.60



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10



36 717 882



Wall-mounted basin mixer without pop-up waste

- 240 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free

		Euro
polished chrome	36 717 882-00	905.60
platinum matt	36 717 882-06	1,448.70
platinum	36 717 882-08	1,448.70
brushed Durabrass	36 717 882-28	1,793.00
Dark Platinum matt	36 717 882-99	1,629.90
matt white	36 717 882-10	1,222.40
matt black	36 717 882-33	1,222.40



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10

30 010 892



Wall-mounted valve cold water

- 140 mm projection
- fixed spout
- circular, air-enriched flow
- adapter with male thread 3/4"
- hole diameter 32 mm
- rosette Ø 55 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	30 010 892-00	346.80
platinum matt	30 010 892-06	555.00
platinum	30 010 892-08	555.00
brushed Durabrass	30 010 892-28	686.90
Dark Platinum matt	30 010 892-99	624.40
matt white	30 010 892-10	468.30
matt black	30 010 892-33	468.20

44 521 660

NEW



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
 - 165 mm projection
 - height of mixer 310 mm
 - height up to aerator 199 mm
 - hole diameter 35 mm
 - fixed spout
 - max. flow 5.7 l/min
 - circular, air-enriched flow
 - suitable for thermal disinfection
 - Automatic shut-off after pre-set time is reached
 - Indirect temperature control (undercounter)
 - Control box included
 - Adjustable sensor detection range
 - Battery or plug-in power supply operated (batteries not included)
 - 4x AA (1.5V) batteries required
 - lead-free
 - 1x screw-in M 8 x 1 pressure hose, leak-tested
- Batteries not included

		Euro
polished chrome	44 521 660-00	599.00
platinum matt	44 521 660-06	958.40
platinum	44 521 660-08	958.40
brushed Durabrass	44 521 660-28	1,186.00
Dark Platinum matt	44 521 660-99	1,078.20
matt white	44 521 660-10	808.70
matt black	44 521 660-33	808.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 716 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 166 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 882-00	513.00
	1x 42 765 970 90	553.30
	Price	1,066.30
brushed Durabronz	1x 13 716 882-28	1,015.70
	1x 42 765 970 90	553.30
	Price	1,569.00
Dark Platinum matt	1x 13 716 882-99	923.30
	1x 42 765 970 90	553.30
	Price	1,476.60



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 740 970 90	252.50

13 716 882 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 166 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 882-00	513.00
	1x 42 766 970 90	461.10
	Price	974.10
brushed Durabronz	1x 13 716 882-28	1,015.70
	1x 42 766 970 90	461.10
	Price	1,476.80
Dark Platinum matt	1x 13 716 882-99	923.30
	1x 42 766 970 90	461.10
	Price	1,384.40



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 742 970 90	229.40



13 800 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

			Euro
polished chrome	1x 13 800 882-00		433.20
	1x 42 765 970 90		553.30
		Price	986.50
brushed Durabronz	1x 13 800 882-28		857.80
	1x 42 765 970 90		553.30
		Price	1,411.10
Dark Platinum matt	1x 13 800 882-99		779.80
	1x 42 765 970 90		553.30
		Price	1,333.10




Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

			Euro
Concealed rough parts	35 741 970 90		252.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

			Euro
Concealed rough parts	35 085 970 90		98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 800 882 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set


Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 882-00	433.20
	1x 42 766 970 90	461.10
	Price	894.30
brushed Durabron	1x 13 800 882-28	857.80
	1x 42 766 970 90	461.10
	Price	1,318.90
Dark Platinum matt	1x 13 800 882-99	779.80
	1x 42 766 970 90	461.10
	Price	1,240.90

Required miscellaneous




eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 743 970 90	229.40

Recommended miscellaneous



Concealed wall elbow

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

22 900 892



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

		Euro
polished chrome	22 900 892-00	165.90
platinum matt	22 900 892-06	265.40
platinum	22 900 892-08	265.40
brushed Durabron	22 900 892-28	328.50
Dark Platinum matt	22 900 892-99	298.60
matt white	22 900 892-10	224.00
matt black	22 900 892-33	224.00

Miscellaneous

10 060 970



Siphon for basin

- rosette Ø 70 mm

		Euro
polished chrome	10 060 970-00	272.50
platinum matt	10 060 970-06	436.20
platinum	10 060 970-08	436.20
brushed Durabron	10 060 970-28	539.60
Dark Platinum matt	10 060 970-99	490.50
matt white	10 060 970-10	367.90
matt black	10 060 970-33	368.00



24 510 892



Single-hole bidet mixer with pop-up waste

- 124 mm projection
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 123 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min

		Euro
polished chrome	24 510 892-00	715.50
platinum matt	24 510 892-06	1,144.90
platinum	24 510 892-08	1,144.90
brushed Durabronz	24 510 892-28	1,416.60
Dark Platinum matt	24 510 892-99	1,287.80
matt white	24 510 892-10	965.90
matt black	24 510 892-33	966.10


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00
platinum	27 701 670-08	416.00
brushed Durabronz	27 701 670-28	514.90
Dark Platinum matt	27 701 670-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00
platinum	27 701 970-08	416.00
Durabronz	27 701 970-09	514.90
brushed Durabronz	27 701 970-28	514.90
Dark Platinum matt	27 701 970-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Shower set solution



Shower set without hand shower

- Shower set see page 566



Hand shower 15 l/min

- Hand shower see page 612



Shower mixer for wall mounting

- More control elements can be found from page 638 onwards

		Euro
polished chrome	Price	1,367.50
platinum matt	Price	2,188.20
platinum	Price	2,188.20
brushed Durabrass	Price	2,707.70
Dark Platinum matt	Price	2,461.40
matt white	Price	1,846.20
matt black	Price	1,846.30

		Euro
polished chrome	26 413 892-00	564.80


		Euro
polished chrome	28 016 979-00	157.60

		Euro
polished chrome	26 100 892-00	645.10





Headshower solution



Shower head

• Shower head see page 580




Hand shower set with individual rosettes

• Hand Shower set see page 616




Concealed thermostat with two function volume control

• More control elements can be found from page 638 onwards



Concealed wall elbow

This article is needed 2x.



Concealed thermostat



xGRID Installation track set

	Euro	
polished chrome	Price	2,433.80
platinum matt	Price	3,429.00
platinum	Price	3,429.00
brushed Durabrass	Price	4,060.10
Dark Platinum matt	Price	3,761.50
matt white	Price	3,014.80
matt black	Price	3,014.30

	Euro	
polished chrome	28 508 979-00	532.60

	Euro	
polished chrome	27 803 892-00	482.30

	Euro	
polished chrome	36 426 970-00	644.70

	Euro	
Concealed rough parts	35 085 970 90	98.80

	Euro	
Concealed rough parts	35 425 970 90	350.80

	Euro	
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Showerpipe solution

Fits Tara.



Showerpipe with shower mixer without hand shower

- Showerpipe see page 584



Hand shower 15 l/min

- Hand shower see page 612

	Euro
polished chrome	Price 2,490.80
platinum matt	Price 3,985.00
platinum	Price 3,985.00
brushed Durabronz	Price 4,931.70
Dark Platinum matt	Price 4,483.50
matt white	Price 3,362.50
matt black	Price 3,362.40

	Euro
polished chrome	26 632 892-00 2,381.60

	Euro
polished chrome	28 018 979-00 109.20



Tara.



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen



Rainshower solution



Rain shower with wall fixing

- Rain shower see page 596



Hand shower set with individual rosettes

- Hand Shower set see page 616



xTOOL Concealed thermostat without volume control 3/4"


- More control elements can be found from page 638 onwards



Wall valve clockwise closing 1/2"


- More control elements can be found from page 638 onwards

This article is needed 2x.



Concealed wall elbow

This article is needed 2x.



xTOOL Concealed thermostat module with 2 valves 3/4"



xGRID Installation track set

		Euro
polished chrome	Price	4,014.80
platinum matt	Price	5,600.50
platinum	Price	5,600.50
brushed Durabrass	Price	6,603.10
Dark Platinum matt	Price	6,127.80
matt white	Price	4,939.20
matt black	Price	4,940.20

		Euro
polished chrome	28 679 970-00	914.10

		Euro
polished chrome	27 802 892-00	492.00

		Euro
polished chrome	36 503 979-00	914.60

		Euro
polished chrome	36 607 892-00	160.20

		Euro
Concealed rough parts	35 085 970 90	98.80

		Euro
Concealed rough parts	35 521 970 90	950.30

		Euro
Concealed rough parts	12 380 970 90	225.80

36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
	Price	751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
	Price	1,202.80
platinum	1x 36 002 970-08	969.00
	1x 28 017 979-08	234.30
	Price	1,203.30
brushed Durabrass	1x 36 002 970-28	1,198.60
	1x 28 017 979-28	289.80
	Price	1,488.40
Dark Platinum matt	1x 36 002 970-99	1,089.50
	1x 28 017 979-99	263.50
	Price	1,353.00
matt white	1x 36 002 970-10	817.10
	1x 28 017 979-10	197.60
	Price	1,014.70
matt black	1x 36 002 970-33	817.20
	1x 28 017 979-33	197.70
	Price	1,014.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabrass	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60
matt white	28 018 979-10	147.40
matt black	28 018 979-33	147.50




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30

Shower

36 013 660 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- cover plate Ø 78 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 013 660-00	767.20
	1x 28 018 979-00	109.20
Price		876.40
platinum matt	1x 36 013 660-06	1,227.30
	1x 28 018 979-06	174.80
Price		1,402.10
platinum	1x 36 013 660-08	1,228.00
	1x 28 018 979-08	174.80
Price		1,402.80
brushed Durabrass	1x 36 013 660-28	1,519.10
	1x 28 018 979-28	216.20
Price		1,735.30
Dark Platinum matt	1x 36 013 660-99	1,380.80
	1x 28 018 979-99	196.60
Price		1,577.40
matt white	1x 36 013 660-10	1,035.80
	1x 28 018 979-10	147.40
Price		1,183.20
matt black	1x 36 013 660-33	1,035.80
	1x 28 018 979-33	147.50
Price		1,183.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt white	28 017 979-10 0010	197.70
matt black	28 017 979-33 0010	197.70



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
	Price	868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
	Price	1,388.50
platinum	1x 36 110 970-08	1,154.90
	1x 28 017 979-08	234.30
	Price	1,389.20
brushed Durabronz	1x 36 110 970-28	1,428.60
	1x 28 017 979-28	289.80
	Price	1,718.40
Dark Platinum matt	1x 36 110 970-99	1,298.40
	1x 28 017 979-99	263.50
	Price	1,561.90
matt black	1x 36 110 970-33	974.10
	1x 28 017 979-33	197.70
	Price	1,171.80



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
platinum matt	28 018 979-08	174.80
	28 018 979-28	216.20
brushed Durabronz	28 018 979-99	196.60
	28 018 979-33	147.50




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum matt	28 012 979-08	304.00
	28 012 979-28	376.20
brushed Durabronz	28 012 979-99	342.00
	28 012 979-33	256.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



Tara.

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
platinum	1x 36 111 970-08	1,322.40
	1x 28 018 979-08	174.80
	Price	1,497.20
brushed Durabrass	1x 36 111 970-28	1,635.60
	1x 28 018 979-28	216.20
	Price	1,851.80
Dark Platinum matt	1x 36 111 970-99	1,486.70
	1x 28 018 979-99	196.60
	Price	1,683.30
matt black	1x 36 111 970-33	1,115.30
	1x 28 018 979-33	147.50
	Price	1,262.80



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt black	28 017 979-33 0010	197.70



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symmetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 625 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 413 625-00	564.20
	1x 28 018 979-00	109.20
	Price	673.40
platinum matt	1x 26 413 625-06	902.90
	1x 28 018 979-06	174.80
	Price	1,077.70
platinum	1x 26 413 625-08	902.90
	1x 28 018 979-08	174.80
	Price	1,077.70
brushed Durabrass	1x 26 413 625-28	1,117.20
	1x 28 018 979-28	216.20
	Price	1,333.40
Dark Platinum matt	1x 26 413 625-99	1,015.80
	1x 28 018 979-99	196.60
	Price	1,212.40
matt black	1x 26 413 625-33	761.40
	1x 28 018 979-33	147.50
	Price	908.90



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum matt	28 012 979-08	304.00
	28 012 979-28	376.20
brushed Durabrass	28 012 979-99	342.00
	28 012 979-33	256.40



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum matt	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
brushed Durabrass	28 017 979-99 0010	263.30
	28 017 979-33 0010	197.70




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
	28 450 625-06	149.00
platinum matt	28 450 625-08	149.00
	28 450 625-28	184.40
brushed Durabrass	28 450 625-99	167.60
	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

26 413 892 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosettes Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 892-00	564.80
	1x 28 018 979-00	109.20
	Price	674.00
platinum matt	1x 26 413 892-06	903.40
	1x 28 018 979-06	174.80
	Price	1,078.20
platinum	1x 26 413 892-08	903.40
	1x 28 018 979-08	174.80
	Price	1,078.20
brushed Durabrass	1x 26 413 892-28	1,118.10
	1x 28 018 979-28	216.20
	Price	1,334.30
Dark Platinum matt	1x 26 413 892-99	1,016.40
	1x 28 018 979-99	196.60
	Price	1,213.00
matt white	1x 26 413 892-10	762.40
	1x 28 018 979-10	147.40
	Price	909.80
matt black	1x 26 413 892-33	762.30
	1x 28 018 979-33	147.50
	Price	909.80

Product alternative



Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt white	28 017 979-10 0010	197.70
matt black	28 017 979-33 0010	197.70

Recommended miscellaneous




Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
platinum	28 450 625-08	149.00
brushed Durabrass	28 450 625-28	184.40
Dark Platinum matt	28 450 625-99	167.60
matt white	28 450 625-10	125.70
matt black	28 450 625-33	125.50

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 979-00	338.40
	1x 28 018 979-00	109.20
	Price	447.60
platinum matt	1x 26 413 979-06	551.80
	1x 28 018 979-06	174.80
	Price	726.60
platinum	1x 26 413 979-08	541.30
	1x 28 018 979-08	174.80
	Price	716.10
brushed Durabrass	1x 26 413 979-28	669.90
	1x 28 018 979-28	216.20
	Price	886.10
Dark Platinum matt	1x 26 413 979-99	608.90
	1x 28 018 979-99	196.60
	Price	805.50
matt white	1x 26 413 979-10	456.70
	1x 28 018 979-10	147.40
	Price	604.10
matt black	1x 26 413 979-33	465.50
	1x 28 018 979-33	147.50
	Price	613.00



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt white	28 017 979-10 0010	197.70
matt black	28 017 979-33 0010	197.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



36 112 970 +
28 015 979



Showerpipe with single-lever shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- automatic diverter for fixed-riser shower/hand shower

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 112 970-00	1,931.30
	1x 28 015 979-00	101.60
	Price	2,032.90
platinum matt	1x 36 112 970-06	3,090.10
	1x 28 015 979-06	162.70
	Price	3,252.80
platinum	1x 36 112 970-08	3,021.40
	1x 28 015 979-08	162.70
	Price	3,184.10
brushed Durabrass	1x 36 112 970-28	3,823.90
	1x 28 015 979-28	201.10
	Price	4,025.00
Dark Platinum matt	1x 36 112 970-99	3,399.20
	1x 28 015 979-99	182.90
	Price	3,582.10
matt black	1x 36 112 970-33	2,607.30
	1x 28 015 979-33	137.10
	Price	2,744.40



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
platinum matt	28 016 979-06	252.40
platinum	28 016 979-08	252.40
brushed Durabrass	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70
matt black	28 016 979-33	212.90




Product alternative

Hand shower 15 l/min

- normal flow
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 613

		Euro
polished chrome	28 019 979-00	191.10
platinum matt	28 019 979-06	305.90
platinum	28 019 979-08	305.90
brushed Durabrass	28 019 979-28	378.50
Dark Platinum matt	28 019 979-99	344.10
matt black	28 019 979-33	258.10



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 632 892 +
28 018 979



Showerpipe with shower mixer

- shower with fixed riser projection 420 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 9 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for shower holder Ø 55mm
- rosette for wall mounting Ø 57mm
- rosette for shower mixer Ø 65mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 20 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 632 892-00	2,381.60
	1x 28 018 979-00	109.20
	Price	2,490.80
platinum matt	1x 26 632 892-06	3,810.20
	1x 28 018 979-06	174.80
	Price	3,985.00
platinum	1x 26 632 892-08	3,810.20
	1x 28 018 979-08	174.80
	Price	3,985.00
brushed Durabrass	1x 26 632 892-28	4,715.50
	1x 28 018 979-28	216.20
	Price	4,931.70
Dark Platinum matt	1x 26 632 892-99	4,286.90
	1x 28 018 979-99	196.60
	Price	4,483.50
matt white	1x 26 632 892-10	3,215.10
	1x 28 018 979-10	147.40
	Price	3,362.50
matt black	1x 26 632 892-33	3,214.90
	1x 28 018 979-33	147.50
	Price	3,362.40



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
platinum matt	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
brushed Durabrass	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
matt white	28 013 979-10 0010	258.10
matt black	28 013 979-33 0010	258.10



26 633 892 +
28 018 979



Showerpipe

- shower with fixed riser projection 420 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 9 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for shower holder Ø 55mm
- rosette for wall mounting Ø 57mm
- rosette for shower mixer Ø 65mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 20 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 633 892-00	2,327.50
	1x 28 018 979-00	109.20
	Price	2,436.70
platinum matt	1x 26 633 892-06	3,723.40
	1x 28 018 979-06	174.80
	Price	3,898.20
platinum	1x 26 633 892-08	3,723.40
	1x 28 018 979-08	174.80
	Price	3,898.20
brushed Durabrand	1x 26 633 892-28	4,608.50
	1x 28 018 979-28	216.20
	Price	4,824.70
Dark Platinum matt	1x 26 633 892-99	4,189.40
	1x 28 018 979-99	196.60
	Price	4,386.00
matt white	1x 26 633 892-10	3,142.10
	1x 28 018 979-10	147.40
	Price	3,289.50
matt black	1x 26 633 892-33	3,141.80
	1x 28 018 979-33	147.50
	Price	3,289.30

Product alternative



Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrand	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40

Product alternative



Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
platinum matt	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
brushed Durabrand	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
matt white	28 013 979-10 0010	258.10
matt black	28 013 979-33 0010	258.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 892 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 452 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 963mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 892-00	2,480.20
	1x 28 015 979-00	101.60
	Price	2,581.80
platinum matt	1x 34 459 892-06	3,968.40
	1x 28 015 979-06	162.70
	Price	4,131.10
platinum	1x 34 459 892-08	3,968.40
	1x 28 015 979-08	162.70
	Price	4,131.10
brushed Durabrass	1x 34 459 892-28	4,910.90
	1x 28 015 979-28	201.10
	Price	5,112.00
Dark Platinum matt	1x 34 459 892-99	4,464.40
	1x 28 015 979-99	182.90
	Price	4,647.30
matt black	1x 34 459 892-33	3,348.30
	1x 28 015 979-33	137.10
	Price	3,485.40



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40
platinum matt	28 016 979-08	252.40
	28 016 979-28	312.10
brushed Durabrass	28 016 979-99	283.70
	28 016 979-33	212.90



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum matt	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
brushed Durabrass	28 013 979-99 0010	305.90
	28 013 979-33 0010	258.10



34 459 979 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 979-00	2,089.80
	1x 28 015 979-00	101.60
	Price	2,191.40
platinum matt	1x 34 459 979-06	3,268.60
	1x 28 015 979-06	162.70
	Price	3,431.30
platinum	1x 34 459 979-08	3,268.60
	1x 28 015 979-08	162.70
	Price	3,431.30
brushed Durabrass	1x 34 459 979-28	4,137.90
	1x 28 015 979-28	201.10
	Price	4,339.00
Dark Platinum matt	1x 34 459 979-99	3,677.30
	1x 28 015 979-99	182.90
	Price	3,860.20
matt black	1x 34 459 979-33	2,758.10
	1x 28 015 979-33	137.10
	Price	2,895.20



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
platinum matt	28 016 979-06	252.40
platinum	28 016 979-08	252.40
brushed Durabrass	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70
matt black	28 016 979-33	212.90



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
platinum matt	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
brushed Durabrass	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
matt black	28 013 979-33 0010	258.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 460 979-00	2,201.20
	1x 28 018 979-00	109.20
	Price	2,310.40
platinum matt	1x 34 460 979-06	3,521.90
	1x 28 018 979-06	174.80
	Price	3,696.70
platinum	1x 34 460 979-08	3,521.70
	1x 28 018 979-08	174.80
	Price	3,696.50
brushed Durabronz	1x 34 460 979-28	4,358.30
	1x 28 018 979-28	216.20
	Price	4,574.50
Dark Platinum matt	1x 34 460 979-99	3,962.00
	1x 28 018 979-99	196.60
	Price	4,158.60
matt black	1x 34 460 979-33	2,971.60
	1x 28 018 979-33	147.50
	Price	3,119.10



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum matt	28 012 979-08	304.00
	28 012 979-28	376.20
brushed Durabronz	28 012 979-99	342.00
	28 012 979-33	256.40



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum matt	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
brushed Durabronz	28 013 979-99 0010	305.90
	28 013 979-33 0010	258.10



26 024 661 +
28 019 979



Shower system with single-lever shower mixer without hand shower

- shower with fixed riser projection 450 mm
- pivotable 180°
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- max. hand shower flow 15 l/min
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 024 661-00	4,036.10
	1x 28 019 979-00	191.10
	Price	4,227.20
platinum matt	1x 26 024 661-06	6,457.70
	1x 28 019 979-06	305.90
	Price	6,763.60
platinum	1x 26 024 661-08	6,457.80
	1x 28 019 979-08	305.90
	Price	6,763.70
brushed Durabross	1x 26 024 661-28	7,991.40
	1x 28 019 979-28	378.50
	Price	8,369.90
Dark Platinum matt	1x 26 024 661-99	7,265.00
	1x 28 019 979-99	344.10
	Price	7,609.10
matt black	1x 26 024 661-33	5,448.70
	1x 28 019 979-33	258.10
	Price	5,706.80

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabross	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt black	28 017 979-33 0010	197.70

Product alternative




Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabross	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40

Required miscellaneous



Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30

28 504 979




Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 979-00	476.20
platinum matt	28 504 979-06	762.10
platinum	28 504 979-08	762.00
brushed Durabross	28 504 979-28	943.00
Dark Platinum matt	28 504 979-99	857.30
matt white	28 504 979-10	642.90
matt black	28 504 979-33	642.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


28 508 979



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 979-00	532.60
platinum matt	28 508 979-06	852.00
platinum	28 508 979-08	852.00
brushed Durabrass	28 508 979-28	1,054.30
Dark Platinum matt	28 508 979-99	958.50
matt white	28 508 979-10	719.00
matt black	28 508 979-33	719.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 505 979



Shower head

- 155 mm projection
- ball-joint pivotable through 18° (in any direction)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 7.6 l/min

		Euro
polished chrome	28 505 979-00	296.80
platinum matt	28 505 979-06	474.90
platinum	28 505 979-08	474.90
brushed Durabrass	28 505 979-28	587.70
Dark Platinum matt	28 505 979-99	534.30
matt white	28 505 979-10	400.70
matt black	28 505 979-33	400.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



28 649 970



Rain shower with wall fixing

- 450 mm projection
- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 649 970-00	775.90
platinum matt	28 649 970-06	1,241.50
platinum	28 649 970-08	1,241.50
brushed Durabrass	28 649 970-28	1,536.30
Dark Platinum matt	28 649 970-99	1,396.70
matt white	28 649 970-10	1,047.50
matt black	28 649 970-33	1,047.60



Product alternative

Rain shower with wall fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 679 970-00	914.10
platinum matt	28 679 970-06	1,462.90
platinum	28 679 970-08	1,462.90
brushed Durabrass	28 679 970-28	1,810.00
Dark Platinum matt	28 679 970-99	1,645.50
matt white	28 679 970-10	1,234.20
matt black	28 679 970-33	1,234.40




Product alternative

Rain shower with wall fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 659 970-00	1,600.40
platinum matt	28 659 970-06	2,560.60
platinum	28 659 970-08	2,560.60
brushed Durabrass	28 659 970-28	3,168.70
Dark Platinum matt	28 659 970-99	2,880.60
matt white	28 659 970-10	2,160.60
matt black	28 659 970-33	2,160.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 669 970



Rain shower with ceiling fixing

- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 669 970-00	659.40
platinum matt	28 669 970-06	1,055.30
platinum	28 669 970-08	1,055.30
brushed Durabrass	28 669 970-28	1,305.70
Dark Platinum matt	28 669 970-99	1,186.90
matt white	28 669 970-10	890.30
matt black	28 669 970-33	890.50



Product alternative

Rain shower with ceiling fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 689 970-00	777.40
platinum matt	28 689 970-06	1,243.50
platinum	28 689 970-08	1,243.50
brushed Durabrass	28 689 970-28	1,539.30
Dark Platinum matt	28 689 970-99	1,399.30
matt white	28 689 970-10	1,049.50
matt black	28 689 970-33	1,049.30




Product alternative

Rain shower with ceiling fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 699 970-00	1,431.10
platinum matt	28 699 970-06	2,289.80
platinum	28 699 970-08	2,289.80
brushed Durabrass	28 699 970-28	2,833.70
Dark Platinum matt	28 699 970-99	2,576.00
matt white	28 699 970-10	1,932.00
matt black	28 699 970-33	1,932.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items

28 031 970

NEW



Rain shower for ceiling fixing

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 031 970-00	601.10
platinum matt	28 031 970-06	961.80
platinum	28 031 970-08	961.80
brushed Durabrass	28 031 970-28	1,190.20
Dark Platinum matt	28 031 970-99	1,082.00
matt white	28 031 970-10	811.50
matt black	28 031 970-33	811.50



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

		Euro
Concealed rough parts	35 041 970 90	400.70

For details and miscellaneous, see page 701



28 032 970 **NEW**

Rain shower for ceiling fixing with light



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

		Euro
polished chrome	28 032 970-00	903.20
platinum matt	28 032 970-06	1,445.10
platinum	28 032 970-08	1,445.10
brushed Durabrass	28 032 970-28	1,788.30
Dark Platinum matt	28 032 970-99	1,625.80
matt white	28 032 970-10	1,219.30
matt black	28 032 970-33	1,219.30



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 042 970 90	602.10

28 033 970 **NEW**

Rain shower for ceiling installation



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

		Euro
polished chrome	28 033 970-00	1,205.20
platinum matt	28 033 970-06	1,928.30
platinum	28 033 970-08	1,928.30
brushed Durabrass	28 033 970-28	2,386.30
Dark Platinum matt	28 033 970-99	2,169.40
matt white	28 033 970-10	1,627.00
matt black	28 033 970-33	1,627.00



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 033 970 90	803.50

28 034 970 **NEW**

Rain shower for ceiling installation with light



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- min. recess depth 137,5 mm
- Spray flow, max. flow rate 6 l/min
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

		Euro
polished chrome	28 034 970-00	1,809.30
platinum matt	28 034 970-06	2,894.90
platinum	28 034 970-08	2,894.90
brushed Durabrass	28 034 970-28	3,582.40
Dark Platinum matt	28 034 970-99	3,256.70
matt white	28 034 970-10	2,442.60
matt black	28 034 970-33	2,442.60



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 034 970 90	1,206.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 802 660




Hand shower set with integrated shower holder

- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 802 660-00	366.40
platinum matt	27 802 660-06	586.50
platinum	27 802 660-08	586.50
brushed Durabrass	27 802 660-28	725.50
Dark Platinum matt	27 802 660-99	659.30
matt white	27 802 660-10	494.70
matt black	27 802 660-33	494.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 803 660




Hand shower set with integrated shower holder

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 803 660-00	355.10
platinum matt	27 803 660-06	567.90
platinum	27 803 660-08	567.90
brushed Durabrass	27 803 660-28	703.10
Dark Platinum matt	27 803 660-99	638.40
matt white	27 803 660-10	479.30
matt black	27 803 660-33	478.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 805 625



Hand shower set

- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 805 625-00	264.30
platinum matt	27 805 625-06	422.90
brushed Durabrass	27 805 625-28	523.40
matt black	27 805 625-33	356.80




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
brushed Durabrass	28 450 625-28	184.40
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



27 802 892




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 802 892-00	492.00
platinum matt	27 802 892-06	787.40
platinum	27 802 892-08	787.40
brushed Durabrass	27 802 892-28	974.20
Dark Platinum matt	27 802 892-99	885.60
matt white	27 802 892-10	664.20
matt black	27 802 892-33	664.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 803 892




Hand shower set with individual rosettes

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 803 892-00	482.30
platinum matt	27 803 892-06	771.50
platinum	27 803 892-08	771.50
brushed Durabrass	27 803 892-28	955.00
Dark Platinum matt	27 803 892-99	868.20
matt white	27 803 892-10	651.20
matt black	27 803 892-33	651.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 806 625



Hand shower set

- normal flow
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 806 625-00	272.50
platinum matt	27 806 625-06	436.30
brushed Durabrass	27 806 625-28	539.60
matt black	27 806 625-33	367.50




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
brushed Durabrass	28 450 625-28	184.40
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


28 518 979



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 979-00	251.90
platinum matt	28 518 979-06	403.20
platinum	28 518 979-08	403.20
Durabrass	28 518 979-09	498.80
brushed Durabrass	28 518 979-28	498.80
Dark Platinum matt	28 518 979-99	453.40
matt white	28 518 979-10	340.00
matt black	28 518 979-33	340.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
platinum	36 515 979-08	707.70
brushed Durabrass	36 515 979-28	876.00
Dark Platinum matt	36 515 979-99	796.40
matt black	36 515 979-33	597.30



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



36 517 979




WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
platinum	36 517 979-08	1,093.50
brushed Durabrass	36 517 979-28	1,352.80
Dark Platinum matt	36 517 979-99	1,229.80
matt black	36 517 979-33	940.70

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
platinum	36 514 979-08	1,422.70
brushed Durabrass	36 514 979-28	1,760.60
Dark Platinum matt	36 514 979-99	1,600.60
matt black	36 514 979-33	1,200.30

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
platinum	36 513 979-08	1,061.80
brushed Durabronze	36 513 979-28	1,313.50
Dark Platinum matt	36 513 979-99	1,194.00
matt black	36 513 979-33	913.30




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
platinum	36 512 979-08	1,061.80
brushed Durabronze	36 512 979-28	1,313.50
Dark Platinum matt	36 512 979-99	1,194.00
matt black	36 512 979-33	913.30



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


13 415 979



WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
platinum	13 415 979-08	1,465.30
brushed Durabronze	13 415 979-28	1,813.40
Dark Platinum matt	13 415 979-99	1,648.50
matt black	13 415 979-33	1,236.30



Recommended miscellaneous

Concealed wall elbow


- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80




13 420 979



WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
platinum	13 420 979-08	2,093.90
brushed Durabrass	13 420 979-28	2,590.80
matt black	13 420 979-33	1,766.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
platinum	13 425 979-08	1,555.60
brushed Durabrass	13 425 979-28	1,924.80
Dark Platinum matt	13 425 979-99	1,749.90
matt black	13 425 979-33	1,312.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 820 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- rosette Ø 70 mm
- holder for Kneipp hose
- hose nozzle with sleeve M33
- with holding ring
- 1/2" wall elbow

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 820 979-00	400.10
	1x 28 285 979-00	84.40
Price		484.50
platinum matt	1x 27 820 979-06	640.20
	1x 28 285 979-06	135.10
Price		775.30
platinum	1x 27 820 979-08	640.20
	1x 28 285 979-08	135.00
Price		775.20
brushed Durabrass	1x 27 820 979-28	792.10
	1x 28 285 979-28	167.00
Price		959.10
Dark Platinum matt	1x 27 820 979-99	720.10
	1x 28 285 979-99	151.90
Price		872.00
matt white	1x 27 820 979-10	540.10
	1x 28 285 979-10	113.90
Price		654.00
matt black	1x 27 820 979-33	540.10
	1x 28 285 979-33	113.90
Price		654.00




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90
	28 286 979-10	113.90
matt black	28 286 979-33	113.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 660




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 660-00	181.00
	28 490 660-06	289.40
platinum	28 490 660-08	289.40
	28 490 660-28	358.30
Dark Platinum matt	28 490 660-99	325.40
	28 490 660-10	244.20
matt black	28 490 660-33	244.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 625




Wall elbow

- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
platinum	28 450 625-08	149.00
brushed Durabrass	28 450 625-28	184.40
Dark Platinum matt	28 450 625-99	167.60
matt white	28 450 625-10	125.70
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 892



Wall bracket

- rosette Ø 55 mm

		Euro
polished chrome	28 050 892-00	149.20
platinum matt	28 050 892-06	238.90
platinum	28 050 892-08	238.90
brushed Durabrass	28 050 892-28	295.50
Dark Platinum matt	28 050 892-99	268.60
matt white	28 050 892-10	201.30
matt black	28 050 892-33	201.50

28 060 970



Wall bracket swivel

		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
platinum	28 060 970-08	254.90
brushed Durabrass	28 060 970-28	315.30
Dark Platinum matt	28 060 970-99	286.60
matt white	28 060 970-10	215.00
matt black	28 060 970-33	215.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 823 979 +
28 285 979

NEW

Kneipp wall elbow with hose holder with individual rosettes

- laminar flow
- with volume control
- **rosette Ø 60 mm**
- holder for Kneipp hose
- 1/2" wall elbow
- **without hose**



		Euro
polished chrome	1x 27 823 979-00	474.40
	1x 28 285 979-00	84.40
	Price	558.80
platinum matt	1x 27 823 979-06	759.10
	1x 28 285 979-06	135.10
	Price	894.20
platinum	1x 27 823 979-08	759.10
	1x 28 285 979-08	135.00
	Price	894.10
brushed Durabrass	1x 27 823 979-28	939.30
	1x 28 285 979-28	167.00
	Price	1,106.30
Dark Platinum matt	1x 27 823 979-99	854.00
	1x 28 285 979-99	151.90
	Price	1,005.90
matt white	1x 27 823 979-10	640.50
	1x 28 285 979-10	113.90
	Price	754.40
matt black	1x 27 823 979-33	640.50
	1x 28 285 979-33	113.90
	Price	754.40

Product alternative




WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90
	28 286 979-10	113.90
matt black	28 286 979-33	113.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items



26 100 892



Shower mixer for wall mounting

- female 3/8" or male thread 1/2" shower outlet
- slide-on rosettes Ø 65 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.

		Euro
polished chrome	26 100 892-00	645.10
platinum matt	26 100 892-06	1,032.40
platinum	26 100 892-08	1,032.40
brushed Durabrass	26 100 892-28	1,277.50
Dark Platinum matt	26 100 892-99	1,161.30
matt white	26 100 892-10	871.00
matt black	26 100 892-33	871.10

34 442 979



Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.

		Euro
polished chrome	34 442 979-00	564.60
platinum matt	34 442 979-06	903.20
platinum	34 442 979-08	903.20
brushed Durabrass	34 442 979-28	1,117.80
Dark Platinum matt	34 442 979-99	1,016.00
matt white	34 442 979-10	762.10
matt black	34 442 979-33	762.00


36 060 660



Concealed single-lever mixer with cover plate

- cover plate Ø 78 mm

		Euro
polished chrome	36 060 660-00	298.40
platinum matt	36 060 660-06	477.20
platinum	36 060 660-08	477.20
brushed Durabrass	36 060 660-28	591.20
Dark Platinum matt	36 060 660-99	537.40
matt white	36 060 660-10	403.10
matt black	36 060 660-33	402.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
platinum	36 050 970-08	597.20
brushed Durabrass	36 050 970-28	739.40
Dark Platinum matt	36 050 970-99	672.50
matt white	36 050 970-10	504.10
matt black	36 050 970-33	504.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 045 660



Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate Ø 78 mm
- Intrinsic protection against back flow.

		Euro
polished chrome	36 045 660-00	358.20
platinum matt	36 045 660-06	572.90
platinum	36 045 660-08	573.10
brushed Durabrass	36 045 660-28	709.20
Dark Platinum matt	36 045 660-99	644.70
matt white	36 045 660-10	483.60
matt black	36 045 660-33	483.90



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30


36 120 660



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

		Euro
polished chrome	36 120 660-00	450.20
platinum matt	36 120 660-06	720.00
platinum	36 120 660-08	720.30
brushed Durabrass	36 120 660-28	891.30
Dark Platinum matt	36 120 660-99	810.30
matt white	36 120 660-10	607.80
matt black	36 120 660-33	608.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90




36 425 970



Concealed thermostat with one function volume control

- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 970-00	542.50
platinum matt	36 425 970-06	868.00
platinum	36 425 970-08	868.00
brushed Durabrass	36 425 970-28	1,074.50
Dark Platinum matt	36 425 970-99	976.70
matt white	36 425 970-10	732.60
matt black	36 425 970-33	732.50




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 426 970



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 970-00	644.70
platinum matt	36 426 970-06	1,031.30
platinum	36 426 970-08	1,031.30
brushed Durabrass	36 426 970-28	1,276.60
Dark Platinum matt	36 426 970-99	1,160.60
matt white	36 426 970-10	870.40
matt black	36 426 970-33	870.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90




36 427 970



Concealed thermostat with three function volume control


- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 970-00	672.70
platinum matt	36 427 970-06	1,076.30
platinum	36 427 970-08	1,076.30
brushed Durabrass	36 427 970-28	1,331.90
Dark Platinum matt	36 427 970-99	1,210.90
matt white	36 427 970-10	908.10
matt black	36 427 970-33	908.60



Required miscellaneous **Euro**

Concealed thermostat	Concealed rough parts	35 427 970 90	367.50
<ul style="list-style-type: none"> • min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 689			




Required miscellaneous **Euro**

Concealed thermostat with built-in isolators	Concealed rough parts	35 428 970 90	385.50
<ul style="list-style-type: none"> • min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 689			



Required miscellaneous **Euro**

xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90	90.30
For details and miscellaneous, see page 704			



Recommended miscellaneous **Euro**

xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90	90.90
For details and miscellaneous, see page 704			



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 501 979 +
36 607 892



xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 501 979-00	914.60
	1x 36 607 892-00	160.20
	Price	1,074.80
platinum matt	1x 36 501 979-06	1,463.30
	1x 36 607 892-06	256.60
	Price	1,719.90
platinum	1x 36 501 979-08	1,463.30
	1x 36 607 892-08	256.60
	Price	1,719.90
brushed Durabrass	1x 36 501 979-28	1,811.00
	1x 36 607 892-28	317.10
	Price	2,128.10
Dark Platinum matt	1x 36 501 979-99	1,646.20
	1x 36 607 892-99	288.40
	Price	1,934.60
matt white	1x 36 607 892-10	216.20
	1x 36 501 979-10	1,234.70
	Price	1,450.90
matt black	1x 36 501 979-33	1,234.90
	1x 36 607 892-33	216.40
	Price	1,451.30



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 691

		Euro
Concealed rough parts	35 511 970 90	570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90




36 503 979 +
2x 36 607 892



xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 979-00	914.60
	2x 36 607 892-00	160.20
	Price	1,235.00
platinum matt	1x 36 503 979-06	1,463.30
	2x 36 607 892-06	256.60
	Price	1,976.50
platinum	1x 36 503 979-08	1,463.30
	2x 36 607 892-08	256.60
	Price	1,976.50
brushed Durabrass	1x 36 503 979-28	1,811.00
	2x 36 607 892-28	317.10
	Price	2,445.20
Dark Platinum matt	1x 36 503 979-99	1,646.20
	2x 36 607 892-99	288.40
	Price	2,223.00
matt white	1x 36 503 979-10	1,234.70
	2x 36 607 892-10	216.20
	Price	1,667.10
matt black	1x 36 503 979-33	1,234.90
	2x 36 607 892-33	216.40
	Price	1,667.70




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 692

		Euro
Concealed rough parts	35 521 970 90	950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 693

		Euro
Concealed rough parts	35 524 970 90	939.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symmetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 503 979 +
3x 36 607 892



xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

			Euro
polished chrome	1x 36 503 979-00		914.60
	3x 36 607 892-00		160.20
		Price	1,395.20
platinum matt	1x 36 503 979-06		1,463.30
	3x 36 607 892-06		256.60
		Price	2,233.10
platinum	1x 36 503 979-08		1,463.30
	3x 36 607 892-08		256.60
		Price	2,233.10
brushed Durabrass	1x 36 503 979-28		1,811.00
	3x 36 607 892-28		317.10
		Price	2,762.30
Dark Platinum matt	1x 36 503 979-99		1,646.20
	3x 36 607 892-99		288.40
		Price	2,511.40
matt white	1x 36 503 979-10		1,234.70
	3x 36 607 892-10		216.20
		Price	1,883.30
matt black	1x 36 503 979-33		1,234.90
	3x 36 607 892-33		216.40
		Price	1,884.10




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 694

			Euro
Concealed rough parts	35 531 970 90		1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 695

			Euro
Concealed rough parts	35 534 970 90		1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



36 501 979



xTOOL Concealed thermostat without volume control 1/2"

- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

		Euro
polished chrome	36 501 979-00	914.60
platinum matt	36 501 979-06	1,463.30
platinum	36 501 979-08	1,463.30
Durabrass	36 501 979-09	1,810.90
brushed Durabrass	36 501 979-28	1,811.00
Dark Platinum matt	36 501 979-99	1,646.20
matt white	36 501 979-10	1,234.70
matt black	36 501 979-33	1,234.90



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

		Euro
polished chrome	36 503 979-00	914.60
platinum matt	36 503 979-06	1,463.30
platinum	36 503 979-08	1,463.30
Durabrass	36 503 979-09	1,810.90
brushed Durabrass	36 503 979-28	1,811.00
Dark Platinum matt	36 503 979-99	1,646.20
matt white	36 503 979-10	1,234.70
matt black	36 503 979-33	1,234.90



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 690

		Euro
Concealed rough parts	35 503 970 90	695.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 607 892



Wall valve clockwise closing 1/2"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 892-00	160.20
platinum matt	36 607 892-06	256.60
platinum	36 607 892-08	256.60
brushed Durabrass	36 607 892-28	317.10
Dark Platinum matt	36 607 892-99	288.40
matt white	36 607 892-10	216.20
matt black	36 607 892-33	216.40



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 607 882



Wall valve clockwise closing 1/2"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 882-00	183.10
platinum matt	36 607 882-06	293.10
platinum	36 607 882-08	293.10
brushed Durabrass	36 607 882-28	362.50
Dark Platinum matt	36 607 882-99	329.60
matt white	36 607 882-10	247.20
matt black	36 607 882-33	247.50



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 608 892



Wall valve clockwise closing 3/4"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 892-00	160.20
platinum matt	36 608 892-06	256.60
platinum	36 608 892-08	256.60
brushed Durabrass	36 608 892-28	317.10
Dark Platinum matt	36 608 892-99	288.40
matt white	36 608 892-10	216.20
matt black	36 608 892-33	216.40



Required miscellaneous

Wall valve 3/4"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90


36 608 882



Wall valve clockwise closing 3/4"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 882-00	183.10
platinum matt	36 608 882-06	293.10
platinum	36 608 882-08	293.10
brushed Durabrass	36 608 882-28	362.50
Dark Platinum matt	36 608 882-99	329.60
matt white	36 608 882-10	247.20
matt black	36 608 882-33	247.50



Required miscellaneous

Wall valve 3/4"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

20 000 892



Deck valve clockwise closing cold or hot

- hole diameter 32 mm
- rosette Ø 55 mm

		Euro
polished chrome	20 000 892-00	181.00
platinum matt	20 000 892-06	289.50
platinum	20 000 892-08	289.50
brushed Durabrass	20 000 892-28	358.30
Dark Platinum matt	20 000 892-99	325.60
matt white	20 000 892-10	244.20
matt black	20 000 892-33	244.30


36 200 882



Concealed two-way diverter

- rotary diverter
- rosette 60 mm

		Euro
polished chrome	36 200 882-00	440.50
platinum matt	36 200 882-06	704.90
platinum	36 200 882-08	704.90
brushed Durabrass	36 200 882-28	872.30
Dark Platinum matt	36 200 882-99	793.00
matt white	36 200 882-10	594.70
matt black	36 200 882-33	594.70



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20


36 200 892



Concealed two-way diverter

- rotary diverter
- rosette 60 mm

		Euro
polished chrome	36 200 892-00	381.20
platinum matt	36 200 892-06	610.00
platinum	36 200 892-08	610.00
brushed Durabrass	36 200 892-28	754.90
Dark Platinum matt	36 200 892-99	686.20
matt white	36 200 892-10	514.70
matt black	36 200 892-33	514.70



Required miscellaneous

Concealed two-way diverter

- min. recess depth mm
- max. recess depth mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20


36 210 882



Concealed three-way diverter

- rotary diverter
- rosette 60 mm

		Euro
polished chrome	36 210 882-00	440.50
platinum matt	36 210 882-06	704.90
platinum	36 210 882-08	704.90
brushed Durabrass	36 210 882-28	872.30
Dark Platinum matt	36 210 882-99	793.00
matt white	36 210 882-10	594.70
matt black	36 210 882-33	594.70



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 210 892



Concealed three-way diverter

- rotary diverter
- rosette 60 mm

		Euro
polished chrome	36 210 892-00	381.20
platinum matt	36 210 892-06	610.00
platinum	36 210 892-08	610.00
brushed Durabrass	36 210 892-28	754.90
Dark Platinum matt	36 210 892-99	686.20
matt white	36 210 892-10	514.70
matt black	36 210 892-33	514.70



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



Tara.


25 863 661



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- 281 mm projection
- 360° pivotable spout
- spout: circular, air-enriched flow
- complete hand shower set: normal flow
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 1031 - 1101 mm
- stand pipe height 565 - 635 mm
- height up to aerator 899 - 969 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 24.6 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 863 661-00	2,669.20
platinum matt	25 863 661-06	4,270.90
brushed Durabrass	25 863 661-28	5,285.20
Dark Platinum matt	25 863 661-99	4,804.70
matt black	25 863 661-33	3,604.30

		Euro
Concealed rough parts	35 945 970 90	676.20

25 943 892



Two-hole bath mixer for free-standing assembly with hand shower set

- 220 mm projection
- pivotable spout 180°
- hand shower: normal flow
- spout: circular, air-enriched flow
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 765 mm
- slide-on rosettes Ø 90 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 22 l/min at 3 bar flow pressure
- max. hand shower flow 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 943 892-00	3,103.70
platinum matt	25 943 892-06	4,965.80
platinum	25 943 892-08	4,965.80
brushed Durabrass	25 943 892-28	6,145.20
Dark Platinum matt	25 943 892-99	5,586.50
matt white	25 943 892-10	4,190.00
matt black	25 943 892-33	4,189.90

		Euro
Concealed rough parts	35 944 970 90	433.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen


25 943 882



Two-hole bath mixer for free-standing assembly with hand shower set

- 220 mm projection
- pivotable spout 180°
- spout: circular, air-enriched flow
- hand shower: normal flow
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 765 mm
- slide-on rosettes Ø 90 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 22 l/min at 3 bar flow pressure
- max. hand shower flow 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 943 882-00	3,380.10
platinum matt	25 943 882-06	5,408.00
platinum	25 943 882-08	5,408.00
brushed Durabronz	25 943 882-28	6,692.70
Dark Platinum matt	25 943 882-99	6,084.30
matt white	25 943 882-10	4,563.10
matt black	25 943 882-33	4,563.20

		Euro
Concealed rough parts	35 944 970 90	433.00

25 100 892



Bath mixer for wall mounting

- 240 mm projection
- circular normal flow
- rotary diverter for bath/shower
- 3/8" shower outlet
- slide-on rosettes Ø 65 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 22 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Stand pipes combination possible on request (x-TRA SERVICE).

		Euro
polished chrome	25 100 892-00	800.40
platinum matt	25 100 892-06	1,280.50
platinum	25 100 892-08	1,280.50
brushed Durabronz	25 100 892-28	1,584.90
Dark Platinum matt	25 100 892-99	1,440.80
matt white	25 100 892-10	1,080.60
matt black	25 100 892-33	1,080.40

25 133 892



Bath mixer for wall mounting with hand shower set

- 240 mm projection
- spout: circular, air-enriched flow
- complete hand shower set: normal flow
- complete hand shower set with anti-scale system
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 22 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

Stand pipes combination possible on request (x-TRA SERVICE).

		Euro
polished chrome	25 133 892-00	1,212.00
platinum matt	25 133 892-06	1,939.70
platinum	25 133 892-08	1,939.70
brushed Durabronz	25 133 892-28	2,399.90
Dark Platinum matt	25 133 892-99	2,181.80
matt white	25 133 892-10	1,636.30
matt black	25 133 892-33	1,636.40



25 133 882



Bath mixer for wall mounting with hand shower set

- **240 mm projection**
- spout: circular, air-enriched flow
- complete hand shower set: normal flow
- complete hand shower set with anti-scale system
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 22 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

Stand pipes combination possible on request (x-TRA SERVICE).

		Euro
polished chrome	25 133 882-00	1,326.30
platinum matt	25 133 882-06	2,121.70
platinum	25 133 882-08	2,121.70
brushed Durabrass	25 133 882-28	2,625.90
Dark Platinum matt	25 133 882-99	2,387.20
matt white	25 133 882-10	1,790.50
matt black	25 133 882-33	1,790.00

27 512 892




Bath shower set for bath rim or tile edge installation

- **220 mm projection**
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter spout 32 mm
- deck valve hole diameter 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 2250mm with integrated anti-twist protection
- max. flow 23.5 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Also available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

		Euro
polished chrome	27 512 892-00	1,747.90
platinum matt	27 512 892-06	2,796.60
platinum	27 512 892-08	2,796.60
brushed Durabrass	27 512 892-28	3,460.80
Dark Platinum matt	27 512 892-99	3,146.20
matt white	27 512 892-10	2,359.60
matt black	27 512 892-33	2,359.50



Recommended miscellaneous

Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60
platinum	12 801 970-08	71.60
brushed Durabrass	12 801 970-28	88.50
Dark Platinum matt	12 801 970-99	80.40
matt white	12 801 970-10	60.40
matt black	12 801 970-33	60.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 512 882




Bath shower set for bath rim or tile edge installation

- **220 mm projection**
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- with anti-scale system
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 23.5 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

		Euro
polished chrome	27 512 882-00	1,873.40
platinum matt	27 512 882-06	2,997.50
platinum	27 512 882-08	2,997.50
brushed Durabrass	27 512 882-28	3,709.10
Dark Platinum matt	27 512 882-99	3,372.00
matt white	27 512 882-10	2,529.00
matt black	27 512 882-33	2,529.20



Recommended miscellaneous

Perfecto installation kit

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60
platinum	12 801 970-08	71.60
brushed Durabrass	12 801 970-28	88.50
Dark Platinum matt	12 801 970-99	80.40
matt white	12 801 970-10	60.40
matt black	12 801 970-33	60.60


13 801 892



bath spout for wall mounting

- **200 mm projection**
- circular normal flow
- rosette Ø 55 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 29 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 892-00	503.00
platinum matt	13 801 892-06	804.90
platinum	13 801 892-08	804.90
brushed Durabrass	13 801 892-28	996.10
Dark Platinum matt	13 801 892-99	905.60
matt white	13 801 892-10	679.10
matt black	13 801 892-33	679.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



27 702 979



Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette Ø 50 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 6.8 l/min

**Two-piece design allows hose to later be changed without dismantling the fitting.
Intrinsic protection against back flow.**

		Euro
polished chrome	27 702 979-00	467.40
platinum matt	27 702 979-06	747.70
platinum	27 702 979-08	747.70
Durabrass	27 702 979-09	925.60
brushed Durabrass	27 702 979-28	925.60
Dark Platinum matt	27 702 979-99	841.40
matt white	27 702 979-10	631.00
matt black	27 702 979-33	631.00

29 140 979



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 50 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

		Euro
polished chrome	29 140 979-00	641.80
platinum matt	29 140 979-06	1,026.80
platinum	29 140 979-08	1,026.80
brushed Durabrass	29 140 979-28	1,270.70
Dark Platinum matt	29 140 979-99	1,155.20
matt white	29 140 979-10	866.30
matt black	29 140 979-33	866.30

29 140 892



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

		Euro
polished chrome	29 140 892-00	646.30
platinum matt	29 140 892-06	1,034.00
platinum	29 140 892-08	1,034.00
brushed Durabrass	29 140 892-28	1,279.50
Dark Platinum matt	29 140 892-99	1,163.20
matt white	29 140 892-10	872.50
matt black	29 140 892-33	872.50



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 120 660



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

		Euro
polished chrome	36 120 660-00	450.20
platinum matt	36 120 660-06	720.00
platinum	36 120 660-08	720.30
brushed Durabrass	36 120 660-28	891.30
Dark Platinum matt	36 120 660-99	810.30
matt white	36 120 660-10	607.80
matt black	36 120 660-33	608.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
platinum	36 243 970-08	284.80
Durabrass	36 243 970-09	352.20
brushed Durabrass	36 243 970-28	352.20
Dark Platinum matt	36 243 970-99	320.20
matt white	36 243 970-10	240.10
matt black	36 243 970-33	240.40



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 227 970 90	144.30



36 247 970



bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
platinum	36 247 970-08	430.70
Durabrass	36 247 970-09	532.80
brushed Durabrass	36 247 970-28	532.80
Dark Platinum matt	36 247 970-99	484.40
matt white	36 247 970-10	363.20
matt black	36 247 970-33	363.30



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 248 970 90	397.30



Required miscellaneous

Vacuum breaker

- rosette 70 mm

		Euro
polished chrome	36 150 970-00	73.80
platinum matt	36 150 970-06	118.10
platinum	36 150 970-08	118.10
Durabrass	36 150 970-09	146.00
brushed Durabrass	36 150 970-28	146.00
Dark Platinum matt	36 150 970-99	132.80
matt white	36 150 970-10	99.50
matt black	36 150 970-33	99.70



Required miscellaneous

Vacuum breaker

- 3/4" connection

		Euro
Concealed rough parts	35 150 970 90	253.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 030 892



Bath grip

- gauge 300 mm
- width 355mm
- height 55 mm
- rosette Ø 55 mm
- 80 mm projection

		Euro
polished chrome	83 030 892-00	300.00
platinum matt	83 030 892-06	479.90
platinum	83 030 892-08	479.90
brushed Durabrass	83 030 892-28	594.00
Dark Platinum matt	83 030 892-99	540.00
matt white	83 030 892-10	405.00
matt black	83 030 892-33	405.00

83 045 892



Towel bar

- gauge 450 mm
- width 505mm
- height 55 mm
- rosette Ø 55 mm
- 81 mm projection

		Euro
polished chrome	83 045 892-00	313.60
platinum matt	83 045 892-06	501.80
platinum	83 045 892-08	501.80
brushed Durabrass	83 045 892-28	620.90
Dark Platinum matt	83 045 892-99	564.40
matt white	83 045 892-10	423.30
matt black	83 045 892-33	423.40

83 060 892



Towel bar

- gauge 600 mm
- width 655mm
- height 55 mm
- rosette Ø 55 mm
- 81 mm projection

		Euro
polished chrome	83 060 892-00	323.50
platinum matt	83 060 892-06	517.40
platinum	83 060 892-08	517.40
brushed Durabrass	83 060 892-28	640.60
Dark Platinum matt	83 060 892-99	582.30
matt white	83 060 892-10	436.70
matt black	83 060 892-33	436.70

83 080 892



Towel bar

- gauge 800 mm
- width 855mm
- height 55 mm
- rosette Ø 55 mm
- 81 mm projection

		Euro
polished chrome	83 080 892-00	341.60
platinum matt	83 080 892-06	546.50
platinum	83 080 892-08	546.50
brushed Durabrass	83 080 892-28	676.50
Dark Platinum matt	83 080 892-99	615.00
matt white	83 080 892-10	461.20
matt black	83 080 892-33	461.10

83 211 892



Towel bar 1-piece non-swivel

- rosette Ø 55 mm
- 445 mm projection

		Euro
polished chrome	83 211 892-00	195.20
platinum matt	83 211 892-06	312.40
platinum	83 211 892-08	312.40
brushed Durabrass	83 211 892-28	386.50
Dark Platinum matt	83 211 892-99	351.40
matt white	83 211 892-10	263.50
matt black	83 211 892-33	263.60



83 210 892

Towel bar in two parts non-swivel

- width 90mm
- height 55 mm
- rosette Ø 55 mm
- 460 mm projection



		Euro
polished chrome	83 210 892-00	303.40
platinum matt	83 210 892-06	485.30
platinum	83 210 892-08	485.30
brushed Durabrass	83 210 892-28	600.80
Dark Platinum matt	83 210 892-99	546.10
matt white	83 210 892-10	409.60
matt black	83 210 892-33	409.50

83 200 892

Towel ring round

- width 185mm
- rosette Ø 55 mm
- 80 mm projection



		Euro
polished chrome	83 200 892-00	189.60
platinum matt	83 200 892-06	303.40
platinum	83 200 892-08	303.40
brushed Durabrass	83 200 892-28	375.30
Dark Platinum matt	83 200 892-99	341.20
matt white	83 200 892-10	255.90
matt black	83 200 892-33	256.00

83 251 220

Hooks

- 55 mm projection



		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
platinum	83 251 220-08	57.60
Durabrass	83 251 220-09	71.40
brushed Durabrass	83 251 220-28	71.40
Dark Platinum matt	83 251 220-99	64.90
matt white	83 251 220-10	48.70
matt black	83 251 220-33	48.80

83 251 979

Hooks

- rosette Ø 40 mm
- 50 mm projection



		Euro
polished chrome	83 251 979-00	59.10
platinum matt	83 251 979-06	94.70
brushed Durabrass	83 251 979-28	117.10
Dark Platinum matt	83 251 979-99	106.30
matt black	83 251 979-33	83.80

83 256 979

Hooks in two parts

- width 80mm
- rosette Ø 40 mm
- 55 mm projection



		Euro
polished chrome	83 256 979-00	109.60
platinum matt	83 256 979-06	175.70
brushed Durabrass	83 256 979-28	217.10
Dark Platinum matt	83 256 979-99	197.40
matt black	83 256 979-33	147.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 410 979



Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
platinum	83 410 979-08	372.60
Durabrass	83 410 979-09	461.20
brushed Durabrass	83 410 979-28	461.20
Dark Platinum matt	83 410 979-99	419.30
matt white	83 410 979-10	314.40
matt black	83 410 979-33	314.40

84 410 780



Soap dish free-standing model

- width 120mm
- height 10 mm
- 120 mm projection

		Euro
polished chrome	84 410 780-00	283.30
platinum matt	84 410 780-06	453.00
platinum	84 410 780-08	453.00
brushed Durabrass	84 410 780-28	561.00
Dark Platinum matt	84 410 780-99	509.90
matt white	84 410 780-10	382.50
matt black	84 410 780-33	382.50

83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
platinum	83 435 970-08	589.30
brushed Durabrass	83 435 970-28	729.30
Dark Platinum matt	83 435 970-99	663.00
matt white	83 435 970-10	497.30
matt black	83 435 970-33	497.30

83 435 892



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- rosette Ø 55 mm
- 250 ml bottle
- 144 mm projection

		Euro
polished chrome	83 435 892-00	385.10
platinum matt	83 435 892-06	616.10
platinum	83 435 892-08	616.10
brushed Durabrass	83 435 892-28	762.50
Dark Platinum matt	83 435 892-99	693.10
matt white	83 435 892-10	519.90
matt black	83 435 892-33	519.90

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
platinum	84 435 970-08	542.60
brushed Durabrass	84 435 970-28	672.00
Dark Platinum matt	84 435 970-99	610.90
matt white	84 435 970-10	458.20
matt black	84 435 970-33	458.10



83 400 979


Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection



Recommended miscellaneous

Crystal tumbler transparent

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20
matt black	83 400 979-33	303.00

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979


Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection



Recommended miscellaneous

Crystal tumbler matt

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
platinum	83 401 979-08	359.20
Durabrass	83 401 979-09	444.50
brushed Durabrass	83 401 979-28	444.50
Dark Platinum matt	83 401 979-99	404.00
matt black	83 401 979-33	303.00

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 400 892


Tumbler holder wall model

- crystal glass brush holder, matt
- width 65mm
- height 125 mm
- rosette Ø 55 mm
- 123 mm projection



Recommended miscellaneous

Crystal tumbler matt

		Euro
polished chrome	83 400 892-00	287.50
platinum matt	83 400 892-06	459.80
platinum	83 400 892-08	459.80
brushed Durabrass	83 400 892-28	569.40
Dark Platinum matt	83 400 892-99	517.60
matt white	83 400 892-10	388.20
matt black	83 400 892-33	388.10

		Euro
Concealed rough parts	08 90 00 017 82	50.20

83 481 970


Shelf wall model

- width 200mm
- height 26 mm
- 100 mm projection
- **without grid element**

Required miscellaneous

Grid element

- plastic grid elements

		Euro
polished chrome	83 481 970-00	106.50
platinum matt	83 481 970-06	170.40
platinum	83 481 970-08	170.50
brushed Durabrass	83 481 970-28	211.00
Dark Platinum matt	83 481 970-99	191.80
matt white	83 481 970-10	143.80
matt black	83 481 970-33	143.80

		Euro
light grey	82 481 970-52	40.60
creamy white	82 481 970-51	40.60
taupe	82 481 970-53	40.60
matt black	82 481 970-33	40.60



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 482 970



Shelf wall model

- width 300mm
- height 26 mm
- 100 mm projection
- **without grid element**

		Euro
polished chrome	83 482 970-00	126.40
platinum matt	83 482 970-06	202.20
platinum	83 482 970-08	202.40
brushed Durabrass	83 482 970-28	250.50
Dark Platinum matt	83 482 970-99	227.70
matt white	83 482 970-10	170.80
matt black	83 482 970-33	170.80

Required miscellaneous

Grid element

- plastic grid elements

		Euro
matt black	82 482 970-33	53.80
light grey	82 482 970-52	53.80
creamy white	82 482 970-51	53.80
taupe	82 482 970-53	53.80

83 281 530




Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
platinum	83 281 530-08	292.30
Durabrass	83 281 530-09	362.00
brushed Durabrass	83 281 530-28	362.00
Dark Platinum matt	83 281 530-99	328.90
matt white	83 281 530-10	246.70
matt black	83 281 530-33	246.70

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
platinum	83 290 970-08	285.40
Durabrass	83 290 970-09	353.30
brushed Durabrass	83 290 970-28	353.30
Dark Platinum matt	83 290 970-99	321.10
matt white	83 290 970-10	240.90
matt black	83 290 970-33	240.80

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
platinum	82 290 970-08	285.40
Durabrass	82 290 970-09	353.30
brushed Durabrass	82 290 970-28	353.30
Dark Platinum matt	82 290 970-99	321.10
matt white	82 290 970-10	240.90
matt black	82 290 970-33	240.80



83 500 892



Tissue holder without cover

- width 152mm
- height 100 mm
- rosette Ø 55 mm
- 72 mm projection

		Euro
polished chrome	83 500 892-00	189.60
platinum matt	83 500 892-06	303.40
platinum	83 500 892-08	303.40
brushed Durabrass	83 500 892-28	375.30
Dark Platinum matt	83 500 892-99	341.20
matt white	83 500 892-10	255.90
matt black	83 500 892-33	256.00

83 510 892



Tissue holder with cover

- width 152mm
- height 100 mm
- rosette Ø 55 mm
- 77 mm projection

		Euro
polished chrome	83 510 892-00	233.00
platinum matt	83 510 892-06	372.70
platinum	83 510 892-08	372.70
brushed Durabrass	83 510 892-28	461.40
Dark Platinum matt	83 510 892-99	419.50
matt white	83 510 892-10	314.50
matt black	83 510 892-33	314.50

83 590 892



Reserve tissue holder

- width 55mm
- height 55 mm
- rosette Ø 55 mm
- 135 mm projection

		Euro
polished chrome	83 590 892-00	189.60
platinum matt	83 590 892-06	303.40
platinum	83 590 892-08	303.40
brushed Durabrass	83 590 892-28	375.30
Dark Platinum matt	83 590 892-99	341.20
matt white	83 590 892-10	255.90
matt black	83 590 892-33	256.00

83 900 892



Toilet brush set wall model

- crystal glass brush holder, matt
- brush, matt black
- width 110mm
- height 415 mm
- 180 mm projection

		Euro
polished chrome	83 900 892-00	418.10
platinum matt	83 900 892-06	669.10
platinum	83 900 892-08	669.10
brushed Durabrass	83 900 892-28	827.90
Dark Platinum matt	83 900 892-99	752.60
matt white	83 900 892-10	564.60
matt black	83 900 892-33	564.70



Recommended miscellaneous

Brush matt black

		Euro
Concealed rough parts	08 18 50 601 90	27.90



Recommended miscellaneous

Glass matt

		Euro
Concealed rough parts	08 90 04 008 82	50.20



Recommended miscellaneous

Brush handle

		Euro
polished chrome	90 20 97 507 00-00	86.00
platinum matt	90 20 97 507 00-06	137.60
platinum	90 20 97 507 00-08	137.60
brushed Durabrass	90 20 97 507 00-28	170.30
Dark Platinum matt	90 20 97 507 00-99	154.80
matt white	90 20 97 507 00-10	114.70
matt black	90 20 97 507 00-33	114.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
platinum	12 660 979-08	1,097.80
brushed Durabrass	12 660 979-28	1,358.40
Dark Platinum matt	12 660 979-99	1,234.90
matt black	12 660 979-33	926.10



Tara.



VAIA

Sieger Design

Basin
from page 514

Bidet
from page 520

Shower
from page 521

Thermostats, mixers,
diverters and valves
from page 544

Bath
from page 556

Accessories
from page 561



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Basin fittings overview

Single-lever basin mixers

167 mm projection

123 mm projection



33 500 809
33 521 809*



33 510 809
33 525 809*

with raised base

201 mm projection



33 534 809*

Three-hole basin mixers

168 mm projection



20 713 809



20 713 819

Deck-mounted basin spout

168 mm projection



13 716 809*

Wall-mounted single-lever basin mixer

190 mm projection



36 860 809

Wall-mounted basin mixers

190 mm projection



36 712 809



36 712 819

Wall-mounted basin spout

190 mm projection



13 800 809



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Overview of bath fittings

Free-standing bath fittings



25 863 809



25 943 809



25 943 819



27 522 809



27 522 819



27 632 809

Bath spout



13 801 809

Hand shower set



27 702 809

Single-lever mixers



29 300 809



36 120 809



29 140 809

Diverter

integrated bath filling



36 247 970

Miscellaneous



36 243 970

33 510 809



Single-lever basin mixer with pop-up waste

- 123 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 274 mm
- height up to aerator 220 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 510 809-00	692.30
platinum matt	33 510 809-06	1,107.60
platinum	33 510 809-08	1,107.60
brushed Durabrass	33 510 809-28	1,370.80
Dark Platinum matt	33 510 809-99	1,246.10



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 525 809-00	635.70
platinum matt	33 525 809-06	1,017.10
platinum	33 525 809-08	1,017.10
brushed Durabrass	33 525 809-28	1,258.70
Dark Platinum matt	33 525 809-99	1,144.20

33 500 809



Single-lever basin mixer with pop-up waste

- 167 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 306 mm
- height up to aerator 220 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Only suitable for basins with an overflow.

		Euro
polished chrome	33 500 809-00	732.10
platinum matt	33 500 809-06	1,171.00
platinum	33 500 809-08	1,171.30
brushed Durabrass	33 500 809-28	1,449.50
Dark Platinum matt	33 500 809-99	1,317.60



Product alternative

Single-lever basin mixer without pop-up waste

- without pop-up waste

		Euro
polished chrome	33 521 809-00	675.30
platinum matt	33 521 809-06	1,080.30
platinum	33 521 809-08	1,080.50
brushed Durabrass	33 521 809-28	1,337.20
Dark Platinum matt	33 521 809-99	1,215.50

33 534 809



Single-lever basin mixer with raised base without pop-up waste

- 201 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 414 mm
- height up to aerator 316 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	33 534 809-00	949.80
platinum matt	33 534 809-06	1,519.60
platinum	33 534 809-08	1,519.70
brushed Durabrass	33 534 809-28	1,880.60
Dark Platinum matt	33 534 809-99	1,709.60



VAIA

20 713 809



Three-hole basin mixer with pop-up waste

- 168 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- deck valve hole diameter 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	20 713 809-00	1,121.90
platinum matt	20 713 809-06	1,794.90
platinum	20 713 809-08	1,795.00
brushed Durabross	20 713 809-28	2,221.40
Dark Platinum matt	20 713 809-99	2,019.30



Recommended miscellaneous

- High pressure hoses**
- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

20 713 819



Three-hole basin mixer with pop-up waste

- 168 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	20 713 819-00	1,121.90
platinum matt	20 713 819-06	1,794.90
platinum	20 713 819-08	1,795.00
brushed Durabross	20 713 819-28	2,221.40
Dark Platinum matt	20 713 819-99	2,019.30



Recommended miscellaneous

- High pressure hoses**
- 2x 1/2" x 3/8" high pressure hose

		Euro
Concealed rough parts	12 506 970 90	158.90

36 860 809



Wall-mounted single-lever basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for single-lever mixer Ø 78mm
- rosette for spout Ø 60mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 860 809-00	755.80
platinum matt	36 860 809-06	1,209.50
platinum	36 860 809-08	1,209.30
brushed Durabross	36 860 809-28	1,496.60
Dark Platinum matt	36 860 809-99	1,360.50



Required miscellaneous

- Concealed wall-mounted single-lever mixer**
- min. recess depth 80 mm
 - max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80



Required miscellaneous

- Concealed wall-mounted single-lever mixer on right**

NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 816 970 90	310.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 712 819



Wall-mounted basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 40 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 712 819-00	860.30
platinum matt	36 712 819-06	1,376.30
platinum	36 712 819-08	1,376.60
brushed Durabrass	36 712 819-28	1,703.50
Dark Platinum matt	36 712 819-99	1,548.80



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10


36 712 809



Wall-mounted basin mixer without pop-up waste

- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 40 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	36 712 809-00	860.30
platinum matt	36 712 809-06	1,376.30
platinum	36 712 809-08	1,376.60
brushed Durabrass	36 712 809-28	1,703.50
Dark Platinum matt	36 712 809-99	1,548.80



Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 700 970 90	155.60



Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 720 970 90	124.10

44 521 809

NEW



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- 167 mm projection
- height of mixer 306 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested

Batteries not included

		Euro
polished chrome	44 521 809-00	661.10
platinum matt	44 521 809-06	1,057.80
platinum	44 521 809-08	1,057.80
brushed Durabrass	44 521 809-28	1,309.00
Dark Platinum matt	44 521 809-99	1,190.00

13 716 809 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- 168 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 809-00	730.20
	1x 42 765 970 90	553.30
	Price	1,283.50
platinum matt	1x 13 716 809-06	1,168.10
	1x 42 765 970 90	553.30
	Price	1,721.40
platinum	1x 13 716 809-08	1,168.30
	1x 42 765 970 90	553.30
	Price	1,721.60
brushed Durabrass	1x 13 716 809-28	1,445.70
	1x 42 765 970 90	553.30
	Price	1,999.00
Dark Platinum matt	1x 13 716 809-99	1,314.20
	1x 42 765 970 90	553.30
	Price	1,867.50



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 740 970 90	252.50

13 716 809 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 168 mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 716 809-00	730.20
	1x 42 766 970 90	461.10
	Price	1,191.30
platinum matt	1x 13 716 809-06	1,168.10
	1x 42 766 970 90	461.10
	Price	1,629.20
platinum	1x 13 716 809-08	1,168.30
	1x 42 766 970 90	461.10
	Price	1,629.40
brushed Durabrass	1x 13 716 809-28	1,445.70
	1x 42 766 970 90	461.10
	Price	1,906.80
Dark Platinum matt	1x 13 716 809-99	1,314.20
	1x 42 766 970 90	461.10
	Price	1,775.30



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 742 970 90	229.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

13 800 809 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting


- **190 mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 809-00	630.50
	1x 42 765 970 90	553.30
	Price	1,183.80
platinum matt	1x 13 800 809-06	1,008.90
	1x 42 765 970 90	553.30
	Price	1,562.20
platinum	1x 13 800 809-08	1,008.80
	1x 42 765 970 90	553.30
	Price	1,562.10
brushed Durabrass	1x 13 800 809-28	1,248.50
	1x 42 765 970 90	553.30
	Price	1,801.80
Dark Platinum matt	1x 13 800 809-99	1,134.80
	1x 42 765 970 90	553.30
	Price	1,688.10




Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 741 970 90	252.50



Recommended miscellaneous

- Concealed wall elbow**
- min. recess depth 90 mm
 - max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



13 800 809 +
42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting


- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
polished chrome	1x 13 800 809-00	630.50
	1x 42 766 970 90	461.10
	Price	1,091.60
platinum matt	1x 13 800 809-06	1,008.90
	1x 42 766 970 90	461.10
	Price	1,470.00
platinum	1x 13 800 809-08	1,008.80
	1x 42 766 970 90	461.10
	Price	1,469.90
brushed Durabrass	1x 13 800 809-28	1,248.50
	1x 42 766 970 90	461.10
	Price	1,709.60
Dark Platinum matt	1x 13 800 809-99	1,134.80
	1x 42 766 970 90	461.10
	Price	1,595.90




Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 699

		Euro
Concealed rough parts	35 743 970 90	229.40



Recommended miscellaneous

Concealed wall elbow

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

22 901 979



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

		Euro
polished chrome	22 901 979-00	151.80
platinum matt	22 901 979-06	242.80
platinum	22 901 979-08	242.80
brushed Durabrass	22 901 979-28	300.50
Dark Platinum matt	22 901 979-99	273.10

Miscellaneous

10 060 970



Siphon for basin

- rosette Ø 70 mm

		Euro
polished chrome	10 060 970-00	272.50
platinum matt	10 060 970-06	436.20
platinum	10 060 970-08	436.20
brushed Durabrass	10 060 970-28	539.60
Dark Platinum matt	10 060 970-99	490.50



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

33 600 809



Single-lever bidet mixer with pop-up waste

- **104 mm projection**
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 218 mm
- height up to aerator 166 mm
- hole diameter 35 mm
- rosette Ø 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

		Euro
polished chrome	33 600 809-00	910.10
platinum matt	33 600 809-06	1,456.10
platinum	33 600 809-08	1,456.10
brushed Durabronze	33 600 809-28	1,802.00
Dark Platinum matt	33 600 809-99	1,638.10


27 701 670



Bidet spray

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 670-00	260.00
platinum matt	27 701 670-06	416.00
platinum	27 701 670-08	416.00
brushed Durabronze	27 701 670-28	514.90
Dark Platinum matt	27 701 670-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 701 970




Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

		Euro
polished chrome	27 701 970-00	260.00
platinum matt	27 701 970-06	416.00
platinum	27 701 970-08	416.00
brushed Durabronze	27 701 970-28	514.90
Dark Platinum matt	27 701 970-99	468.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80





Headshower solution


	Euro	
polished chrome	Price	2,093.00
platinum matt	Price	2,980.20
platinum	Price	2,980.60
brushed Durabross	Price	3,542.70
Dark Platinum matt	Price	3,276.40



Shower head

- Shower head see page 580

	Euro	
polished chrome	28 504 979-00	476.20



Hand shower set with individual rosettes

- Hand Shower set see page 616


	Euro	
polished chrome	27 808 809-00	541.30



Concealed single-lever mixer with diverter

- More control elements can be found from page 638 onwards


	Euro	
polished chrome	36 120 809-00	461.40



Concealed wall elbow

This article is needed 2x.

	Euro	
Concealed rough parts	35 085 970 90	98.80



Concealed single-lever mixer

	Euro	
Concealed rough parts	35 020 970 90	190.70



xGRID Installation track set

	Euro	
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Rainshower solution


		Euro
polished chrome	Price	4,806.20
platinum matt	Price	6,865.90
platinum	Price	6,865.70
brushed Durabrass	Price	8,170.10
Dark Platinum matt	Price	7,551.80



Rain shower with wall fixing

- Rain shower see page 596

		Euro
polished chrome	28 659 970-00	1,600.40



Hand shower set with individual rosettes

- Hand Shower set see page 616

		Euro
polished chrome	27 808 809-00	541.30



xTOOL Concealed thermostat without volume control 3/4"

- More control elements can be found from page 638 onwards

		Euro
polished chrome	36 503 979-00	914.60




Wall valve clockwise closing 1/2"

- More control elements can be found from page 638 onwards

		Euro
polished chrome	36 607 809-00	188.10


This article is needed 2x.



Concealed wall elbow

This article is needed 2x.

		Euro
Concealed rough parts	35 085 970 90	98.80



xTOOL Concealed thermostat module with 2 valves 3/4"

		Euro
Concealed rough parts	35 521 970 90	950.30



xGRID Installation track set

		Euro
Concealed rough parts	12 380 970 90	225.80




Rainshower solution



Rainshower solution

	Euro	
polished chrome	Price	4,636.90
platinum matt	Price	6,595.10
platinum	Price	6,594.90
brushed Durabrass	Price	7,835.10
Dark Platinum matt	Price	7,247.20



Rain shower with ceiling fixing

- Rain shower see page 596

	Euro	
polished chrome	28 699 970-00	1,431.10



Hand shower set with individual rosettes

- Hand Shower set see page 616

	Euro	
polished chrome	27 808 809-00	541.30



xTOOL Concealed thermostat without volume control 3/4"

- More control elements can be found from page 638 onwards

	Euro	
polished chrome	36 503 979-00	914.60




Wall valve clockwise closing 1/2"

- More control elements can be found from page 638 onwards

	Euro	
polished chrome	36 607 819-00	188.10


This article is needed 2x.



Concealed wall elbow

This article is needed 2x.

	Euro	
Concealed rough parts	35 085 970 90	98.80



xTOOL Concealed thermostat module with 2 valves 3/4"

	Euro	
Concealed rough parts	35 521 970 90	950.30



xGRID Installation track set

	Euro	
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
	Price	751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
	Price	1,202.80
platinum	1x 36 002 970-08	969.00
	1x 28 017 979-08	234.30
	Price	1,203.30
brushed Durabronz	1x 36 002 970-28	1,198.60
	1x 28 017 979-28	289.80
	Price	1,488.40
Dark Platinum matt	1x 36 002 970-99	1,089.50
	1x 28 017 979-99	263.50
	Price	1,353.00



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
platinum	28 018 979-08	174.80
	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



Shower

36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
	Price	868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
	Price	1,388.50
platinum	1x 36 110 970-08	1,154.90
	1x 28 017 979-08	234.30
	Price	1,389.20
brushed Durabross	1x 36 110 970-28	1,428.60
	1x 28 017 979-28	289.80
	Price	1,718.40
Dark Platinum matt	1x 36 110 970-99	1,298.40
	1x 28 017 979-99	263.50
	Price	1,561.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabross	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabross	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
platinum	1x 36 111 970-08	1,322.40
	1x 28 018 979-08	174.80
	Price	1,497.20
brushed Durabronz	1x 36 111 970-28	1,635.60
	1x 28 018 979-28	216.20
	Price	1,851.80
Dark Platinum matt	1x 36 111 970-99	1,486.70
	1x 28 018 979-99	196.60
	Price	1,683.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



26 413 809 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 60 mm
- gauge 800 mm
- metal shower hose 1700mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

Intrinsic protection against back flow.

			Euro
polished chrome	1x 26 413 809-00		564.80
	1x 28 012 979-00		190.00
		Price	754.80
platinum matt	1x 26 413 809-06		903.60
	1x 28 012 979-06		304.00
		Price	1,207.60
platinum	1x 26 413 809-08		903.50
	1x 28 012 979-08		304.00
		Price	1,207.50
brushed Durabrass	1x 26 413 809-28		1,118.10
	1x 28 012 979-28		376.20
		Price	1,494.30
Dark Platinum matt	1x 26 413 809-99		1,016.40
	1x 28 012 979-99		342.00
		Price	1,358.40



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

			Euro
polished chrome	28 018 979-00		109.20
	28 018 979-06		174.80
platinum	28 018 979-08		174.80
	28 018 979-28		216.20
Dark Platinum matt	28 018 979-99		196.60



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

			Euro
polished chrome	28 017 979-00 0010		146.40
	28 017 979-06 0010		234.10
platinum	28 017 979-08 0010		234.10
	28 017 979-28 0010		289.60
Dark Platinum matt	28 017 979-99 0010		263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

			Euro
polished chrome	28 450 809-00		108.00
	28 450 809-06		172.50
platinum	28 450 809-08		172.80
	28 450 809-28		213.90
Dark Platinum matt	28 450 809-99		194.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

			Euro
Concealed rough parts	35 085 970 90		98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

		Euro
polished chrome	1x 26 413 979-00	338.40
	1x 28 018 979-00	109.20
	Price	447.60
platinum matt	1x 26 413 979-06	551.80
	1x 28 018 979-06	174.80
	Price	726.60
platinum	1x 26 413 979-08	541.30
	1x 28 018 979-08	174.80
	Price	716.10
brushed Durabrass	1x 26 413 979-28	669.90
	1x 28 018 979-28	216.20
	Price	886.10
Dark Platinum matt	1x 26 413 979-99	608.90
	1x 28 018 979-99	196.60
	Price	805.50



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



36 112 970 +
28 015 979



Showerpipe with single-lever shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- automatic diverter for fixed-riser shower/hand shower

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 112 970-00	1,931.30
	1x 28 015 979-00	101.60
	Price	2,032.90
platinum matt	1x 36 112 970-06	3,090.10
	1x 28 015 979-06	162.70
	Price	3,252.80
platinum	1x 36 112 970-08	3,021.40
	1x 28 015 979-08	162.70
	Price	3,184.10
brushed Durabrass	1x 36 112 970-28	3,823.90
	1x 28 015 979-28	201.10
	Price	4,025.00
Dark Platinum matt	1x 36 112 970-99	3,399.20
	1x 28 015 979-99	182.90
	Price	3,582.10



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
platinum matt	28 016 979-06	252.40
platinum	28 016 979-08	252.40
brushed Durabrass	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70




Product alternative

Hand shower 15 l/min

- normal flow
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 613

		Euro
polished chrome	28 019 979-00	191.10
platinum matt	28 019 979-06	305.90
platinum	28 019 979-08	305.90
brushed Durabrass	28 019 979-28	378.50
Dark Platinum matt	28 019 979-99	344.10



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 632 809 +
28 019 979



Showerpipe with shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- max. hand shower flow 15 l/min
- rotary diverter for fixed-riser shower/hand shower
- rosette for shower holder Ø 60mm
- slide-on rosettes Ø 60 mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 23.5 mm

This article does not include a hand shower!
Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 632 809-00	2,381.20
	1x 28 019 979-00	191.10
	Price	2,572.30
platinum matt	1x 26 632 809-06	3,809.80
	1x 28 019 979-06	305.90
	Price	4,115.70
platinum	1x 26 632 809-08	3,809.80
	1x 28 019 979-08	305.90
	Price	4,115.70
brushed Durabrand	1x 26 632 809-28	4,714.70
	1x 28 019 979-28	378.50
	Price	5,093.20
Dark Platinum matt	1x 26 632 809-99	4,286.20
	1x 28 019 979-99	344.10
	Price	4,630.30



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrand	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrand	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00

For details and miscellaneous, see page 615



34 459 892 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 452 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 963mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 892-00	2,480.20
	1x 28 015 979-00	101.60
	Price	2,581.80
platinum matt	1x 34 459 892-06	3,968.40
	1x 28 015 979-06	162.70
	Price	4,131.10
platinum	1x 34 459 892-08	3,968.40
	1x 28 015 979-08	162.70
	Price	4,131.10
brushed Durabronz	1x 34 459 892-28	4,910.90
	1x 28 015 979-28	201.10
	Price	5,112.00
Dark Platinum matt	1x 34 459 892-99	4,464.40
	1x 28 015 979-99	182.90
	Price	4,647.30



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40
platinum	28 016 979-08	252.40
	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 979 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 979-00	2,089.80
	1x 28 015 979-00	101.60
	Price	2,191.40
platinum matt	1x 34 459 979-06	3,268.60
	1x 28 015 979-06	162.70
	Price	3,431.30
platinum	1x 34 459 979-08	3,268.60
	1x 28 015 979-08	162.70
	Price	3,431.30
brushed Durabronz	1x 34 459 979-28	4,137.90
	1x 28 015 979-28	201.10
	Price	4,339.00
Dark Platinum matt	1x 34 459 979-99	3,677.30
	1x 28 015 979-99	182.90
	Price	3,860.20



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40
platinum	28 016 979-08	252.40
	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90



34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 460 979-00	2,201.20
	1x 28 018 979-00	109.20
	Price	2,310.40
platinum matt	1x 34 460 979-06	3,521.90
	1x 28 018 979-06	174.80
	Price	3,696.70
platinum	1x 34 460 979-08	3,521.70
	1x 28 018 979-08	174.80
	Price	3,696.50
brushed Durabrass	1x 34 460 979-28	4,358.30
	1x 28 018 979-28	216.20
	Price	4,574.50
Dark Platinum matt	1x 34 460 979-99	3,962.00
	1x 28 018 979-99	196.60
	Price	4,158.60



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum	28 012 979-08	304.00
	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 024 661 +
28 019 979



Shower system with single-lever shower mixer without hand shower

- shower with fixed riser projection 450 mm
- pivotable 180°
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- max. hand shower flow 15 l/min
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 024 661-00	4,036.10
	1x 28 019 979-00	191.10
	Price	4,227.20
platinum matt	1x 26 024 661-06	6,457.70
	1x 28 019 979-06	305.90
	Price	6,763.60
platinum	1x 26 024 661-08	6,457.80
	1x 28 019 979-08	305.90
	Price	6,763.70
brushed Durabronz	1x 26 024 661-28	7,991.40
	1x 28 019 979-28	378.50
	Price	8,369.90
Dark Platinum matt	1x 26 024 661-99	7,265.00
	1x 28 019 979-99	344.10
	Price	7,609.10



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabronz	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabronz	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30


28 504 979



Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7 l/min

		Euro
polished chrome	28 504 979-00	476.20
platinum matt	28 504 979-06	762.10
platinum	28 504 979-08	762.00
brushed Durabronz	28 504 979-28	943.00
Dark Platinum matt	28 504 979-99	857.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 508 979



Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 9 l/min

		Euro
polished chrome	28 508 979-00	532.60
platinum matt	28 508 979-06	852.00
platinum	28 508 979-08	852.00
brushed Durabrass	28 508 979-28	1,054.30
Dark Platinum matt	28 508 979-99	958.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 505 979



Shower head

- 155 mm projection
- ball-joint pivotable through 18° (in any direction)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 7.6 l/min

		Euro
polished chrome	28 505 979-00	296.80
platinum matt	28 505 979-06	474.90
platinum	28 505 979-08	474.90
brushed Durabrass	28 505 979-28	587.70
Dark Platinum matt	28 505 979-99	534.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 649 970



Rain shower with wall fixing

- 450 mm projection
- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 649 970-00	775.90
platinum matt	28 649 970-06	1,241.50
platinum	28 649 970-08	1,241.50
brushed Durabrass	28 649 970-28	1,536.30
Dark Platinum matt	28 649 970-99	1,396.70



Product alternative

Rain shower with wall fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 679 970-00	914.10
platinum matt	28 679 970-06	1,462.90
platinum	28 679 970-08	1,462.90
brushed Durabrass	28 679 970-28	1,810.00
Dark Platinum matt	28 679 970-99	1,645.50




Product alternative

Rain shower with wall fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 659 970-00	1,600.40
platinum matt	28 659 970-06	2,560.60
platinum	28 659 970-08	2,560.60
brushed Durabrass	28 659 970-28	3,168.70
Dark Platinum matt	28 659 970-99	2,880.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 669 970



Rain shower with ceiling fixing

- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system

		Euro
polished chrome	28 669 970-00	659.40
platinum matt	28 669 970-06	1,055.30
platinum	28 669 970-08	1,055.30
brushed Durabronz	28 669 970-28	1,305.70
Dark Platinum matt	28 669 970-99	1,186.90

Product alternative



Rain shower with ceiling fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 689 970-00	777.40
platinum matt	28 689 970-06	1,243.50
platinum	28 689 970-08	1,243.50
brushed Durabronz	28 689 970-28	1,539.30
Dark Platinum matt	28 689 970-99	1,399.30

Product alternative




Rain shower with ceiling fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 699 970-00	1,431.10
platinum matt	28 699 970-06	2,289.80
platinum	28 699 970-08	2,289.80
brushed Durabronz	28 699 970-28	2,833.70
Dark Platinum matt	28 699 970-99	2,576.00

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items

28 031 970

NEW



Rain shower for ceiling fixing

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

		Euro
polished chrome	28 031 970-00	601.10
platinum matt	28 031 970-06	961.80
platinum	28 031 970-08	961.80
brushed Durabronz	28 031 970-28	1,190.20
Dark Platinum matt	28 031 970-99	1,082.00

Required miscellaneous



Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

		Euro
Concealed rough parts	35 041 970 90	400.70

For details and miscellaneous, see page 701

28 032 970

NEW



Rain shower for ceiling fixing with light

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

		Euro
polished chrome	28 032 970-00	903.20
platinum matt	28 032 970-06	1,445.10
platinum	28 032 970-08	1,445.10
brushed Durabronz	28 032 970-28	1,788.30
Dark Platinum matt	28 032 970-99	1,625.80

Required miscellaneous



Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

		Euro
Concealed rough parts	35 042 970 90	602.10

For details and miscellaneous, see page 701

28 033 970

NEW

Rain shower for ceiling installation



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

		Euro
polished chrome	28 033 970-00	1,205.20
platinum matt	28 033 970-06	1,928.30
platinum	28 033 970-08	1,928.30
brushed Durabrass	28 033 970-28	2,386.30
Dark Platinum matt	28 033 970-99	2,169.40



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 033 970 90	803.50

28 034 970

NEW

Rain shower for ceiling installation with light



- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- min. recess depth 137,5 mm
- Spray flow, max. flow rate 6 l/min
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

		Euro
polished chrome	28 034 970-00	1,809.30
platinum matt	28 034 970-06	2,894.90
platinum	28 034 970-08	2,894.90
brushed Durabrass	28 034 970-28	3,582.40
Dark Platinum matt	28 034 970-99	3,256.70



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 034 970 90	1,206.20

27 802 660


Hand shower set with integrated shower holder



- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 802 660-00	366.40
platinum matt	27 802 660-06	586.50
platinum	27 802 660-08	586.50
brushed Durabrass	27 802 660-28	725.50
Dark Platinum matt	27 802 660-99	659.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 803 660


Hand shower set with integrated shower holder



- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 803 660-00	355.10
platinum matt	27 803 660-06	567.90
platinum	27 803 660-08	567.90
brushed Durabrass	27 803 660-28	703.10
Dark Platinum matt	27 803 660-99	638.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 808 809




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 808 809-00	541.30
platinum matt	27 808 809-06	866.10
platinum	27 808 809-08	866.10
brushed Durabronz	27 808 809-28	1,071.70
Dark Platinum matt	27 808 809-99	974.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


28 518 979



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 979-00	251.90
platinum matt	28 518 979-06	403.20
platinum	28 518 979-08	403.20
brushed Durabronz	28 518 979-28	498.80
Dark Platinum matt	28 518 979-99	453.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
platinum	36 515 979-08	707.70
brushed Durabronz	36 515 979-28	876.00
Dark Platinum matt	36 515 979-99	796.40



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



VAIA

36 517 979




WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
platinum	36 517 979-08	1,093.50
brushed Durabrass	36 517 979-28	1,352.80
Dark Platinum matt	36 517 979-99	1,229.80

Required miscellaneous




Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous



xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
platinum	36 514 979-08	1,422.70
brushed Durabrass	36 514 979-28	1,760.60
Dark Platinum matt	36 514 979-99	1,600.60

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
platinum	36 513 979-08	1,061.80
brushed Durabronz	36 513 979-28	1,313.50
Dark Platinum matt	36 513 979-99	1,194.00




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
platinum	36 512 979-08	1,061.80
brushed Durabronz	36 512 979-28	1,313.50
Dark Platinum matt	36 512 979-99	1,194.00



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


13 415 979



WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
platinum	13 415 979-08	1,465.30
brushed Durabronz	13 415 979-28	1,813.40
Dark Platinum matt	13 415 979-99	1,648.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 420 979



WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
platinum	13 420 979-08	2,093.90
brushed Durabronz	13 420 979-28	2,590.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80


13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
platinum	13 425 979-08	1,555.60
brushed Durabrass	13 425 979-28	1,924.80
Dark Platinum matt	13 425 979-99	1,749.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 820 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- rosette Ø 70 mm
- holder for Kneipp hose
- hose nozzle with sleeve M33
- with holding ring
- 1/2" wall elbow

Intrinsic protection against back flow.

		Euro
polished chrome	1x 27 820 979-00	400.10
	1x 28 285 979-00	84.40
	Price	484.50
platinum matt	1x 27 820 979-06	640.20
	1x 28 285 979-06	135.10
	Price	775.30
platinum	1x 27 820 979-08	640.20
	1x 28 285 979-08	135.00
	Price	775.20
brushed Durabrass	1x 27 820 979-28	792.10
	1x 28 285 979-28	167.00
	Price	959.10
Dark Platinum matt	1x 27 820 979-99	720.10
	1x 28 285 979-99	151.90
	Price	872.00




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
platinum matt	28 286 979-06	135.10
platinum	28 286 979-08	135.00
brushed Durabrass	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 660




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 660-00	181.00
platinum matt	28 490 660-06	289.40
platinum	28 490 660-08	289.40
brushed Durabrass	28 490 660-28	358.30
Dark Platinum matt	28 490 660-99	325.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 450 809




Wall elbow

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 809-00	108.00
platinum matt	28 450 809-06	172.50
platinum	28 450 809-08	172.80
brushed Durabrass	28 450 809-28	213.90
Dark Platinum matt	28 450 809-99	194.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 809



Wall bracket

- rosette Ø 60 mm

		Euro
polished chrome	28 050 809-00	164.00
platinum matt	28 050 809-06	263.10
platinum	28 050 809-08	262.50
brushed Durabrass	28 050 809-28	324.90
Dark Platinum matt	28 050 809-99	295.50

28 060 970



Wall bracket swivel

		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
platinum	28 060 970-08	254.90
brushed Durabrass	28 060 970-28	315.30
Dark Platinum matt	28 060 970-99	286.60



27 823 979 +
28 285 979

NEW

Kneipp wall elbow with hose holder with individual rosettes

- laminar flow
- with volume control
- **rosette Ø 60 mm**
- holder for Kneipp hose
- 1/2" wall elbow
- **without hose**



		Euro
polished chrome	1x 27 823 979-00	474.40
	1x 28 285 979-00	84.40
	Price	558.80
platinum matt	1x 27 823 979-06	759.10
	1x 28 285 979-06	135.10
	Price	894.20
platinum	1x 27 823 979-08	759.10
	1x 28 285 979-08	135.00
	Price	894.10
brushed Durabronz	1x 27 823 979-28	939.30
	1x 28 285 979-28	167.00
	Price	1,106.30
Dark Platinum matt	1x 27 823 979-99	854.00
	1x 28 285 979-99	151.90
	Price	1,005.90

Product alternative




WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

		Euro
Concealed rough parts	35 085 970 90	98.80

For details and miscellaneous, see main items



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 442 979



Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.

		Euro
polished chrome	34 442 979-00	564.60
platinum matt	34 442 979-06	903.20
platinum	34 442 979-08	903.20
brushed Durabrass	34 442 979-28	1,117.80
Dark Platinum matt	34 442 979-99	1,016.00


36 060 809



Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

		Euro
polished chrome	36 060 809-00	343.00
platinum matt	36 060 809-06	548.80
platinum	36 060 809-08	548.80
brushed Durabrass	36 060 809-28	679.00
Dark Platinum matt	36 060 809-99	617.40



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
platinum	36 050 970-08	597.20
brushed Durabrass	36 050 970-28	739.40
Dark Platinum matt	36 050 970-99	672.50



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30




36 120 809



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

		Euro
polished chrome	36 120 809-00	461.40
platinum matt	36 120 809-06	737.90
platinum	36 120 809-08	738.40
brushed Durabrass	36 120 809-28	913.90
Dark Platinum matt	36 120 809-99	830.70




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 425 970



Concealed thermostat with one function volume control

- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 425 970-00	542.50
platinum matt	36 425 970-06	868.00
platinum	36 425 970-08	868.00
brushed Durabrass	36 425 970-28	1,074.50
Dark Platinum matt	36 425 970-99	976.70




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 426 970



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 970-00	644.70
platinum matt	36 426 970-06	1,031.30
platinum	36 426 970-08	1,031.30
brushed Durabronz	36 426 970-28	1,276.60
Dark Platinum matt	36 426 970-99	1,160.60




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 427 970



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 427 970-00	672.70
platinum matt	36 427 970-06	1,076.30
platinum	36 427 970-08	1,076.30
brushed Durabronz	36 427 970-28	1,331.90
Dark Platinum matt	36 427 970-99	1,210.90




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



VAIA


36 501 979 +
36 607 819



xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 501 979-00	914.60
	1x 36 607 819-00	188.10
	Price	1,102.70
platinum matt	1x 36 501 979-06	1,463.30
	1x 36 607 819-06	301.10
	Price	1,764.40
platinum	1x 36 501 979-08	1,463.30
	1x 36 607 819-08	301.00
	Price	1,764.30
brushed Durabrass	1x 36 501 979-28	1,811.00
	1x 36 607 819-28	372.50
	Price	2,183.50
Dark Platinum matt	1x 36 501 979-99	1,646.20
	1x 36 607 819-99	338.50
	Price	1,984.70



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 691

		Euro
Concealed rough parts	35 511 970 90	570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 501 979 +
36 607 809



xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 501 979-00	914.60
	1x 36 607 809-00	188.10
	Price	1,102.70
platinum matt	1x 36 501 979-06	1,463.30
	1x 36 607 809-06	301.10
	Price	1,764.40
platinum	1x 36 501 979-08	1,463.30
	1x 36 607 809-08	301.10
	Price	1,764.30
brushed Durabronz	1x 36 501 979-28	1,811.00
	1x 36 607 809-28	372.50
	Price	2,183.50
Dark Platinum matt	1x 36 501 979-99	1,646.20
	1x 36 607 809-99	338.50
	Price	1,984.70



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 691

		Euro
Concealed rough parts	35 511 970 90	570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90




36 503 979 +
2x 36 607 819



xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 979-00	914.60
	2x 36 607 819-00	188.10
	Price	1,290.80
platinum matt	1x 36 503 979-06	1,463.30
	2x 36 607 819-06	301.10
	Price	2,065.50
platinum	1x 36 503 979-08	1,463.30
	2x 36 607 819-08	301.00
	Price	2,065.30
brushed Durabrass	1x 36 503 979-28	1,811.00
	2x 36 607 819-28	372.50
	Price	2,556.00
Dark Platinum matt	1x 36 503 979-99	1,646.20
	2x 36 607 819-99	338.50
	Price	2,323.20




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 692

		Euro
Concealed rough parts	35 521 970 90	950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 693

		Euro
Concealed rough parts	35 524 970 90	939.90



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 503 979 +
2x 36 607 809



xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 979-00	914.60
	2x 36 607 809-00	188.10
	Price	1,290.80
platinum matt	1x 36 503 979-06	1,463.30
	2x 36 607 809-06	301.10
	Price	2,065.50
platinum	1x 36 503 979-08	1,463.30
	2x 36 607 809-08	301.10
	Price	2,065.30
brushed Durabronz	1x 36 503 979-28	1,811.00
	2x 36 607 809-28	372.50
	Price	2,556.00
Dark Platinum matt	1x 36 503 979-99	1,646.20
	2x 36 607 809-99	338.50
	Price	2,323.20




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 692

		Euro
Concealed rough parts	35 521 970 90	950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 693

		Euro
Concealed rough parts	35 524 970 90	939.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90




36 503 979 +
3x 36 607 819



xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 979-00	914.60
	3x 36 607 819-00	188.10
	Price	1,478.90
platinum matt	1x 36 503 979-06	1,463.30
	3x 36 607 819-06	301.10
	Price	2,366.60
platinum	1x 36 503 979-08	1,463.30
	3x 36 607 819-08	301.00
	Price	2,366.30
brushed Durabronz	1x 36 503 979-28	1,811.00
	3x 36 607 819-28	372.50
	Price	2,928.50
Dark Platinum matt	1x 36 503 979-99	1,646.20
	3x 36 607 819-99	338.50
	Price	2,661.70




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 694

		Euro
Concealed rough parts	35 531 970 90	1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 534 970 90	1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 503 979 +
3x 36 607 809



xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

		Euro
polished chrome	1x 36 503 979-00	914.60
	3x 36 607 809-00	188.10
	Price	1,478.90
platinum matt	1x 36 503 979-06	1,463.30
	3x 36 607 809-06	301.10
	Price	2,366.60
platinum	1x 36 503 979-08	1,463.30
	3x 36 607 809-08	301.10
	Price	2,366.30
brushed Durabronz	1x 36 503 979-28	1,811.00
	3x 36 607 809-28	372.50
	Price	2,928.50
Dark Platinum matt	1x 36 503 979-99	1,646.20
	3x 36 607 809-99	338.50
	Price	2,661.70




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 694

		Euro
Concealed rough parts	35 531 970 90	1,021.20



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 534 970 90	1,106.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



36 501 979



xTOOL Concealed thermostat without volume control 1/2"

- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

		Euro
polished chrome	36 501 979-00	914.60
platinum matt	36 501 979-06	1,463.30
platinum	36 501 979-08	1,463.30
brushed Durabrass	36 501 979-28	1,811.00
Dark Platinum matt	36 501 979-99	1,646.20



Product alternative

xTOOL Concealed thermostat without volume control 3/4"

- 3/4" thermostat cartridge with integrated filters

		Euro
polished chrome	36 503 979-00	914.60
platinum matt	36 503 979-06	1,463.30
platinum	36 503 979-08	1,463.30
brushed Durabrass	36 503 979-28	1,811.00
Dark Platinum matt	36 503 979-99	1,646.20



Required miscellaneous

xTOOL Concealed thermostat module without volume control 3/4"

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 690

		Euro
Concealed rough parts	35 503 970 90	695.90



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 607 809



Wall valve clockwise closing 1/2"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 809-00	188.10
platinum matt	36 607 809-06	301.10
platinum	36 607 809-08	301.00
brushed Durabrass	36 607 809-28	372.50
Dark Platinum matt	36 607 809-99	338.50



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20


36 607 819



Wall valve clockwise closing 1/2"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 607 819-00	188.10
platinum matt	36 607 819-06	301.10
platinum	36 607 819-08	301.00
brushed Durabrass	36 607 819-28	372.50
Dark Platinum matt	36 607 819-99	338.50



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 608 809



Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 809-00	188.10
platinum matt	36 608 809-06	301.10
platinum	36 608 809-08	301.00
brushed Durabrass	36 608 809-28	372.50
Dark Platinum matt	36 608 809-99	338.50



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90


36 608 819



Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

		Euro
polished chrome	36 608 819-00	188.10
platinum matt	36 608 819-06	301.10
platinum	36 608 819-08	301.00
brushed Durabrass	36 608 819-28	372.50
Dark Platinum matt	36 608 819-99	338.50



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

20 000 809



Deck valve clockwise closing cold

- hole diameter 32 mm
- rosette Ø 60 mm
- with cold marking

		Euro
polished chrome	20 000 809-00	217.20
platinum matt	20 000 809-06	347.40
platinum	20 000 809-08	347.60
brushed Durabrass	20 000 809-28	430.10
Dark Platinum matt	20 000 809-99	390.90



Product alternative

Deck valve clockwise closing hot

		Euro
polished chrome	20 000 808-00	217.20
platinum matt	20 000 808-06	347.40
platinum	20 000 808-08	347.60
brushed Durabrass	20 000 808-28	430.10
Dark Platinum matt	20 000 808-99	390.90

36 200 809


NEW

Concealed two-way diverter



- rotary diverter
- rosette Ø 60 mm

		Euro
polished chrome	36 200 809-00	399.50
platinum matt	36 200 809-06	639.10
brushed Durabrass	36 200 809-28	791.00
Dark Platinum matt	36 200 809-99	719.10



Required miscellaneous

Concealed two-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 200 819


NEW

Concealed two-way diverter

- rotary diverter
- rosette Ø 60 mm



		Euro
polished chrome	36 200 819-00	399.50
platinum matt	36 200 819-06	639.10
brushed Durabrass	36 200 819-28	791.00
Dark Platinum matt	36 200 819-99	719.10



Required miscellaneous

Concealed two-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 210 809


NEW

Concealed three-way diverter

- rotary diverter
- rosette Ø 60 mm



		Euro
polished chrome	36 210 809-00	399.50
platinum matt	36 210 809-06	639.10
brushed Durabrass	36 210 809-28	791.00
Dark Platinum matt	36 210 809-99	719.10



Required miscellaneous

Concealed three-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00

36 210 819


NEW

Concealed three-way diverter

- rotary diverter
- rosette Ø 60 mm



		Euro
polished chrome	36 210 819-00	399.50
platinum matt	36 210 819-06	639.10
brushed Durabrass	36 210 819-28	791.00
Dark Platinum matt	36 210 819-99	719.10



Required miscellaneous

Concealed three-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 203 970 90	290.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


25 863 809



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- pivotable spout 360°
- **281 mm projection**
- spout: circular, air-enriched flow
- complete hand shower set: normal flow
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 1057 - 1127 mm
- stand pipe height 565 - 635 mm
- height up to aerator 925 - 995 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 24.6 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 863 809-00	3,915.90
platinum matt	25 863 809-06	6,265.60
platinum	25 863 809-08	6,265.40
brushed Durabrass	25 863 809-28	7,753.50
Dark Platinum matt	25 863 809-99	7,048.60

			Euro
Concealed rough parts	35 945 970 90		676.20


25 943 809



Two-hole bath mixer for free-standing assembly with hand shower set

- **221 mm projection**
- pivotable spout 360°
- hand shower: normal flow
- spout: circular, air-enriched flow
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 816 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 24.6 l/min at 3 bar flow pressure
- max. hand shower flow 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 160 mm


For details and miscellaneous, see page 697

		Euro
polished chrome	25 943 809-00	3,414.10
platinum matt	25 943 809-06	5,462.40
platinum	25 943 809-08	5,462.50
brushed Durabrass	25 943 809-28	6,760.00
Dark Platinum matt	25 943 809-99	6,145.50

			Euro
Concealed rough parts	35 944 970 90		433.00




25 943 819



Two-hole bath mixer for free-standing assembly with hand shower set

- **221 mm projection**
- pivotable spout 360°
- hand shower: normal flow
- spout: circular, air-enriched flow
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 816 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 24.6 l/min at 3 bar flow pressure
- max. hand shower flow 6.8 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- min. recess depth 80 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 697

		Euro
polished chrome	25 943 819-00	3,414.10
platinum matt	25 943 819-06	5,462.40
platinum	25 943 819-08	5,462.50
brushed Durabronz	25 943 819-28	6,760.00
Dark Platinum matt	25 943 819-99	6,145.50

		Euro
Concealed rough parts	35 944 970 90	433.00


27 632 809



Bath shower set for bath rim or tile edge installation

- **220 mm projection**
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 24.6 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.



Recommended miscellaneous

Perfecto installation kit

		Euro
polished chrome	27 632 809-00	1,844.20
platinum matt	27 632 809-06	2,950.80
platinum	27 632 809-08	2,950.80
brushed Durabronz	27 632 809-28	3,651.70
Dark Platinum matt	27 632 809-99	3,319.90

		Euro
Concealed rough parts	12 614 970 90	1,443.90



Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

		Euro
polished chrome	12 801 970-00	44.70
platinum matt	12 801 970-06	71.60
platinum	12 801 970-08	71.60
brushed Durabronz	12 801 970-28	88.50
Dark Platinum matt	12 801 970-99	80.40



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 522 809



Five-hole bath mixer for deck mounting with diverter

- 220 mm projection
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 347 mm
- height up to aerator 244 mm
- deck valve hole diameter 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 60mm
- rosette for spout Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 21.5 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 522 809-00	2,621.70
platinum matt	27 522 809-06	4,194.90
platinum	27 522 809-08	4,194.80
brushed Durabrass	27 522 809-28	5,191.00
Dark Platinum matt	27 522 809-99	4,719.00

27 522 819



Five-hole bath mixer for deck mounting with diverter

- 220 mm projection
- complete hand shower set: normal flow
- spout: circular, air-enriched flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for complete hand shower set Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 21.5 l/min at 3 bar flow pressure
- max. flow for complete hand shower set 6.8 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	27 522 819-00	2,621.70
platinum matt	27 522 819-06	4,194.90
platinum	27 522 819-08	4,194.80
brushed Durabrass	27 522 819-28	5,191.00
Dark Platinum matt	27 522 819-99	4,719.00


13 801 809



bath spout for wall mounting

- 200 mm projection
- circular normal flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 21.5 l/min at 3 bar flow pressure

		Euro
polished chrome	13 801 809-00	538.80
platinum matt	13 801 809-06	862.00
platinum	13 801 809-08	862.10
brushed Durabrass	13 801 809-28	1,066.80
Dark Platinum matt	13 801 809-99	969.80



Recommended miscellaneous

- Concealed wall elbow
- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 702 809



Hand shower set for bath rim or tile edge installation

- normal flow
- with anti-scale system
- rosette Ø 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection
- max. flow 6.8 l/min

		Euro
polished chrome	27 702 809-00	514.10
platinum matt	27 702 809-06	822.40
platinum	27 702 809-08	822.60
brushed Durabrass	27 702 809-28	1,018.00
Dark Platinum matt	27 702 809-99	925.40

29 300 809



Single-lever bath mixer for bath rim or tile edge installation

- rosette 78 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

		Euro
polished chrome	29 300 809-00	652.70
platinum matt	29 300 809-06	1,043.90
platinum	29 300 809-08	1,044.20
brushed Durabrass	29 300 809-28	1,292.30
Dark Platinum matt	29 300 809-99	1,174.70

29 140 809



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 30 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

		Euro
polished chrome	29 140 809-00	710.90
platinum matt	29 140 809-06	1,137.40
platinum	29 140 809-08	1,137.50
brushed Durabrass	29 140 809-28	1,407.50
Dark Platinum matt	29 140 809-99	1,279.60


36 120 809



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

		Euro
polished chrome	36 120 809-00	461.40
platinum matt	36 120 809-06	737.90
platinum	36 120 809-08	738.40
brushed Durabrass	36 120 809-28	913.90
Dark Platinum matt	36 120 809-99	830.70




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
platinum	36 243 970-08	284.80
brushed Durabrass	36 243 970-28	352.20
Dark Platinum matt	36 243 970-99	320.20



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 227 970 90	144.30

36 247 970



bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
platinum	36 247 970-08	430.70
brushed Durabrass	36 247 970-28	532.80
Dark Platinum matt	36 247 970-99	484.40



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 248 970 90	397.30



Required miscellaneous

Vacuum breaker

- rosette 70 mm

		Euro
polished chrome	36 150 970-00	73.80
platinum matt	36 150 970-06	118.10
platinum	36 150 970-08	118.10
brushed Durabrass	36 150 970-28	146.00
Dark Platinum matt	36 150 970-99	132.80



Required miscellaneous

Vacuum breaker

- 3/4" connection

		Euro
Concealed rough parts	35 150 970 90	253.30



VAIA

83 030 809


Bath grip

- gauge 300 mm
- width 360mm
- height 60 mm
- rosette Ø 60 mm
- **98 mm projection**

		Euro
polished chrome	83 030 809-00	300.00
platinum matt	83 030 809-06	479.90
platinum	83 030 809-08	479.90
brushed Durabrass	83 030 809-28	594.00
Dark Platinum matt	83 030 809-99	540.00

83 060 809


Towel bar

- gauge 600 mm
- width 660mm
- height 60 mm
- rosette Ø 60 mm
- **88 mm projection**

		Euro
polished chrome	83 060 809-00	323.50
platinum matt	83 060 809-06	517.40
platinum	83 060 809-08	517.60
brushed Durabrass	83 060 809-28	640.60
Dark Platinum matt	83 060 809-99	582.30

83 211 809


Towel bar 1-piece non-swivel

- rosette Ø 60 mm
- **452 mm projection**

		Euro
polished chrome	83 211 809-00	205.00
platinum matt	83 211 809-06	328.10
platinum	83 211 809-08	328.10
brushed Durabrass	83 211 809-28	405.80
Dark Platinum matt	83 211 809-99	369.10

83 251 220


Hooks

- 55 mm projection

		Euro
polished chrome	83 251 220-00	36.10
platinum matt	83 251 220-06	57.60
platinum	83 251 220-08	57.60
brushed Durabrass	83 251 220-28	71.40
Dark Platinum matt	83 251 220-99	64.90

83 251 809


Hooks

- 46 mm projection
- rosette Ø 50 mm

		Euro
polished chrome	83 251 809-00	93.10
platinum matt	83 251 809-06	149.00
platinum	83 251 809-08	149.00
brushed Durabrass	83 251 809-28	184.40
Dark Platinum matt	83 251 809-99	167.60

83 410 979


Soap dish wall model

- width 120mm
- height 20 mm
- 145 mm projection

		Euro
polished chrome	83 410 979-00	232.90
platinum matt	83 410 979-06	372.60
platinum	83 410 979-08	372.60
brushed Durabrass	83 410 979-28	461.20
Dark Platinum matt	83 410 979-99	419.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 435 970



Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96 mm projection

		Euro
polished chrome	83 435 970-00	368.30
platinum matt	83 435 970-06	589.30
platinum	83 435 970-08	589.30
brushed Durabrass	83 435 970-28	729.30
Dark Platinum matt	83 435 970-99	663.00

84 435 970



Dispenser free-standing model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59 mm projection

		Euro
polished chrome	84 435 970-00	339.40
platinum matt	84 435 970-06	542.60
platinum	84 435 970-08	542.60
brushed Durabrass	84 435 970-28	672.00
Dark Platinum matt	84 435 970-99	610.90

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 400 979-00	224.50
platinum matt	83 400 979-06	359.20



Recommended miscellaneous

Crystal tumbler transparent

		Euro
Concealed rough parts	08 90 00 008 84	38.40

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matt
- width 60mm
- height 120 mm
- 110 mm projection

		Euro
polished chrome	83 401 979-00	224.50
platinum matt	83 401 979-06	359.20
platinum	83 401 979-08	359.20
brushed Durabrass	83 401 979-28	444.50
Dark Platinum matt	83 401 979-99	404.00



Recommended miscellaneous

Crystal tumbler matt

		Euro
Concealed rough parts	08 90 00 008 82	38.40

83 281 530



Corner soap basket

- width 150mm
- height 40 mm
- 165 mm projection

		Euro
polished chrome	83 281 530-00	182.80
platinum matt	83 281 530-06	292.30
platinum	83 281 530-08	292.30
brushed Durabrass	83 281 530-28	362.00
Dark Platinum matt	83 281 530-99	328.90

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115 mm projection

		Euro
polished chrome	83 290 970-00	178.40
platinum matt	83 290 970-06	285.40
platinum	83 290 970-08	285.40
brushed Durabronz	83 290 970-28	353.30
Dark Platinum matt	83 290 970-99	321.10

82 290 970



Shower basket for subsequent mounting on riser

- width 200mm
- height 62 mm
- 125 mm projection

		Euro
polished chrome	82 290 970-00	178.40
platinum matt	82 290 970-06	285.40
platinum	82 290 970-08	285.40
brushed Durabronz	82 290 970-28	353.30
Dark Platinum matt	82 290 970-99	321.10

83 500 809



Tissue holder without cover

- width 131mm
- height 92 mm
- rosette Ø 60 mm
- 120 mm projection

		Euro
polished chrome	83 500 809-00	247.60
platinum matt	83 500 809-06	396.10
platinum	83 500 809-08	396.10
brushed Durabronz	83 500 809-28	490.30
Dark Platinum matt	83 500 809-99	445.70

83 590 809



Reserve tissue holder

- width 60mm
- height 60 mm
- rosette Ø 60 mm
- 139 mm projection

		Euro
polished chrome	83 590 809-00	189.60
platinum matt	83 590 809-06	303.40
platinum	83 590 809-08	303.30
brushed Durabronz	83 590 809-28	375.30
Dark Platinum matt	83 590 809-99	341.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

83 900 809



Toilet brush set wall model

- crystal glass brush holder, matt
- brush, matt black
- width 110mm
- height 421 mm
- **158 mm projection**

		Euro
polished chrome	83 900 809-00	418.10
platinum matt	83 900 809-06	669.10
platinum	83 900 809-08	669.10
brushed Durabronz	83 900 809-28	827.90
Dark Platinum matt	83 900 809-99	752.70



Recommended miscellaneous

		Euro
Brush white	Concealed rough parts 08 18 50 600 90	12.30



Recommended miscellaneous

		Euro
Brush matt black	Concealed rough parts 08 18 50 601 90	27.90



Recommended miscellaneous

		Euro
Glass matt	Concealed rough parts 08 90 04 008 82	50.20



Recommended miscellaneous

		Euro
Brush handle	polished chrome 90 20 97 507 00-00	86.00
	platinum matt 90 20 97 507 00-06	137.60
	platinum 90 20 97 507 00-08	137.60
	brushed Durabronz 90 20 97 507 00-28	170.30
	Dark Platinum matt 90 20 97 507 00-99	154.80

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

		Euro
polished chrome	12 660 979-00	686.00
platinum matt	12 660 979-06	1,097.80
platinum	12 660 979-08	1,097.80
brushed Durabronz	12 660 979-28	1,358.40
Dark Platinum matt	12 660 979-99	1,234.90





Shower

Sieger Design

Shower sets

from page 567

Shower heads

from page 581

Showerpipes

from page 585

Rain showers

from page 597

Rain panels

from page 607

Hand showers

from page 613

Hand shower sets

from page 617

Water Modules

from page 625

xTOOL

from page 635

Thermostats, mixers, diverters and valves

from page 641

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

DORNBRACHT . PRICES . 2022



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous



Kitchen

Shower sets



Planning example

Choose your individual solution:

Wall pipes with slide bar and spray hose

from page 566



Hand showers

from page 612



Control elements (Other solutions available)

from page 638



Shower

36 002 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with hand shower set

- metal shower hose 1750mm with integrated anti-twist protection
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	1x 36 002 970-00	605.30
	1x 28 017 979-00	146.40
	Price	751.70
platinum matt	1x 36 002 970-06	968.50
	1x 28 017 979-06	234.30
	Price	1,202.80
platinum	1x 36 002 970-08	969.00
	1x 28 017 979-08	234.30
	Price	1,203.30
brushed Durabrass	1x 36 002 970-28	1,198.60
	1x 28 017 979-28	289.80
	Price	1,488.40
Dark Platinum matt	1x 36 002 970-99	1,089.50
	1x 28 017 979-99	263.50
	Price	1,353.00
matt white	1x 36 002 970-10	817.10
	1x 28 017 979-10	197.60
	Price	1,014.70
matt black	1x 36 002 970-33	817.20
	1x 28 017 979-33	197.70
	Price	1,014.90



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabrass	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60
matt white	28 018 979-10	147.40
matt black	28 018 979-33	147.50




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 013 660 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- cover plate Ø 78 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

Intrinsic protection against back flow.
Fits Meta, Tara.

		Euro
polished chrome	1x 36 013 660-00	767.20
	1x 28 018 979-00	109.20
Price		876.40
platinum matt	1x 36 013 660-06	1,227.30
	1x 28 018 979-06	174.80
Price		1,402.10
platinum	1x 36 013 660-08	1,228.00
	1x 28 018 979-08	174.80
Price		1,402.80
brushed Durabrass	1x 36 013 660-28	1,519.10
	1x 28 018 979-28	216.20
Price		1,735.30
Dark Platinum matt	1x 36 013 660-99	1,380.80
	1x 28 018 979-99	196.60
Price		1,577.40
matt white	1x 36 013 660-10	1,035.80
	1x 28 018 979-10	147.40
Price		1,183.20
matt black	1x 36 013 660-33	1,035.80
	1x 28 018 979-33	147.50
Price		1,183.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt white	28 017 979-10 0010	197.70
matt black	28 017 979-33 0010	197.70



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm


For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30



Shower

36 013 970 +
28 012 979



Concealed single-lever mixer with integrated shower connection with shower set

- cover plate 80 x 80 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, CYO



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612


For details and miscellaneous, see page 614



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
polished chrome	1x 36 013 970-00	749.00
	1x 28 012 979-00	190.00
	Price	939.00
platinum matt	1x 36 013 970-06	1,208.60
	1x 28 012 979-06	304.00
	Price	1,512.60
platinum	1x 36 013 970-08	1,197.20
	1x 28 012 979-08	304.00
	Price	1,501.20
brushed Durabrass	1x 36 013 970-28	1,483.00
	1x 28 012 979-28	376.20
	Price	1,859.20
Dark Platinum matt	1x 36 013 970-99	1,347.60
	1x 28 012 979-99	342.00
	Price	1,689.60

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
platinum	28 018 979-08	174.80
	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30

		Euro
Concealed rough parts	35 003 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 110 970 +
28 017 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: normal flow
- spray head Ø 130 mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	1x 36 110 970-00	721.60
	1x 28 017 979-00	146.40
Price		868.00
platinum matt	1x 36 110 970-06	1,154.20
	1x 28 017 979-06	234.30
Price		1,388.50
platinum	1x 36 110 970-08	1,154.90
	1x 28 017 979-08	234.30
Price		1,389.20
brushed Durabrass	1x 36 110 970-28	1,428.60
	1x 28 017 979-28	289.80
Price		1,718.40
Dark Platinum matt	1x 36 110 970-99	1,298.40
	1x 28 017 979-99	263.50
Price		1,561.90
matt black	1x 36 110 970-33	974.10
	1x 28 017 979-33	197.70
Price		1,171.80



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
platinum matt	28 018 979-08	174.80
	28 018 979-28	216.20
brushed Durabrass	28 018 979-99	196.60
	28 018 979-33	147.50




Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum matt	28 012 979-08	304.00
	28 012 979-28	376.20
brushed Durabrass	28 012 979-99	342.00
	28 012 979-33	256.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



Shower

36 111 970 +
28 018 979



Concealed single-lever mixer with integrated shower connection with shower set

- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- Pipe diameter 18 mm
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	1x 36 111 970-00	826.10
	1x 28 018 979-00	109.20
	Price	935.30
platinum matt	1x 36 111 970-06	1,321.60
	1x 28 018 979-06	174.80
	Price	1,496.40
platinum	1x 36 111 970-08	1,322.40
	1x 28 018 979-08	174.80
	Price	1,497.20
brushed Durabrass	1x 36 111 970-28	1,635.60
	1x 28 018 979-28	216.20
	Price	1,851.80
Dark Platinum matt	1x 36 111 970-99	1,486.70
	1x 28 018 979-99	196.60
	Price	1,683.30
matt black	1x 36 111 970-33	1,115.30
	1x 28 018 979-33	147.50
	Price	1,262.80



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40




Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt black	28 017 979-33 0010	197.70



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 710 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 78 x 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

Fits LULU

		Euro
polished chrome	1x 26 413 710-00	565.00
	1x 28 012 979-00	190.00
	Price	755.00
platinum matt	1x 26 413 710-06	903.60
	1x 28 012 979-06	304.00
	Price	1,207.60
platinum	1x 26 413 710-08	903.80
	1x 28 012 979-08	304.00
	Price	1,207.80
brushed Durabrass	1x 26 413 710-28	1,118.30
	1x 28 012 979-28	376.20
	Price	1,494.50
Dark Platinum matt	1x 26 413 710-99	1,016.60
	1x 28 012 979-99	342.00
	Price	1,358.60
matt black	1x 26 413 710-33	762.40
	1x 28 012 979-33	256.40
	Price	1,018.80

Product alternative



Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
platinum matt	28 018 979-08	174.80
	28 018 979-28	216.20
brushed Durabrass	28 018 979-99	196.60
	28 018 979-33	147.50

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum matt	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
brushed Durabrass	28 017 979-99 0010	263.30
	28 017 979-33 0010	197.70

Recommended miscellaneous




Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 710-00	138.90
	28 450 710-06	222.00

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

26 413 360 +
28 002 970



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- normal flow
- spray head Ø 64mm
- max. flow 9 l/min

Fits Madison

		Euro
polished chrome	1x 26 413 360-00	621.50
	1x 28 002 970-00	246.30
	Price	867.80
platinum matt	1x 26 413 360-06	994.50
	1x 28 002 970-06	393.90
	Price	1,388.40
platinum	1x 26 413 360-08	994.50
	1x 28 002 970-08	393.90
	Price	1,388.40
Durabrass	1x 26 413 360-09	1,230.50
	1x 28 002 970-09	487.70
	Price	1,718.20
brushed Durabrass	1x 26 413 360-28	1,230.60
	1x 28 002 970-28	487.70
	Price	1,718.30
Dark Platinum matt	1x 26 413 360-99	1,118.60
	1x 28 002 970-99	443.20
	Price	1,561.80



Product alternative

Hand shower 9 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 95mm
- max. flow 9 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 002 978-00	190.00
platinum matt	28 002 978-06	304.00
platinum	28 002 978-08	304.00
Durabrass	28 002 978-09	376.20
brushed Durabrass	28 002 978-28	376.20
Dark Platinum matt	28 002 978-99	342.00



Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 410-00	86.00
platinum matt	28 450 410-06	137.50
platinum	28 450 410-08	137.50
Durabrass	28 450 410-09	170.30
brushed Durabrass	28 450 410-28	170.30
Dark Platinum matt	28 450 410-99	154.70




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 370-00	95.10
platinum matt	28 450 370-06	152.10
platinum	28 450 370-08	152.10
Durabrass	28 450 370-09	188.30
brushed Durabrass	28 450 370-28	188.30
Dark Platinum matt	28 450 370-99	171.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symmetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 370 +
 28 002 970

Shower set

- slide bar
- Pipe diameter 18 mm
- rosettes Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- normal flow
- spray head Ø 64mm
- max. flow 9 l/min

Fits Madison

		Euro
polished chrome	1x 26 413 370-00	621.50
	1x 28 002 970-00	246.30
	Price	867.80
platinum matt	1x 26 413 370-06	994.50
	1x 28 002 970-06	393.90
	Price	1,388.40
platinum	1x 26 413 370-08	994.50
	1x 28 002 970-08	393.90
	Price	1,388.40
Durabrass	1x 26 413 370-09	1,230.50
	1x 28 002 970-09	487.70
	Price	1,718.20
brushed Durabrass	1x 26 413 370-28	1,230.60
	1x 28 002 970-28	487.70
	Price	1,718.30
Dark Platinum matt	1x 26 413 370-99	1,118.60
	1x 28 002 970-99	443.20
	Price	1,561.80


Product alternative
Hand shower 9 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 95mm
- max. flow 9 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 002 978-00	190.00
	28 002 978-06	304.00
platinum matt	28 002 978-08	304.00
	28 002 978-09	376.20
Durabrass	28 002 978-09	376.20
	28 002 978-28	376.20
brushed Durabrass	28 002 978-28	376.20
	28 002 978-99	342.00
Dark Platinum matt	28 002 978-99	342.00


Recommended miscellaneous
Wall elbow


For details and miscellaneous, see main items

		Euro
polished chrome	28 450 370-00	95.10
	28 450 370-06	152.10
platinum matt	28 450 370-08	152.10
	28 450 370-09	188.30
Durabrass	28 450 370-09	188.30
	28 450 370-28	188.30
brushed Durabrass	28 450 370-28	188.30
	28 450 370-99	171.10
Dark Platinum matt	28 450 370-99	171.10


Recommended miscellaneous
Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 410-00	86.00
	28 450 410-06	137.50
platinum matt	28 450 410-08	137.50
	28 450 410-09	170.30
Durabrass	28 450 410-09	170.30
	28 450 410-28	170.30
brushed Durabrass	28 450 410-28	170.30
	28 450 410-99	154.70
Dark Platinum matt	28 450 410-99	154.70


Recommended miscellaneous
Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

26 413 625 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

Fits Meta, Tara.

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 413 625-00	564.20
	1x 28 018 979-00	109.20
	Price	673.40
platinum matt	1x 26 413 625-06	902.90
	1x 28 018 979-06	174.80
	Price	1,077.70
platinum	1x 26 413 625-08	902.90
	1x 28 018 979-08	174.80
	Price	1,077.70
brushed Durabrass	1x 26 413 625-28	1,117.20
	1x 28 018 979-28	216.20
	Price	1,333.40
Dark Platinum matt	1x 26 413 625-99	1,015.80
	1x 28 018 979-99	196.60
	Price	1,212.40
matt black	1x 26 413 625-33	761.40
	1x 28 018 979-33	147.50
	Price	908.90



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt black	28 017 979-33 0010	197.70




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
platinum	28 450 625-08	149.00
brushed Durabrass	28 450 625-28	184.40
Dark Platinum matt	28 450 625-99	167.60
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 980 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

Fits MEM, CL.1, Symetrics, IMO, CYO

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 413 980-00	564.90
	1x 28 012 979-00	190.00
	Price	754.90
platinum matt	1x 26 413 980-06	903.50
	1x 28 012 979-06	304.00
	Price	1,207.50
platinum	1x 26 413 980-08	903.50
	1x 28 012 979-08	304.00
	Price	1,207.50
brushed Durabrass	1x 26 413 980-28	1,118.30
	1x 28 012 979-28	376.20
	Price	1,494.50
Dark Platinum matt	1x 26 413 980-99	1,016.50
	1x 28 012 979-99	342.00
	Price	1,358.50
matt black	1x 26 413 980-33	762.40
	1x 28 012 979-33	256.40
	Price	1,018.80



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
platinum matt	28 018 979-08	174.80
	28 018 979-28	216.20
brushed Durabrass	28 018 979-99	196.60
	28 018 979-33	147.50



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum matt	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
brushed Durabrass	28 017 979-99 0010	263.30
	28 017 979-33 0010	197.70




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see page 714

		Euro
polished chrome	28 450 980-00	133.00
	28 450 980-06	212.90
platinum matt	28 450 980-08	212.90
	28 450 980-28	263.30
brushed Durabrass	28 450 980-99	239.30
	28 450 980-33	179.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

26 413 892 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosettes Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

Fits Tara.

		Euro
polished chrome	1x 26 413 892-00	564.80
	1x 28 018 979-00	109.20
	Price	674.00
platinum matt	1x 26 413 892-06	903.40
	1x 28 018 979-06	174.80
	Price	1,078.20
platinum	1x 26 413 892-08	903.40
	1x 28 018 979-08	174.80
	Price	1,078.20
brushed Durabrass	1x 26 413 892-28	1,118.10
	1x 28 018 979-28	216.20
	Price	1,334.30
Dark Platinum matt	1x 26 413 892-99	1,016.40
	1x 28 018 979-99	196.60
	Price	1,213.00
matt white	1x 26 413 892-10	762.40
	1x 28 018 979-10	147.40
	Price	909.80
matt black	1x 26 413 892-33	762.30
	1x 28 018 979-33	147.50
	Price	909.80



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt white	28 017 979-10 0010	197.70
matt black	28 017 979-33 0010	197.70




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
platinum	28 450 625-08	149.00
brushed Durabrass	28 450 625-28	184.40
Dark Platinum matt	28 450 625-99	167.60
matt white	28 450 625-10	125.70
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 413 809 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 60 mm
- gauge 800 mm
- metal shower hose 1700mm with integrated anti-twist protection
- shower hose connector 3/8"
- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min

Fits VAIA

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 413 809-00	564.80
	1x 28 012 979-00	190.00
	Price	754.80
platinum matt	1x 26 413 809-06	903.60
	1x 28 012 979-06	304.00
	Price	1,207.60
platinum	1x 26 413 809-08	903.50
	1x 28 012 979-08	304.00
	Price	1,207.50
brushed Durabronz	1x 26 413 809-28	1,118.10
	1x 28 012 979-28	376.20
	Price	1,494.30
Dark Platinum matt	1x 26 413 809-99	1,016.40
	1x 28 012 979-99	342.00
	Price	1,358.40



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 018 979-00	109.20
	28 018 979-06	174.80
platinum	28 018 979-08	174.80
	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60



Product alternative

Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 809-00	108.00
	28 450 809-06	172.50
platinum	28 450 809-08	172.80
	28 450 809-28	213.90
Dark Platinum matt	28 450 809-99	194.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. flow 15 l/min

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

			Euro
polished chrome	1x 26 413 979-00		338.40
	1x 28 018 979-00		109.20
		Price	447.60
platinum matt	1x 26 413 979-06		551.80
	1x 28 018 979-06		174.80
		Price	726.60
platinum	1x 26 413 979-08		541.30
	1x 28 018 979-08		174.80
		Price	716.10
brushed Durabrass	1x 26 413 979-28		669.90
	1x 28 018 979-28		216.20
		Price	886.10
Dark Platinum matt	1x 26 413 979-99		608.90
	1x 28 018 979-99		196.60
		Price	805.50
matt white	1x 26 413 979-10		456.70
	1x 28 018 979-10		147.40
		Price	604.10
matt black	1x 26 413 979-33		465.50
	1x 28 018 979-33		147.50
		Price	613.00

Product alternative



Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

			Euro
polished chrome	28 012 979-00		190.00
platinum matt	28 012 979-06		304.00
platinum	28 012 979-08		304.00
brushed Durabrass	28 012 979-28		376.20
Dark Platinum matt	28 012 979-99		342.00
matt white	28 012 979-10		256.60
matt black	28 012 979-33		256.40

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

			Euro
polished chrome	28 017 979-00 0010		146.40
platinum matt	28 017 979-06 0010		234.10
platinum	28 017 979-08 0010		234.10
brushed Durabrass	28 017 979-28 0010		289.60
Dark Platinum matt	28 017 979-99 0010		263.30
matt white	28 017 979-10 0010		197.70
matt black	28 017 979-33 0010		197.70

Recommended miscellaneous



Wall elbow

For details and miscellaneous, see main items

			Euro
polished chrome	28 450 845-00		96.90
platinum matt	28 450 845-06		155.00

Recommended miscellaneous




Wall elbow

For details and miscellaneous, see page 714

			Euro
polished chrome	28 450 980-00		133.00
platinum matt	28 450 980-06		212.90
platinum	28 450 980-08		212.90
brushed Durabrass	28 450 980-28		263.30
Dark Platinum matt	28 450 980-99		239.30
matt black	28 450 980-33		179.50

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

			Euro
Concealed rough parts	35 085 970 90		98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Overhead showers



Planning example

Choose your individual solution:

Overhead showers (Other solutions available)

from page 580



Hand shower sets (Other solutions available)

from page 616



Control elements (Other solutions available)

from page 638



Shower

28 504 670




Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 7 l/min

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	28 504 670-00	493.40
platinum matt	28 504 670-06	783.00
platinum	28 504 670-08	789.40
brushed Durabrass	28 504 670-28	976.90
Dark Platinum matt	28 504 670-99	888.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 504 979




Shower head

- 180-210 mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7 l/min

Fits Meta, Tara., VAIA, Lissé

		Euro
polished chrome	28 504 979-00	476.20
platinum matt	28 504 979-06	762.10
platinum	28 504 979-08	762.00
brushed Durabrass	28 504 979-28	943.00
Dark Platinum matt	28 504 979-99	857.30
matt white	28 504 979-10	642.90
matt black	28 504 979-33	642.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 508 710




Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette 78 x 55 mm
- 1/2" connection
- max. flow 9 l/min

Fits LULU

		Euro
polished chrome	28 508 710-00	529.40
platinum matt	28 508 710-06	847.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 508 360




Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 94mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 9 l/min

Fits Madison

		Euro
polished chrome	28 508 360-00	532.60
platinum matt	28 508 360-06	852.10
platinum	28 508 360-08	852.10
Durabrass	28 508 360-09	1,054.30
brushed Durabrass	28 508 360-28	1,054.30
Dark Platinum matt	28 508 360-99	958.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 508 979




Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 9 l/min

Fits Meta, Tara., VAIA, Lissé

		Euro
polished chrome	28 508 979-00	532.60
platinum matt	28 508 979-06	852.00
platinum	28 508 979-08	852.00
brushed Durabrass	28 508 979-28	1,054.30
Dark Platinum matt	28 508 979-99	958.50
matt white	28 508 979-10	719.00
matt black	28 508 979-33	719.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 508 980




Shower head

- 200 mm projection
- ball-joint pivotable through 30°
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 9 l/min

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	28 508 980-00	547.60
platinum matt	28 508 980-06	876.00
platinum	28 508 980-08	876.20
brushed Durabrass	28 508 980-28	1,084.40
Dark Platinum matt	28 508 980-99	985.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

28 505 979




Shower head

- **155 mm projection**
- ball-joint pivotable through 18° (in any direction)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 7.6 l/min

Fits Meta, Tara., VAIA, Lissé

		Euro
polished chrome	28 505 979-00	296.80
platinum matt	28 505 979-06	474.90
platinum	28 505 979-08	474.90
brushed Durabrass	28 505 979-28	587.70
Dark Platinum matt	28 505 979-99	534.30
matt white	28 505 979-10	400.70
matt black	28 505 979-33	400.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Showerpipes



Planning example

Choose your individual solution:

Showerpipes (Other solutions available)

from page 584



Hand showers

from page 612



Shower

36 112 970 +
28 015 979



Showerpipe with single-lever shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- automatic diverter for fixed-riser shower/hand shower

Fits IMO, Meta, Tara., VAIA, Lissé, LULU

Intrinsic protection against back flow.

		Euro
polished chrome	1x 36 112 970-00	1,931.30
	1x 28 015 979-00	101.60
	Price	2,032.90
platinum matt	1x 36 112 970-06	3,090.10
	1x 28 015 979-06	162.70
	Price	3,252.80
platinum	1x 36 112 970-08	3,021.40
	1x 28 015 979-08	162.70
	Price	3,184.10
brushed Durabrass	1x 36 112 970-28	3,823.90
	1x 28 015 979-28	201.10
	Price	4,025.00
Dark Platinum matt	1x 36 112 970-99	3,399.20
	1x 28 015 979-99	182.90
	Price	3,582.10
matt black	1x 36 112 970-33	2,607.30
	1x 28 015 979-33	137.10
	Price	2,744.40



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
platinum matt	28 016 979-06	252.40
platinum	28 016 979-08	252.40
brushed Durabrass	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70
matt black	28 016 979-33	212.90




Product alternative

Hand shower 15 l/min

- normal flow
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 613

		Euro
polished chrome	28 019 979-00	191.10
platinum matt	28 019 979-06	305.90
platinum	28 019 979-08	305.90
brushed Durabrass	28 019 979-28	378.50
Dark Platinum matt	28 019 979-99	344.10
matt black	28 019 979-33	258.10



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symmetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 632 360 +
28 002 970



Showerpipe with shower mixer

- **shower with fixed riser projection 420 mm**
- overhead shower: rain flow
- rain shower Ø 200mm
- max. rainshower flow 9 l/min
- hand shower: normal flow
- spray head Ø 64mm
- max. hand shower flow 9 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to top edge of elbow 1180mm
- height of fittings up to rain shower (bottom edge) 1009mm
- rosette for shower holder Ø 66mm
- rosette for wall mounting Ø 70mm
- rosette for shower mixer Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

This article does not include a hand shower!

Fits Madison

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 632 360-00	2,564.40
	1x 28 002 970-00	246.30
	Price	2,810.70
platinum matt	1x 26 632 360-06	4,103.00
	1x 28 002 970-06	393.90
	Price	4,496.90
platinum	1x 26 632 360-08	4,103.00
	1x 28 002 970-08	393.90
	Price	4,496.90
Durabrass	1x 26 632 360-09	5,077.50
	1x 28 002 970-09	487.70
	Price	5,565.20
brushed Durabrass	1x 26 632 360-28	5,077.50
	1x 28 002 970-28	487.70
	Price	5,565.20
Dark Platinum matt	1x 26 632 360-99	4,615.90
	1x 28 002 970-99	443.20
	Price	5,059.10



Product alternative

Hand shower 9 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 95mm
- max. flow 9 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 002 978-00	190.00
platinum matt	28 002 978-06	304.00
platinum	28 002 978-08	304.00
Durabrass	28 002 978-09	376.20
brushed Durabrass	28 002 978-28	376.20
Dark Platinum matt	28 002 978-99	342.00



Shower

26 632 892 +
28 018 979



Showerpipe with shower mixer

- shower with fixed riser projection 420 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 9 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for shower holder Ø 55mm
- rosette for wall mounting Ø 57mm
- rosette for shower mixer Ø 65mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 20 mm

Fits Tara.

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 632 892-00	2,381.60
	1x 28 018 979-00	109.20
	Price	2,490.80
platinum matt	1x 26 632 892-06	3,810.20
	1x 28 018 979-06	174.80
	Price	3,985.00
platinum	1x 26 632 892-08	3,810.20
	1x 28 018 979-08	174.80
	Price	3,985.00
brushed Durabrand	1x 26 632 892-28	4,715.50
	1x 28 018 979-28	216.20
	Price	4,931.70
Dark Platinum matt	1x 26 632 892-99	4,286.90
	1x 28 018 979-99	196.60
	Price	4,483.50
matt white	1x 26 632 892-10	3,215.10
	1x 28 018 979-10	147.40
	Price	3,362.50
matt black	1x 26 632 892-33	3,214.90
	1x 28 018 979-33	147.50
	Price	3,362.40



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrand	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
platinum matt	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
brushed Durabrand	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
matt white	28 013 979-10 0010	258.10
matt black	28 013 979-33 0010	258.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

26 633 892 +
28 018 979



Showerpipe

- shower with fixed riser projection 420 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 9 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for shower holder Ø 55mm
- rosette for wall mounting Ø 57mm
- rosette for shower mixer Ø 65mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 20 mm

Fits Tara.

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 633 892-00	2,327.50
	1x 28 018 979-00	109.20
	Price	2,436.70
platinum matt	1x 26 633 892-06	3,723.40
	1x 28 018 979-06	174.80
	Price	3,898.20
platinum	1x 26 633 892-08	3,723.40
	1x 28 018 979-08	174.80
	Price	3,898.20
brushed Durabronz	1x 26 633 892-28	4,608.50
	1x 28 018 979-28	216.20
	Price	4,824.70
Dark Platinum matt	1x 26 633 892-99	4,189.40
	1x 28 018 979-99	196.60
	Price	4,386.00
matt white	1x 26 633 892-10	3,142.10
	1x 28 018 979-10	147.40
	Price	3,289.50
matt black	1x 26 633 892-33	3,141.80
	1x 28 018 979-33	147.50
	Price	3,289.30



Product alternative

Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabronz	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
platinum matt	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
brushed Durabronz	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
matt white	28 013 979-10 0010	258.10
matt black	28 013 979-33 0010	258.10



Shower

26 632 809 +
28 019 979



Showerpipe with shower mixer

- shower with fixed riser projection 450 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- max. hand shower flow 15 l/min
- rotary diverter for fixed-riser shower/hand shower
- rosette for shower holder Ø 60mm
- slide-on rosettes Ø 60 mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 23.5 mm

This article does not include a hand shower!

Fits VAIA

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 632 809-00	2,381.20
	1x 28 019 979-00	191.10
	Price	2,572.30
platinum matt	1x 26 632 809-06	3,809.80
	1x 28 019 979-06	305.90
	Price	4,115.70
platinum	1x 26 632 809-08	3,809.80
	1x 28 019 979-08	305.90
	Price	4,115.70
brushed Durabross	1x 26 632 809-28	4,714.70
	1x 28 019 979-28	378.50
	Price	5,093.20
Dark Platinum matt	1x 26 632 809-99	4,286.20
	1x 28 019 979-99	344.10
	Price	4,630.30

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabross	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30

Product alternative



Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabross	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 360 +
11 420 360 +
28 002 978



Showerpipe with shower thermostat

- shower with fixed riser projection 420 mm
- rain shower Ø 200mm
- rain shower with anti-scale system
- max. rainshower flow 9 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 95mm
- max. hand shower flow 9 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

Fits Madison

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 360-00	2,560.90
	1x 11 420 360-00	231.40
	1x 28 002 978-00	190.00
	Price	2,982.30
platinum matt	1x 34 459 360-06	4,097.60
	1x 11 420 360-06	370.20
	1x 28 002 978-06	304.00
	Price	4,771.80
platinum	1x 34 459 360-08	4,097.60
	1x 11 420 360-08	370.20
	1x 28 002 978-08	304.00
	Price	4,771.80
Durabrass	1x 34 459 360-09	5,070.70
	1x 11 420 360-09	458.10
	1x 28 002 978-09	376.20
	Price	5,905.00
brushed Durabrass	1x 34 459 360-28	5,070.50
	1x 11 420 360-28	458.10
	1x 28 002 978-28	376.20
	Price	5,904.80
Dark Platinum matt	1x 34 459 360-99	4,609.70
	1x 11 420 360-99	416.50
	1x 28 002 978-99	342.00
	Price	5,368.20



Product alternative

Metal hand shower with porcelain insert (white) 9 l/min

- normal flow
- spray head Ø 64mm
- max. flow 9 l/min
- Hand shower see page 612

For details and miscellaneous, see page 613

		Euro
polished chrome	28 002 970-00	246.30
platinum matt	28 002 970-06	393.90
platinum	28 002 970-08	393.90
Durabrass	28 002 970-09	487.70
brushed Durabrass	28 002 970-28	487.70
Dark Platinum matt	28 002 970-99	443.20



Shower

34 459 892 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 452 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 963mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits Meta, Tara., VAIA

		Euro
polished chrome	1x 34 459 892-00	2,480.20
	1x 28 015 979-00	101.60
	Price	2,581.80
platinum matt	1x 34 459 892-06	3,968.40
	1x 28 015 979-06	162.70
	Price	4,131.10
platinum	1x 34 459 892-08	3,968.40
	1x 28 015 979-08	162.70
	Price	4,131.10
brushed Durabronz	1x 34 459 892-28	4,910.90
	1x 28 015 979-28	201.10
	Price	5,112.00
Dark Platinum matt	1x 34 459 892-99	4,464.40
	1x 28 015 979-99	182.90
	Price	4,647.30
matt black	1x 34 459 892-33	3,348.30
	1x 28 015 979-33	137.10
	Price	3,485.40



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40
platinum	28 016 979-08	252.40
	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70
	28 016 979-33	212.90



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
	28 013 979-33 0010	258.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 459 980 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower 300 x 240mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Fits MEM, CL.1, Symetrics, IMO, CYO

Intrinsic protection against back flow.

		Euro
polished chrome	1x 34 459 980-00	2,478.40
	1x 28 018 979-00	109.20
	Price	2,587.60
platinum matt	1x 34 459 980-06	3,965.40
	1x 28 018 979-06	174.80
	Price	4,140.20
platinum	1x 34 459 980-08	3,965.30
	1x 28 018 979-08	174.80
	Price	4,140.10
brushed Durabronz	1x 34 459 980-28	4,907.20
	1x 28 018 979-28	216.20
	Price	5,123.40
Dark Platinum matt	1x 34 459 980-99	4,461.00
	1x 28 018 979-99	196.60
	Price	4,657.60
matt black	1x 34 459 980-33	3,345.90
	1x 28 018 979-33	147.50
	Price	3,493.40

Product alternative



Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum matt	28 012 979-08	304.00
	28 012 979-28	376.20
brushed Durabronz	28 012 979-99	342.00
	28 012 979-33	256.40

Product alternative



Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum matt	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
brushed Durabronz	28 013 979-99 0010	305.90
	28 013 979-33 0010	258.10



Shower

34 459 979 +
28 015 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 220mm
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- hand shower: normal flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, Meta, Tara., VAIA, Lissé, LULU

		Euro
polished chrome	1x 34 459 979-00	2,089.80
	1x 28 015 979-00	101.60
	Price	2,191.40
platinum matt	1x 34 459 979-06	3,268.60
	1x 28 015 979-06	162.70
	Price	3,431.30
platinum	1x 34 459 979-08	3,268.60
	1x 28 015 979-08	162.70
	Price	3,431.30
brushed Durabrand	1x 34 459 979-28	4,137.90
	1x 28 015 979-28	201.10
	Price	4,339.00
Dark Platinum matt	1x 34 459 979-99	3,677.30
	1x 28 015 979-99	182.90
	Price	3,860.20
matt black	1x 34 459 979-33	2,758.10
	1x 28 015 979-33	137.10
	Price	2,895.20



Product alternative

Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- spray head Ø 130 mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 614

		Euro
polished chrome	28 016 979-00	157.60
	28 016 979-06	252.40
platinum	28 016 979-08	252.40
	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70
	28 016 979-33	212.90



Product alternative

Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
	28 013 979-33 0010	258.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453 mm
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1170mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, Meta, Tara., VAIA, Lissé, LULU

		Euro
polished chrome	1x 34 460 979-00	2,201.20
	1x 28 018 979-00	109.20
	Price	2,310.40
platinum matt	1x 34 460 979-06	3,521.90
	1x 28 018 979-06	174.80
	Price	3,696.70
platinum	1x 34 460 979-08	3,521.70
	1x 28 018 979-08	174.80
	Price	3,696.50
brushed Durabrass	1x 34 460 979-28	4,358.30
	1x 28 018 979-28	216.20
	Price	4,574.50
Dark Platinum matt	1x 34 460 979-99	3,962.00
	1x 28 018 979-99	196.60
	Price	4,158.60
matt black	1x 34 460 979-33	2,971.60
	1x 28 018 979-33	147.50
	Price	3,119.10

Product alternative



Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
	28 012 979-06	304.00
platinum matt	28 012 979-08	304.00
	28 012 979-28	376.20
brushed Durabrass	28 012 979-99	342.00
	28 012 979-33	256.40

Product alternative



Bar-type hand shower 6.8 l/min

- normal flow
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 013 979-00 0010	191.10
	28 013 979-06 0010	305.90
platinum matt	28 013 979-08 0010	305.90
	28 013 979-28 0010	396.00
brushed Durabrass	28 013 979-99 0010	305.90
	28 013 979-33 0010	258.10



Shower

26 024 661 +
28 019 979



Shower system with single-lever shower mixer without hand shower

- shower with fixed riser projection 450 mm
- pivotable 180°
- overhead shower: rain flow
- rain shower Ø 300mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: normal flow
- max. hand shower flow 15 l/min
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm

Fits Meta, Tara., VAIA

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

Intrinsic protection against back flow.

		Euro
polished chrome	1x 26 024 661-00	4,036.10
	1x 28 019 979-00	191.10
	Price	4,227.20
platinum matt	1x 26 024 661-06	6,457.70
	1x 28 019 979-06	305.90
	Price	6,763.60
platinum	1x 26 024 661-08	6,457.80
	1x 28 019 979-08	305.90
	Price	6,763.70
brushed Durabross	1x 26 024 661-28	7,991.40
	1x 28 019 979-28	378.50
	Price	8,369.90
Dark Platinum matt	1x 26 024 661-99	7,265.00
	1x 28 019 979-99	344.10
	Price	7,609.10
matt black	1x 26 024 661-33	5,448.70
	1x 28 019 979-33	258.10
	Price	5,706.80

Product alternative



Hand shower 6.8 l/min

- normal flow
- spray head Ø 130 mm
- max. flow 6.8 l/min
- Hand shower see page 612

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabross	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt black	28 017 979-33 0010	197.70

Product alternative




Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- spray head Ø 120mm
- max. flow 15 l/min
- Hand shower see page 612

For details and miscellaneous, see page 615

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabross	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt black	28 012 979-33	256.40

Required miscellaneous



Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symmetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Rain showers



Planning example

Choose your individual solution:

Rain showers

from page 596



Hand shower sets (Other solutions available)

from page 616



Control elements (Other solutions available)

from page 638



Upgrade: Water Modules

from page 624



28 545 977




Rain shower with wall fixing

- 435 mm projection
- rain shower Ø 200mm
- rain flow
- max. flow 9 l/min
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

Fits Madison

		Euro
polished chrome	28 545 977-00	990.50
platinum matt	28 545 977-06	1,584.70
platinum	28 545 977-08	1,584.70
Durabrand	28 545 977-09	1,961.30
brushed Durabrand	28 545 977-28	1,961.30
Dark Platinum matt	28 545 977-99	1,782.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 649 670



Rain shower with wall fixing

- 450 mm projection
- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system

Fits IMO

		Euro
polished chrome	28 649 670-00	821.00
platinum matt	28 649 670-06	1,313.70
platinum	28 649 670-08	1,313.70
brushed Durabrand	28 649 670-28	1,625.80
Dark Platinum matt	28 649 670-99	1,477.90




Product alternative

Rain shower with wall fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 679 670-00	963.50
platinum matt	28 679 670-06	1,541.60
platinum	28 679 670-08	1,734.30
brushed Durabrand	28 679 670-28	1,907.80
Dark Platinum matt	28 679 670-99	1,734.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 649 970



Rain shower with wall fixing

- 450 mm projection
- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

Fits Meta, Tara., VAIA, Lissé

		Euro
polished chrome	28 649 970-00	775.90
platinum matt	28 649 970-06	1,241.50
platinum	28 649 970-08	1,241.50
brushed Durabrass	28 649 970-28	1,536.30
Dark Platinum matt	28 649 970-99	1,396.70
matt white	28 649 970-10	1,047.50
matt black	28 649 970-33	1,047.60



Product alternative

Rain shower with wall fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 679 970-00	914.10
platinum matt	28 679 970-06	1,462.90
platinum	28 679 970-08	1,462.90
brushed Durabrass	28 679 970-28	1,810.00
Dark Platinum matt	28 679 970-99	1,645.50
matt white	28 679 970-10	1,234.20
matt black	28 679 970-33	1,234.40




Product alternative

Rain shower with wall fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 659 970-00	1,600.40
platinum matt	28 659 970-06	2,560.60
platinum	28 659 970-08	2,560.60
brushed Durabrass	28 659 970-28	3,168.70
Dark Platinum matt	28 659 970-99	2,880.60
matt white	28 659 970-10	2,160.60
matt black	28 659 970-33	2,160.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 786 710




Rain shower with wall fixing

- 450 mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- rosette 78 x 60 mm
- 1/2" connection
- with anti-scale system

Fits LULU

		Euro
polished chrome	28 786 710-00	1,189.20
platinum matt	28 786 710-06	1,902.90
platinum	28 786 710-08	1,902.60
brushed Durabrass	28 786 710-28	2,354.50
Dark Platinum matt	28 786 710-99	2,140.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

28 765 980




Rain shower with wall fixing

- 450 mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system

Fits MEM, CL.1, Symetrics, IMO, CYO

	Euro	
polished chrome	28 765 980-00	1,230.30
platinum matt	28 765 980-06	1,968.50
platinum	28 765 980-08	1,968.50
brushed Durabrand	28 765 980-28	2,436.00
Dark Platinum matt	28 765 980-99	2,214.60
matt black	28 765 980-33	1,661.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80

41 550 979



JUST RAIN Rain shower with wall fixing

- rain shower 590 x 360mm
- 1/2" connection
- pre-fitted stainless steel enclosure
- with anti-scale system
- **technical data:**
- minimum flow: 17 l/min
- flow at 3bar flow pressure in conjunction with xTOOL: 24,5l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight 11kg
- **plumbing:**
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

	Euro	
polished high-grade steel	41 550 979-85	3,321.30
matt high-grade steel	41 550 979-86	3,321.30

28 565 977




Rain shower with ceiling fixing

- rain shower Ø 200mm
- rain flow
- max. flow 9 l/min
- distance between ceiling and lower edge of the shower 185mm
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

Fits Madison

	Euro	
polished chrome	28 565 977-00	748.60
platinum matt	28 565 977-06	1,197.90
platinum	28 565 977-08	1,197.90
Durabrand	28 565 977-09	1,482.10
brushed Durabrand	28 565 977-28	1,482.10
Dark Platinum matt	28 565 977-99	1,347.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 669 970



Rain shower with ceiling fixing

- rain shower Ø 220mm
- rain flow
- max. flow 8.6 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system

Fits IMO, Meta, Tara., VAIA, Lissé, CYO

		Euro
polished chrome	28 669 970-00	659.40
platinum matt	28 669 970-06	1,055.30
platinum	28 669 970-08	1,055.30
brushed Durabrass	28 669 970-28	1,305.70
Dark Platinum matt	28 669 970-99	1,186.90
matt white	28 669 970-10	890.30
matt black	28 669 970-33	890.50



Product alternative

Rain shower with ceiling fixing

- rain shower Ø 300 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 689 970-00	777.40
platinum matt	28 689 970-06	1,243.50
platinum	28 689 970-08	1,243.50
brushed Durabrass	28 689 970-28	1,539.30
Dark Platinum matt	28 689 970-99	1,399.30
matt white	28 689 970-10	1,049.50
matt black	28 689 970-33	1,049.30




Product alternative

Rain shower with ceiling fixing

- rain shower Ø 400 mm
- max. flow 13.3 l/min

		Euro
polished chrome	28 699 970-00	1,431.10
platinum matt	28 699 970-06	2,289.80
platinum	28 699 970-08	2,289.80
brushed Durabrass	28 699 970-28	2,833.70
Dark Platinum matt	28 699 970-99	2,576.00
matt white	28 699 970-10	1,932.00
matt black	28 699 970-33	1,932.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 796 710




Rain shower with ceiling fixing

- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 78 x 55, as required
- 1/2" connection
- with anti-scale system

Fits LULU

		Euro
polished chrome	28 796 710-00	1,011.00
platinum matt	28 796 710-06	1,617.60
platinum	28 796 710-08	1,617.70
brushed Durabrass	28 796 710-28	2,001.90
Dark Platinum matt	28 796 710-99	1,819.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

28 775 980




Rain shower with ceiling fixing

- rain shower 300 x 240mm
- rain flow
- max. flow 14 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	28 775 980-00	1,045.80
platinum matt	28 775 980-06	1,673.30
platinum	28 775 980-08	1,673.30
brushed Durabrass	28 775 980-28	2,070.70
Dark Platinum matt	28 775 980-99	1,882.40
matt black	28 775 980-33	1,411.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

41 507 979



JUST RAIN Rain shower with ceiling fixing

- rain shower 400 x 320mm
- 1/2" connection
- pre-fitted stainless steel enclosure
- with anti-scale system
- **technical data:**
- minimum flow: 17 l/min
- flow at 3bar flow pressure in conjunction with xTOOL: 24,5l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight 7kg
- **plumbing:**
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished high-grade steel	41 507 979-85	2,962.60
matt high-grade steel	41 507 979-86	2,962.60

28 031 970

NEW



Rain shower for ceiling fixing

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

Fits IMO, Meta, Tara., VAIA, Lissé, CYO

		Euro
polished chrome	28 031 970-00	601.10
platinum matt	28 031 970-06	961.80
platinum	28 031 970-08	961.80
brushed Durabrass	28 031 970-28	1,190.20
Dark Platinum matt	28 031 970-99	1,082.00
matt white	28 031 970-10	811.50
matt black	28 031 970-33	811.50



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 041 970 90	400.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 041 980 **NEW**



Rain shower for ceiling fixing

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	28 041 980-00	601.10
platinum matt	28 041 980-06	961.80
platinum	28 041 980-08	961.80
brushed Durabrass	28 041 980-28	1,190.20
Dark Platinum matt	28 041 980-99	1,082.00
matt white	28 041 980-10	811.50
matt black	28 041 980-33	811.50



Required miscellaneous

Concealed ceiling installation box with ceiling fixing

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 041 970 90	400.70

28 032 970 **NEW**



Rain shower for ceiling fixing with light

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

Fits IMO, Meta, Tara., VAIA, Lissé, CYO

		Euro
polished chrome	28 032 970-00	903.20
platinum matt	28 032 970-06	1,445.10
platinum	28 032 970-08	1,445.10
brushed Durabrass	28 032 970-28	1,788.30
Dark Platinum matt	28 032 970-99	1,625.80
matt white	28 032 970-10	1,219.30
matt black	28 032 970-33	1,219.30



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 042 970 90	602.10

28 042 980 **NEW**



Rain shower for ceiling fixing with light

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	28 042 980-00	903.20
platinum matt	28 042 980-06	1,445.10
platinum	28 042 980-08	1,445.10
brushed Durabrass	28 042 980-28	1,788.30
Dark Platinum matt	28 042 980-99	1,625.80
matt white	28 042 980-10	1,219.30
matt black	28 042 980-33	1,219.30



Required miscellaneous

Concealed ceiling installation box for ceiling fixing with light

- min. recess depth 90 mm
- max. recess depth 115 mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 042 970 90	602.10



Shower

28 033 970

NEW

Rain shower for ceiling installation

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

Fits IMO, Meta, Tara., VAIA, Lissé, CYO



		Euro
polished chrome	28 033 970-00	1,205.20
platinum matt	28 033 970-06	1,928.30
platinum	28 033 970-08	1,928.30
brushed Durabrass	28 033 970-28	2,386.30
Dark Platinum matt	28 033 970-99	2,169.40
matt white	28 033 970-10	1,627.00
matt black	28 033 970-33	1,627.00



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 033 970 90	803.50

28 043 980

NEW

Rain shower for ceiling installation

- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system

Fits MEM, CL.1, Symetrics, IMO, CYO



		Euro
polished chrome	28 043 980-00	1,205.20
platinum matt	28 043 980-06	1,928.30
platinum	28 043 980-08	1,928.30
brushed Durabrass	28 043 980-28	2,386.30
Dark Platinum matt	28 043 980-99	2,169.40
matt white	28 043 980-10	1,627.00
matt black	28 043 980-33	1,627.00



Required miscellaneous

Concealed ceiling installation box for ceiling installation

- recess depth 137mm

For details and miscellaneous, see page 700

		Euro
Concealed rough parts	35 043 970 90	803.50

28 034 970

NEW

Rain shower for ceiling installation with light

- rain shower Ø 300mm
- Rain flow, max. flow rate 12 l/min
- min. recess depth 137,5 mm
- Spray flow, max. flow rate 6 l/min
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

Fits IMO, Meta, Tara., VAIA, Lissé, CYO



		Euro
polished chrome	28 034 970-00	1,809.30
platinum matt	28 034 970-06	2,894.90
platinum	28 034 970-08	2,894.90
brushed Durabrass	28 034 970-28	3,582.40
Dark Platinum matt	28 034 970-99	3,256.70
matt white	28 034 970-10	2,442.60
matt black	28 034 970-33	2,442.60



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 034 970 90	1,206.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 044 980

NEW

Rain shower for ceiling installation with light



- rain shower 300 x 240mm
- Rain flow, max. flow rate 12 l/min
- Spray flow, max. flow rate 6 l/min
- min. recess depth 137,5 mm
- with anti-scale system
- central RGBW LED spot
- RGBW LED ambient lighting

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	28 044 980-00	1,809.30
platinum matt	28 044 980-06	2,894.90
platinum	28 044 980-08	2,894.90
brushed Durabrass	28 044 980-28	3,582.40
Dark Platinum matt	28 044 980-99	3,256.70
matt white	28 044 980-10	2,442.60
matt black	28 044 980-33	2,442.60



Required miscellaneous

Concealed ceiling installation box for ceiling installation with light

- recess depth 137mm

For details and miscellaneous, see page 701

		Euro
Concealed rough parts	35 044 970 90	1,206.20



Shower



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Rain panels



Planning example

Choose your individual solution:

Rain panels

from page 606



BIG RAIN
41 400 979

Rain Sky M
41 100 979

AQUAMOON
41 620 979
35 620 970 90

RAINMOON
41 610 979
35 610 970 90

**AQUAMOON
EMBRACE**
41 630 979
35 630 970 90

Hand shower sets (Other solutions available)

from page 616



Control elements (Other solutions available)

from page 638



Upgrade: Water Modules

from page 624



Shower

41 610 979



RAINMOON Rain panel

- exposed trim parts
- Rain panel with 2 different spray modes
- Aquacircle: circular rain curtain with 72 jets, max. 6,8 l/min
- Tempest: natural rain with 48 jets, max. 5 l/min
- Matt white cover, RAL 9003
- Indirect mood lighting, warm white LED light strip 2700K
- Outer diameter 1240 mm, opening diameter 450 mm
- with anti-scale system
- Flow rate at 3 bar flow pressure in conjunction with xTOOL: 11.8 l/min
- Weight 22.5 kg
- Protection rating IP67
- Control elements not included among the items supplied

matt white

41 610 979-10 **Euro** 4,880.90

Rain panel cover for adaptation to ceiling colour
available in all RAL colours, price and delivery time on request



Required miscellaneous

RAINMOON Concealed rain panel

- concealed rough parts
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- 2 x connector, 3/4" male (mixed water), DN 15
- Connector, 220-240V AC 50Hz power supply
- Protection rating IP66
- Weight 35 kg
- Permissible flow pressure: 1.5 – 4 bar
- **technical data:**
- Recommended water hardness: 6 – 7 °dH / 107 – 125 ppm CaCO₃ / 7.5 – 8.8 °e / 10.7 – 12.5 °fH - if the water is harder, install a water softener that uses the ion exchange principle into the feed pipe.
- For the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which RAINMOON is used - the specific demand needs to be assessed.
- For choosing drainage, taking into consideration the flow rate of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected value) = 0.15l/sec
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- 6A type B safety cut-out, 30 mA 2-pin type A earth-leakage circuit breaker, please conform to national statutory regulations, where different
- Feed pipe 3 x 0.75 mm²
- customer must provide a light switch outside the shower area (outside safety zone 2 under DIN VDE 0100, Part 701)

Concealed rough parts

35 610 970 90 **Euro** 5,761.10

For details and miscellaneous, see page 700



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

41 620 979



AQUAMOON Rain panel

- exposed trim parts
- Rain panel with 3 different flow modes
- Aquacircle: circular rain curtain with 72 jets, max. 12 l/min
- Tempest: natural rain with 48 jets, max. 10 l/min
- Queen's Collar: rounded cascade, max. 24 l/min
- Indirect mood lighting, warm white LED light strip 2700K
- Matt white cover, RAL 9003
- with anti-scale system
- Outer diameter 1240 mm, opening diameter 450 mm
- Flow rate at 3 bar flow pressure in conjunction with xTOOL: 46 l/min
- Weight 22.5 kg
- Protection rating IP67
- Control elements not included among the items supplied

matt white

41 620 979-10 **Euro** 5,651.50

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request



Required miscellaneous

AQUAMOON Concealed rain panel

- concealed rough parts
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- 3 x connector, 3/4" male (mixed water), DN 20
- Connector, 220-240V AC 50Hz power supply
- Protection rating IP66
- Weight 35 kg
- Permissible flow pressure: 2.5 – 4 bar
- **technical data:**
- Recommended water hardness: 6 – 7 °dH / 107 – 125 ppm CaCO₃ / 7.5 – 8.8 °e / 10.7 – 12.5 °fH - if the water is harder, install a water softener that uses the ion exchange principle into the feed pipe.
- For the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which AQUAMOON is used - the specific demand needs to be assessed.
- For choosing drainage, taking into consideration the flow rate of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected value) = 0.9l/sec
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- 6A type B safety cut-out, 30 mA 2-pin type A earth-leakage circuit breaker, please conform to national statutory regulations, where different
- Feed pipe 3 x 0.75 mm²
- customer must provide a light switch outside the shower area (outside safety zone 2 under DIN VDE 0100, Part 701)

Concealed rough parts

35 620 970 90 **Euro** 6,135.10



Shower

41 100 979



RAIN SKY M Rain panel for ceiling installation

- Rain panel with 3 different flow modes
- head spray 200 x 160mm, 99 nozzles
- body spray 360 x 280mm, 142 nozzles
- rain curtain 720 x 540mm, 124 nozzles
- cover plate, stainless steel 1020 x 820 x 2 mm
- 3x flexible connection hose 1/2" - female thread
- 4x M 10 heavy-duty bolt
- pre-fitted, stainless steel enclosure 990 x 790 x 128 mmmm
- 2 light gaps, electronic ballast, T 5 fluorescent tubes, 39 watts - light colour 830
- 2 hinges and safety chains
- **technical data:**
- minimum flow rate: 35 l/min (all three rain modes together)
- flow at 3bar flow pressure in conjunction with xTOOL: 43l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight: 50kg
- electricity supply: 220-240 V AC/DC, OHz, 50-60 Hz, 88 W
- system of protection: IP 65
- **plumbing:**
- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which RainSky M is used - the specific demand needs to be assessed.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1.5l/sec, drainage rate DN 70
- feed pipe (hot/cold): 2x DN 20
- **electrical:**
- earth-leakage circuit-breaker 30 mA provided
- feeder 3 x 1.5mm² NYM
- equipotential bonding 1 x 4mm²
- customer must provide a light switch outside the shower area (outside safety zone 2 under DIN VDE 0100, Part 701)

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, Madison

	Euro
polished high-grade steel	41 100 979-85 11,125.30
matt high-grade steel	41 100 979-86 11,125.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

41 400 979



BIG RAIN Rain panel for ceiling installation or ceiling substructure installation

- Rain panel with 2 different spray modes
- head spray 200 x 160mm, 99 nozzles
- body spray 360 x 280mm, 142 nozzles
- cover plate, stainless steel 600 x 480 mm
- 2x flexible connection hose 1/2" - female thread
- 4x mounting pin
- pre-fitted stainless steel enclosure
- with anti-scale system
- **technical data:**
- minimum flow rate 25 l/min (both rain modes together)
- flow at 3bar flow pressure in conjunction with xTOOL: 39l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight: 12kg
- **plumbing:**
- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- feed pipe (hot/cold): 2x DN 20
- for the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which BigRain is used - the specific demand needs to be assessed.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished high-grade steel	41 400 979-85	4,963.70
matt high-grade steel	41 400 979-86	4,963.70



Recommended miscellaneous

BIG RAIN Cover for supply pipes

- stainless steel cover 125 x 50 mm
- length 450-480 mm
- for ceiling substructure installation

		Euro
polished high-grade steel	12 940 979-85	389.20
matt high-grade steel	12 940 979-86	389.20

41 630 979



AQUAMOON EMBRACE Rain panel

- exposed trim parts
- Aquacircle: circular rain curtain with 72 jets, max. 12 l/min
- Tempest: natural rain with 48 jets, max. 10 l/min
- Queen's Collar: rounded cascade, max. 24 l/min
- RGBW LED ambient lighting
- Embrace: rounded cascade, max. 60 l/min
- Matt white cover, RAL 9003
- with anti-scale system
- Outer diameter 1240 mm, opening diameter 450 mm
- Weight 22.5 kg
- Protection rating IP67
- Control elements not included among the items supplied
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

		Euro
matt white	41 630 979-10	5,764.50



Required miscellaneous

AQUAMOON EMBRACE Concealed rain panel

		Euro
Concealed rough parts	35 630 970 90	6,135.10



Shower



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Hand showers with one flow mode

Bar-type hand shower



28 019 979-FF
28 013 979-FF0010

Madison hand shower



28 002 970-FF
28 002 970-FF0010

Hand shower Ø 100 mm



28 015 979-FF
28 015 979-FF0010

Hand shower Ø 130 mm



28 017 979-FF
28 017 979-FF0010

Hand showers with multiple flow modes

Hand shower with three flow modes,
Ø 100 mm



28 018 979-FF
28 014 979-FF0010

Hand shower with three flow modes,
Ø 130 mm



28 016 979-FF
28 016 979-FF0010

Hand shower with four flow modes,
Ø 120 mm



28 012 979-FF
28 012 979-FF0010

Hand shower with three flow modes,
Ø 95 mm



28 002 978-FF
28 002 978-FF0010



Shower

28 019 979



Hand shower 15 l/min

- normal flow
- with anti-scale system
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	28 019 979-00	191.10
platinum matt	28 019 979-06	305.90
platinum	28 019 979-08	305.90
brushed Durabrass	28 019 979-28	378.50
Dark Platinum matt	28 019 979-99	344.10
matt white	28 019 979-10	258.10
matt black	28 019 979-33	258.10



Product alternative

Bar-type hand shower 6.8 l/min

- max. flow 6.8 l/min

		Euro
polished chrome	28 013 979-00 0010	191.10
platinum matt	28 013 979-06 0010	305.90
platinum	28 013 979-08 0010	305.90
brushed Durabrass	28 013 979-28 0010	396.00
Dark Platinum matt	28 013 979-99 0010	305.90
matt white	28 013 979-10 0010	258.10
matt black	28 013 979-33 0010	258.10

28 002 970



Metal hand shower with porcelain insert (white) 9 l/min

- normal flow
- spray head Ø 64mm
- 1/2" connection
- max. flow 9 l/min

Intrinsic protection against back flow.

Fits Madison

		Euro
polished chrome	28 002 970-00	246.30
platinum matt	28 002 970-06	393.90
platinum	28 002 970-08	393.90
Durabrass	28 002 970-09	487.70
brushed Durabrass	28 002 970-28	487.70
Dark Platinum matt	28 002 970-99	443.20



Product alternative

Metal hand shower with porcelain insert (white) 6.8 l/min

- max. flow 6.8 l/min

		Euro
polished chrome	28 002 970-00 0010	246.30
platinum matt	28 002 970-06 0010	393.90
platinum	28 002 970-08 0010	393.90
Durabrass	28 002 970-09 0010	487.70
brushed Durabrass	28 002 970-28 0010	487.70
Dark Platinum matt	28 002 970-99 0010	443.20

28 015 979



Hand shower 15 l/min

- normal flow
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	28 015 979-00	101.60
platinum matt	28 015 979-06	162.70
platinum	28 015 979-08	162.70
brushed Durabrass	28 015 979-28	201.10
Dark Platinum matt	28 015 979-99	182.90
matt white	28 015 979-10	137.00
matt black	28 015 979-33	137.10



Product alternative

Hand shower 6.8 l/min

- max. flow 6.8 l/min

		Euro
polished chrome	28 015 979-00 0010	101.60
platinum matt	28 015 979-06 0010	162.60
platinum	28 015 979-08 0010	162.60
brushed Durabrass	28 015 979-28 0010	201.20
Dark Platinum matt	28 015 979-99 0010	182.90
matt white	28 015 979-10 0010	137.00
matt black	28 015 979-33 0010	137.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 017 979



Hand shower 15 l/min

- normal flow
- with anti-scale system
- spray head Ø 130 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	28 017 979-00	146.40
platinum matt	28 017 979-06	234.30
platinum	28 017 979-08	234.30
brushed Durabrass	28 017 979-28	289.80
Dark Platinum matt	28 017 979-99	263.50
matt white	28 017 979-10	197.60
matt black	28 017 979-33	197.70



Product alternative

Hand shower 6.8 l/min

- max. flow 6.8 l/min

		Euro
polished chrome	28 017 979-00 0010	146.40
platinum matt	28 017 979-06 0010	234.10
platinum	28 017 979-08 0010	234.10
brushed Durabrass	28 017 979-28 0010	289.60
Dark Platinum matt	28 017 979-99 0010	263.30
matt white	28 017 979-10 0010	197.70
matt black	28 017 979-33 0010	197.70

28 018 979



Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	28 018 979-00	109.20
platinum matt	28 018 979-06	174.80
platinum	28 018 979-08	174.80
brushed Durabrass	28 018 979-28	216.20
Dark Platinum matt	28 018 979-99	196.60
matt white	28 018 979-10	147.40
matt black	28 018 979-33	147.50



Product alternative

Hand shower 6.8 l/min

- max. flow 6.8 l/min

		Euro
polished chrome	28 014 979-00 0010	109.20
platinum matt	28 014 979-06 0010	174.80
platinum	28 014 979-08 0010	174.80
brushed Durabrass	28 014 979-28 0010	216.20
Dark Platinum matt	28 014 979-99 0010	196.60
matt white	28 014 979-10 0010	147.50
matt black	28 014 979-33 0010	147.50

28 016 979



Hand shower 15 l/min

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 130 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	28 016 979-00	157.60
platinum matt	28 016 979-06	252.40
platinum	28 016 979-08	252.40
brushed Durabrass	28 016 979-28	312.10
Dark Platinum matt	28 016 979-99	283.70
matt white	28 016 979-10	212.80
matt black	28 016 979-33	212.90



Product alternative

Hand shower 6.8 l/min

- max. flow 6.8 l/min

		Euro
polished chrome	28 016 979-00 0010	157.60
platinum matt	28 016 979-06 0010	252.30
platinum	28 016 979-08 0010	252.30
brushed Durabrass	28 016 979-28 0010	312.10
Dark Platinum matt	28 016 979-99 0010	283.70
matt white	28 016 979-10 0010	212.90
matt black	28 016 979-33 0010	212.90



28 012 979



Hand shower 15 l/min

- four settings: normal flow, soft flow, massage flow, cascade
- with anti-scale system
- spray head Ø 120mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, Meta, Tara., VAIA, LULU, Lissé, CYO

		Euro
polished chrome	28 012 979-00	190.00
platinum matt	28 012 979-06	304.00
platinum	28 012 979-08	304.00
brushed Durabrass	28 012 979-28	376.20
Dark Platinum matt	28 012 979-99	342.00
matt white	28 012 979-10	256.60
matt black	28 012 979-33	256.40



Product alternative

Hand shower 6.8 l/min

- max. flow 6.8 l/min

		Euro
polished chrome	28 012 979-00 0010	190.00
platinum matt	28 012 979-06 0010	304.00
platinum	28 012 979-08 0010	304.00
brushed Durabrass	28 012 979-28 0010	376.20
Dark Platinum matt	28 012 979-99 0010	342.00
matt white	28 012 979-10 0010	256.60
matt black	28 012 979-33 0010	256.40

28 002 978



Hand shower 9 l/min

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 95mm
- 1/2" connection
- max. flow 9 l/min

Intrinsic protection against back flow.

Fits Madison

		Euro
polished chrome	28 002 978-00	190.00
platinum matt	28 002 978-06	304.00
platinum	28 002 978-08	304.00
Durabrass	28 002 978-09	376.20
brushed Durabrass	28 002 978-28	376.20
Dark Platinum matt	28 002 978-99	342.00



Product alternative

Hand shower 6.8 l/min

- max. flow 6.8 l/min

		Euro
polished chrome	28 002 978-00 0010	190.00
platinum matt	28 002 978-06 0010	304.00
platinum	28 002 978-08 0010	304.00
Durabrass	28 002 978-09 0010	376.20
brushed Durabrass	28 002 978-28 0010	376.20
Dark Platinum matt	28 002 978-99 0010	342.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Overview of hand shower sets

Hand shower set



27 805 625
27 806 625

Hand shower set with integrated shower holder



27 802 660
27 803 660



27 802 970

Hand shower set with individual rosettes



27 802 845
27 803 845



27 802 892
27 803 892



27 803 361



27 803 371



27 808 710



27 808 809



27 808 980
27 809 985
27 809 980

Hand shower set with cover plate



27 818 980



Shower



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 802 660




Hand shower set with integrated shower holder

- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.
Fits Meta, Tara.

		Euro
polished chrome	27 802 660-00	366.40
platinum matt	27 802 660-06	586.50
platinum	27 802 660-08	586.50
brushed Durabrass	27 802 660-28	725.50
Dark Platinum matt	27 802 660-99	659.30
matt white	27 802 660-10	494.70
matt black	27 802 660-33	494.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 802 970




Hand shower set with integrated shower holder

- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.
Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	27 802 970-00	378.00
platinum matt	27 802 970-06	604.10
platinum	27 802 970-08	604.10
brushed Durabrass	27 802 970-28	748.30
Dark Platinum matt	27 802 970-99	680.00
matt black	27 802 970-33	510.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 803 660




Hand shower set with integrated shower holder

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- max. flow 15 l/min

Intrinsic protection against back flow.
Fits Meta, Tara.

		Euro
polished chrome	27 803 660-00	355.10
platinum matt	27 803 660-06	567.90
platinum	27 803 660-08	567.90
brushed Durabrass	27 803 660-28	703.10
Dark Platinum matt	27 803 660-99	638.40
matt white	27 803 660-10	479.30
matt black	27 803 660-33	478.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 805 625



Hand shower set

- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits Meta, Tara.

		Euro
polished chrome	27 805 625-00	264.30
platinum matt	27 805 625-06	422.90
brushed Durabrass	27 805 625-28	523.40
matt black	27 805 625-33	356.80




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
brushed Durabrass	28 450 625-28	184.40
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 802 845




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Fits Lissé

		Euro
polished chrome	27 802 845-00	397.10
platinum matt	27 802 845-06	635.30
matt black	27 802 845-33	536.20



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 808 710




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits LULU

		Euro
polished chrome	27 808 710-00	553.00
platinum matt	27 808 710-06	884.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

27 803 361




Hand shower set with individual rosettes

- spray head Ø 64mm
- normal flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 66mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 9 l/min

Fits Madison

Intrinsic protection against back flow.

	Euro	
polished chrome	27 803 361-00	548.00
platinum matt	27 803 361-06	876.50
platinum	27 803 361-08	876.50
Durabrass	27 803 361-09	1,085.30
brushed Durabrass	27 803 361-28	1,085.30
Dark Platinum matt	27 803 361-99	986.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80

27 803 371




Hand shower set with individual rosettes

- spray head Ø 64mm
- normal flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 9 l/min

Intrinsic protection against back flow.

Fits Madison

	Euro	
polished chrome	27 803 371-00	523.30
platinum matt	27 803 371-06	837.20
platinum	27 803 371-08	837.20
Durabrass	27 803 371-09	1,035.90
brushed Durabrass	27 803 371-28	1,035.90
Dark Platinum matt	27 803 371-99	941.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80

27 802 892




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits Tara.

	Euro	
polished chrome	27 802 892-00	492.00
platinum matt	27 802 892-06	787.40
platinum	27 802 892-08	787.40
brushed Durabrass	27 802 892-28	974.20
Dark Platinum matt	27 802 892-99	885.60
matt white	27 802 892-10	664.20
matt black	27 802 892-33	664.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

	Euro	
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 808 809




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits VAIA

		Euro
polished chrome	27 808 809-00	541.30
platinum matt	27 808 809-06	866.10
platinum	27 808 809-08	866.10
brushed Durabrass	27 808 809-28	1,071.70
Dark Platinum matt	27 808 809-99	974.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 808 980




Hand shower set with individual rosettes

- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	27 808 980-00	570.30
platinum matt	27 808 980-06	912.50
platinum	27 808 980-08	912.50
brushed Durabrass	27 808 980-28	1,129.00
Dark Platinum matt	27 808 980-99	1,026.40
matt black	27 808 980-33	770.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 803 845




Hand shower set with individual rosettes

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits Lissé

		Euro
polished chrome	27 803 845-00	383.50
platinum matt	27 803 845-06	613.70
matt black	27 803 845-33	517.60



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 803 892




Hand shower set with individual rosettes

- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits Tara.

		Euro
polished chrome	27 803 892-00	482.30
platinum matt	27 803 892-06	771.50
platinum	27 803 892-08	771.50
brushed Durabrass	27 803 892-28	955.00
Dark Platinum matt	27 803 892-99	868.20
matt white	27 803 892-10	651.20
matt black	27 803 892-33	651.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 809 980




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics

		Euro
polished chrome	27 809 980-00	717.30
platinum matt	27 809 980-06	1,147.70
platinum	27 809 980-08	1,147.50
brushed Durabrass	27 809 980-28	1,420.10
Dark Platinum matt	27 809 980-99	1,291.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 809 985




Hand shower set with individual rosettes with volume control

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Fits MEM, CL.1, Symetrics

Intrinsic protection against back flow.

		Euro
polished chrome	27 809 985-00	748.60
platinum matt	27 809 985-06	1,197.90
platinum	27 809 985-08	1,197.70
brushed Durabrass	27 809 985-28	1,482.10
Dark Platinum matt	27 809 985-99	1,347.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 806 625



Hand shower set

- normal flow
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits Meta, Tara.

		Euro
polished chrome	27 806 625-00	272.50
platinum matt	27 806 625-06	436.30
brushed Durabrass	27 806 625-28	539.60
matt black	27 806 625-33	367.50




Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
brushed Durabrass	28 450 625-28	184.40
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 818 980




Hand shower set with cover plate

- normal flow
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	27 818 980-00	678.10
platinum matt	27 818 980-06	1,084.70
platinum	27 818 980-08	1,085.10
brushed Durabrass	27 818 980-28	1,342.60
Dark Platinum matt	27 818 980-99	1,220.50
matt black	27 818 980-33	915.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous



Kitchen


Overview of Water Modules

Expand your shower with additional outlets for health-enhancing water applications

Waterfalls



13 415 979



13 420 979



13 425 979

Massage modules



36 514 979



36 513 979
36 512 979



36 517 979



36 515 979



28 518 782



28 518 979

Kneipp modules



27 838 979



27 821 979



27 822 979



27 820 979



27 831 979



Shower


28 518 710



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- anti-scale system
- rosette 78 x 55 mm
- 1/2" connection
- max. flow 5 l/min

		Euro
polished chrome	28 518 710-00	282.50
platinum matt	28 518 710-06	452.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 518 360




Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- rosette Ø 55 mm
- 1/2" connection
- max. flow 5 l/min

Fits Madison

		Euro
polished chrome	28 518 360-00	296.40
platinum matt	28 518 360-06	474.30
platinum	28 518 360-08	474.30
Durabrass	28 518 360-09	586.90
brushed Durabrass	28 518 360-28	586.90
Dark Platinum matt	28 518 360-99	533.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 518 782




Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5 l/min

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	28 518 782-00	304.60
platinum matt	28 518 782-06	487.50
platinum	28 518 782-08	487.50
brushed Durabrass	28 518 782-28	603.20
Dark Platinum matt	28 518 782-99	548.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

28 518 979




Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection
- max. flow 5 l/min

Fits Meta, Tara., VAIA, Lissé

		Euro
polished chrome	28 518 979-00	251.90
platinum matt	28 518 979-06	403.20
platinum	28 518 979-08	403.20
Durabrand	28 518 979-09	498.80
brushed Durabrand	28 518 979-28	498.80
Dark Platinum matt	28 518 979-99	453.40
matt white	28 518 979-10	340.00
matt black	28 518 979-33	340.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

36 515 979




WATER POINTS Concealed body spray

- rain flow
- with anti-scale system
- cover plate 120 x 120 mm
- max. flow 6 l/min

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 515 979-00	442.50
platinum matt	36 515 979-06	707.70
platinum	36 515 979-08	707.70
brushed Durabrand	36 515 979-28	876.00
Dark Platinum matt	36 515 979-99	796.40
matt black	36 515 979-33	597.30



Required miscellaneous

Concealed wall installation box

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 205 970 90	179.50



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30




Recommended miscellaneous

WATER POINTS Adapter plate

- adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 305 970 90	29.00



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Shower

36 517 979




WATER BAR Concealed body spray

- rain flow
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 6 l/min

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 517 979-00	683.30
platinum matt	36 517 979-06	1,093.50
platinum	36 517 979-08	1,093.50
brushed Durabrass	36 517 979-28	1,352.80
Dark Platinum matt	36 517 979-99	1,229.80
matt black	36 517 979-33	940.70

Required miscellaneous



Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80

Required miscellaneous




xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 514 979




WATER CURVE Concealed body spray

- forceful flat water jet
- horizontal water jet
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- max. flow 10 l/min

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 514 979-00	889.20
platinum matt	36 514 979-06	1,422.70
platinum	36 514 979-08	1,422.70
brushed Durabrass	36 514 979-28	1,760.60
Dark Platinum matt	36 514 979-99	1,600.60
matt black	36 514 979-33	1,200.30

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 513 979



WATER FAN vertical Concealed body spray

- forceful flat water jet
- vertical water jet
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- max. flow 10 l/min

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 513 979-00	663.40
platinum matt	36 513 979-06	1,061.80
platinum	36 513 979-08	1,061.80
brushed Durabrand	36 513 979-28	1,313.50
Dark Platinum matt	36 513 979-99	1,194.00
matt black	36 513 979-33	913.30




Product alternative

WATER FAN horizontal Concealed body spray

- horizontal water jet
- max. flow 10 l/min

		Euro
polished chrome	36 512 979-00	663.40
platinum matt	36 512 979-06	1,061.80
platinum	36 512 979-08	1,061.80
brushed Durabrand	36 512 979-28	1,313.50
Dark Platinum matt	36 512 979-99	1,194.00
matt black	36 512 979-33	913.30



Required miscellaneous

Concealed wall installation box

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 698

		Euro
Concealed rough parts	35 206 970 90	242.80



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

13 415 979




WATER SHEET Cascade spout for wall mounting

- 150 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	13 415 979-00	915.90
platinum matt	13 415 979-06	1,465.30
platinum	13 415 979-08	1,465.30
brushed Durabrand	13 415 979-28	1,813.40
Dark Platinum matt	13 415 979-99	1,648.50
matt black	13 415 979-33	1,236.30



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm


For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

13 420 979




WATER FALL Cascade spout for wall mounting

- 120 mm projection
- cascade
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	13 420 979-00	1,308.50
platinum matt	13 420 979-06	2,093.90
platinum	13 420 979-08	2,093.90
brushed Durabrass	13 420 979-28	2,590.80
matt black	13 420 979-33	1,766.60

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

13 425 979




WATER FALL Cascade spout with individual jets for wall mounting

- 22 mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- max. flow 9.5 l/min

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	13 425 979-00	972.20
platinum matt	13 425 979-06	1,555.60
platinum	13 425 979-08	1,555.60
brushed Durabrass	13 425 979-28	1,924.80
Dark Platinum matt	13 425 979-99	1,749.90
matt black	13 425 979-33	1,312.50

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

27 838 979



Affusion pipe with cover plate


- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 9.5 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	27 838 979-00	726.80
platinum matt	27 838 979-06	1,162.70
platinum	27 838 979-08	1,162.70
brushed Durabrass	27 838 979-28	1,438.90
Dark Platinum matt	27 838 979-99	1,308.10

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 820 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- rosette Ø 70 mm
- holder for Kneipp hose
- hose nozzle with sleeve M33
- with holding ring
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits IMO, Meta, Tara., VAIA, Lissé, CYO

		Euro
polished chrome	1x 27 820 979-00	400.10
	1x 28 285 979-00	84.40
Price		484.50
platinum matt	1x 27 820 979-06	640.20
	1x 28 285 979-06	135.10
Price		775.30
platinum	1x 27 820 979-08	640.20
	1x 28 285 979-08	135.00
Price		775.20
brushed Durabrass	1x 27 820 979-28	792.10
	1x 28 285 979-28	167.00
Price		959.10
Dark Platinum matt	1x 27 820 979-99	720.10
	1x 28 285 979-99	151.90
Price		872.00
matt white	1x 27 820 979-10	540.10
	1x 28 285 979-10	113.90
Price		654.00
matt black	1x 27 820 979-33	540.10
	1x 28 285 979-33	113.90
Price		654.00

Product alternative




WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90
	28 286 979-10	113.90
matt black	28 286 979-33	113.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- laminar flow
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

Fits Meta, Tara., VAIA, Lissé

		Euro
polished chrome	1x 27 821 979-00	551.60
	1x 28 285 979-00	84.40
	Price	636.00
platinum matt	1x 27 821 979-06	882.60
	1x 28 285 979-06	135.10
	Price	1,017.70
platinum	1x 27 821 979-08	882.60
	1x 28 285 979-08	135.00
	Price	1,017.60
brushed Durabronz	1x 27 821 979-28	1,092.40
	1x 28 285 979-28	167.00
	Price	1,259.40
Dark Platinum matt	1x 27 821 979-99	993.00
	1x 28 285 979-99	151.90
	Price	1,144.90




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

27 822 979 +
28 285 979



Kneipp wall elbow

- laminar flow
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	1x 27 822 979-00	467.00
	1x 28 285 979-00	84.40
	Price	551.40
platinum matt	1x 27 822 979-06	747.20
	1x 28 285 979-06	135.10
	Price	882.30
platinum	1x 27 822 979-08	747.20
	1x 28 285 979-08	135.00
	Price	882.20
brushed Durabrass	1x 27 822 979-28	924.80
	1x 28 285 979-28	167.00
	Price	1,091.80
Dark Platinum matt	1x 27 822 979-99	840.70
	1x 28 285 979-99	151.90
	Price	992.60




Product alternative

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Shower

27 823 979 +
28 285 979

NEW

Kneipp wall elbow with hose holder with individual rosettes

- laminar flow
- with volume control
- **rosette Ø 60 mm**
- holder for Kneipp hose
- 1/2" wall elbow
- **without hose**



		Euro
polished chrome	1x 27 823 979-00	474.40
	1x 28 285 979-00	84.40
	Price	558.80
platinum matt	1x 27 823 979-06	759.10
	1x 28 285 979-06	135.10
	Price	894.20
platinum	1x 27 823 979-08	759.10
	1x 28 285 979-08	135.00
	Price	894.10
brushed Durabrass	1x 27 823 979-28	939.30
	1x 28 285 979-28	167.00
	Price	1,106.30
Dark Platinum matt	1x 27 823 979-99	854.00
	1x 28 285 979-99	151.90
	Price	1,005.90
matt white	1x 27 823 979-10	640.50
	1x 28 285 979-10	113.90
	Price	754.40
matt black	1x 27 823 979-33	640.50
	1x 28 285 979-33	113.90
	Price	754.40

Product alternative




WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

		Euro
polished chrome	28 286 979-00	84.40
	28 286 979-06	135.10
platinum	28 286 979-08	135.00
	28 286 979-28	167.00
Dark Platinum matt	28 286 979-99	151.90
	28 286 979-10	113.90
matt black	28 286 979-33	113.90

Recommended miscellaneous



Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

xTOOL

Choose your individual solution:



Planning example


Concealed thermostat

from page 639




Wall valve

from page 639



xTOOL concealed bodies according to number and arrangement of valves

from page 634



Other finishes and series-specific xTOOL combinations can be found in the sections for the respective series.



36 501 979 +
36 607 740




xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits Meta

			Euro
polished chrome	1x 36 501 979-00		914.60
	1x 36 607 740-00		231.90
		Price	1,146.50
platinum matt	1x 36 501 979-06		1,463.30
	1x 36 607 740-06		371.00
		Price	1,834.30
matt black	1x 36 501 979-33		1,234.90
	1x 36 607 740-33		313.00
		Price	1,547.90



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 691

			Euro
Concealed rough parts	35 511 970 90		570.10




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 503 979 +
2x 36 607 740




xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits Meta

			Euro
polished chrome	1x 36 503 979-00		914.60
	2x 36 607 740-00		231.90
		Price	1,378.40
platinum matt	1x 36 503 979-06		1,463.30
	2x 36 607 740-06		371.00
		Price	2,205.30
matt black	1x 36 503 979-33		1,234.90
	2x 36 607 740-33		313.00
		Price	1,860.90




Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 692

			Euro
Concealed rough parts	35 521 970 90		950.30



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 693

			Euro
Concealed rough parts	35 524 970 90		939.90




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90		90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90		90.90



Shower

36 503 979 +
3x 36 607 740




xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Fits Meta

			Euro
polished chrome	1x 36 503 979-00	914.60	
	3x 36 607 740-00	231.90	
	Price	1,610.30	
platinum matt	1x 36 503 979-06	1,463.30	
	3x 36 607 740-06	371.00	
	Price	2,576.30	
matt black	1x 36 503 979-33	1,234.90	
	3x 36 607 740-33	313.00	
	Price	2,173.90	




Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 694

			Euro
Concealed rough parts	35 531 970 90	1,021.20	



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves 3/4"

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 695

			Euro
Concealed rough parts	35 534 970 90	1,106.40	




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 360 970 90	90.30	



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

			Euro
Concealed rough parts	12 340 970 90	90.90	



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Overview of control elements

Single-lever shower mixer for wall mounting



33 300 660

33 300 845

33 301 670

Shower mixer for wall mounting



26 100 809

26 100 819

26 100 892

26 101 360

Shower thermostat for wall mounting



34 442 979



36 060 660



36 060 670



36 060 710



36 060 809



36 060 845

Concealed single-lever mixer with cover plate



36 050 970



36 045 660



36 045 970

Concealed single-lever mixer with integrated shower connection

Concealed single-lever mixer with diverter



36 120 660



36 120 670



36 120 809



36 120 845



36 122 710



Overview of control elements

Concealed thermostat with one/two and three-function volume control



36 425 670
36 426 670
36 427 670



36 425 970
36 426 970
36 427 970



36 425 710
36 426 710
36 427 710



36 425 845
36 426 845
36 427 845



36 425 977
36 426 977
36 427 977

Concealed thermostat for xTOOL



36 501 979
36 503 979



36 501 780
36 503 780



36 501 985
36 503 985



36 501 710
36 503 710



36 501 977
36 503 977

Wall valves



36 607 740
36 608 740



36 607 782
36 608 782



36 607 705
36 608 705



36 607 706
36 608 706



36 607 707
36 608 707



36 607 715
36 608 715



36 608 811



36 607 980
36 608 980



36 607 985
36 608 985



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Overview of control elements

Concealed two and three-way diverter



36 200 740-00
36 210 740-00



36 200 661-00
36 210 661-00



36 200 705-00
36 210 705-00



36 201705-00
36 211705-00



36 202705-00
36 212705-00



36 200 782-00
36 210 782-00



36 200 710-00
36 210 710-00



36 200 882-00
36 210 882-00



36 200 892-00
36 210 892-00



36 200 809-00
36 210 809-00



36 200 819-00
36 210 819-00



36 200 361-00
36 210 361-00



36 200 980-00
36 210 980-00



36 200 985-00
36 210 985-00



Shower

29 210 782



Single-lever basin mixer

- hole diameter 35 mm
- rosette 60 x 60 mm
- 3x screw-in M 10 x 1 pressure hose, leak-tested

		Euro
polished chrome	29 210 782-00	416.30
platinum matt	29 210 782-06	665.90
platinum	29 210 782-08	665.90
brushed Durabrass	29 210 782-28	824.30
Dark Platinum matt	29 210 782-99	749.30

33 301 670



Single-lever shower mixer for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm

Intrinsic protection against back flow.
Fits IMO, CYO

		Euro
polished chrome	33 301 670-00	554.50
platinum matt	33 301 670-06	886.70

33 300 845



Single-lever shower mixer for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.
Fits Lissé

		Euro
polished chrome	33 300 845-00	554.30
platinum matt	33 300 845-06	886.80
matt black	33 300 845-33	748.30

33 300 660



Single-lever shower mixer for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Fits Meta
Intrinsic protection against back flow.

		Euro
polished chrome	33 300 660-00	554.30
platinum matt	33 300 660-06	886.80
matt black	33 300 660-33	749.60

26 101 360



Shower mixer for wall mounting

- 1/2" shower outlet
- rosettes Ø 70 mm
- 1/2" connection
- gauge 153 mm - 15 mm

Fits Madison
Intrinsic protection against back flow.

		Euro
polished chrome	26 101 360-00	672.70
platinum matt	26 101 360-06	1,075.80
platinum	26 101 360-08	1,075.80
Durabrass	26 101 360-09	1,331.80
brushed Durabrass	26 101 360-28	1,331.80
Dark Platinum matt	26 101 360-99	1,210.60

26 100 892



Shower mixer for wall mounting

- female 3/8" or male thread 1/2" shower outlet
- slide-on rosettes Ø 65 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.
Fits Tara.

		Euro
polished chrome	26 100 892-00	645.10
platinum matt	26 100 892-06	1,032.40
platinum	26 100 892-08	1,032.40
brushed Durabrass	26 100 892-28	1,277.50
Dark Platinum matt	26 100 892-99	1,161.30
matt white	26 100 892-10	871.00
matt black	26 100 892-33	871.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

34 442 979



Shower thermostat for wall mounting

- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control

Intrinsic protection against back flow.

Fits CL.1, IMO, Lissé, LULU, MEM, Meta, Symetrics, Tara., Vaia

		Euro
polished chrome	34 442 979-00	564.60
platinum matt	34 442 979-06	903.20
platinum	34 442 979-08	903.20
brushed Durabrass	34 442 979-28	1,117.80
Dark Platinum matt	34 442 979-99	1,016.00
matt white	34 442 979-10	762.10
matt black	34 442 979-33	762.00


36 060 845



Concealed single-lever mixer with cover plate

- cover plate 78 x 78 mm

Fits Lissé



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
polished chrome	36 060 845-00	332.20
platinum matt	36 060 845-06	531.50

		Euro
Concealed rough parts	35 860 970 90	180.80


36 060 710



Concealed single-lever mixer with cover plate

- cover plate 78 x 78 mm

Fits LULU, Lissé



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
polished chrome	36 060 710-00	452.80
platinum matt	36 060 710-06	724.80

		Euro
Concealed rough parts	35 860 970 90	180.80


36 060 809



Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

Fits VAIA



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
polished chrome	36 060 809-00	343.00
platinum matt	36 060 809-06	548.80
platinum	36 060 809-08	548.80
brushed Durabrass	36 060 809-28	679.00
Dark Platinum matt	36 060 809-99	617.40

		Euro
Concealed rough parts	35 860 970 90	180.80



Shower

36 060 660




Concealed single-lever mixer with cover plate

- cover plate Ø 78 mm

Fits Meta, Tara.

		Euro
polished chrome	36 060 660-00	298.40
platinum matt	36 060 660-06	477.20
platinum	36 060 660-08	477.20
brushed Durabrass	36 060 660-28	591.20
Dark Platinum matt	36 060 660-99	537.40
matt white	36 060 660-10	403.10
matt black	36 060 660-33	402.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 060 670




Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 060 670-00	378.10
platinum matt	36 060 670-06	610.50
platinum	36 060 670-08	610.50
brushed Durabrass	36 060 670-28	748.60
Dark Platinum matt	36 060 670-99	680.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 685

		Euro
Concealed rough parts	35 860 970 90	180.80

36 050 970




Concealed single-lever mixer with integrated shower connection

- without rosette

Intrinsic protection against back flow.

Fits CL.1, IMO, Lissé, LULU, MEM, Meta, Symetrics, Tara., Vaia

		Euro
polished chrome	36 050 970-00	373.40
platinum matt	36 050 970-06	597.20
platinum	36 050 970-08	597.20
brushed Durabrass	36 050 970-28	739.40
Dark Platinum matt	36 050 970-99	672.50
matt white	36 050 970-10	504.10
matt black	36 050 970-33	504.40



Required miscellaneous

Concealed wall mounting

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 684

		Euro
Concealed rough parts	35 050 970 90	258.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 045 660



Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate Ø 78 mm
- Intrinsic protection against back flow.
- Fits Meta, Tara.

		Euro
polished chrome	36 045 660-00	358.20
platinum matt	36 045 660-06	572.90
platinum	36 045 660-08	573.10
brushed Durabrass	36 045 660-28	709.20
Dark Platinum matt	36 045 660-99	644.70
matt white	36 045 660-10	483.60
matt black	36 045 660-33	483.90



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30


36 045 970



Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate 80 x 80 mm
- Intrinsic protection against back flow.
- Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 045 970-00	384.90
platinum matt	36 045 970-06	615.60
platinum	36 045 970-08	615.60
brushed Durabrass	36 045 970-28	762.20
Dark Platinum matt	36 045 970-99	693.20
matt black	36 045 970-33	520.00



Required miscellaneous

Concealed wall mounting

- min. recess depth 78 mm
- max. recess depth 103 mm

For details and miscellaneous, see page 683

		Euro
Concealed rough parts	35 003 970 90	258.30


36 120 845



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm
- Fits Lissé

		Euro
polished chrome	36 120 845-00	431.00
platinum matt	36 120 845-06	689.70
matt black	36 120 845-33	581.90




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Shower

36 122 710




Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits LULU

		Euro
polished chrome	36 122 710-00	727.60
platinum matt	36 122 710-06	1,164.30




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 120 809




Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

Fits VAIA

		Euro
polished chrome	36 120 809-00	461.40
platinum matt	36 120 809-06	737.90
platinum	36 120 809-08	738.40
brushed Durabrass	36 120 809-28	913.90
Dark Platinum matt	36 120 809-99	830.70




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 120 660




Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

Fits Meta, Tara.

		Euro
polished chrome	36 120 660-00	450.20
platinum matt	36 120 660-06	720.00
platinum	36 120 660-08	720.30
brushed Durabrass	36 120 660-28	891.30
Dark Platinum matt	36 120 660-99	810.30
matt white	36 120 660-10	607.80
matt black	36 120 660-33	608.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70



Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Shower

36 120 670




Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 120 670-00	485.00
platinum matt	36 120 670-06	776.00
platinum	36 120 670-08	776.00
brushed Durabrass	36 120 670-28	960.30
Dark Platinum matt	36 120 670-99	873.00




Required miscellaneous

Concealed single-lever mixer

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 687

		Euro
Concealed rough parts	35 020 970 90	190.70




Required miscellaneous

Concealed single-lever mixer with backflow preventor

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 686

		Euro
Concealed rough parts	35 021 970 90	272.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 425 845




Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Lissé

		Euro
polished chrome	36 425 845-00	632.10
platinum matt	36 425 845-06	1,011.60
matt black	36 425 845-33	853.30




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



36 425 710




Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU

		Euro
polished chrome	36 425 710-00	680.70
platinum matt	36 425 710-06	1,089.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 425 977




Concealed thermostat with one function volume control

- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Madison

		Euro
polished chrome	36 425 977-00	613.30
platinum matt	36 425 977-06	981.10
platinum	36 425 977-08	981.10
Durabrass	36 425 977-09	1,214.20
brushed Durabrass	36 425 977-28	1,214.10
Dark Platinum matt	36 425 977-99	1,103.90




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Shower

36 425 670




Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 425 670-00	608.50
platinum matt	36 425 670-06	982.40
platinum	36 425 670-08	982.40
brushed Durabrass	36 425 670-28	1,204.80
Dark Platinum matt	36 425 670-99	1,095.30
matt black	36 425 670-33	829.30




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 425 970




Concealed thermostat with one function volume control

- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Meta, Tara., VAIA

		Euro
polished chrome	36 425 970-00	542.50
platinum matt	36 425 970-06	868.00
platinum	36 425 970-08	868.00
brushed Durabrass	36 425 970-28	1,074.50
Dark Platinum matt	36 425 970-99	976.70
matt white	36 425 970-10	732.60
matt black	36 425 970-33	732.50




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 426 845




Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Lissé

		Euro
polished chrome	36 426 845-00	749.70
platinum matt	36 426 845-06	1,199.60
matt black	36 426 845-33	1,012.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Shower

36 426 710




Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU

	Euro	
polished chrome	36 426 710-00	805.40
platinum matt	36 426 710-06	1,288.80




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

	Euro	
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

	Euro	
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 340 970 90	90.90

36 426 977




Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Madison

	Euro	
polished chrome	36 426 977-00	733.50
platinum matt	36 426 977-06	1,173.10
platinum	36 426 977-08	1,173.10
Durabrass	36 426 977-09	1,452.20
brushed Durabrass	36 426 977-28	1,452.10
Dark Platinum matt	36 426 977-99	1,320.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

	Euro	
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

	Euro	
Concealed rough parts	35 426 970 90	368.40



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

	Euro	
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 426 670




Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 426 670-00	721.50
platinum matt	36 426 670-06	1,165.00
platinum	36 426 670-08	1,165.00
brushed Durabrass	36 426 670-28	1,428.40
Dark Platinum matt	36 426 670-99	1,298.50
matt black	36 426 670-33	983.20




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Shower

36 426 970




Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Meta, Tara., VAIA

		Euro
polished chrome	36 426 970-00	644.70
platinum matt	36 426 970-06	1,031.30
platinum	36 426 970-08	1,031.30
brushed Durabrass	36 426 970-28	1,276.60
Dark Platinum matt	36 426 970-99	1,160.60
matt white	36 426 970-10	870.40
matt black	36 426 970-33	870.10




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 425 970 90	350.80



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 688

		Euro
Concealed rough parts	35 426 970 90	368.40




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 427 845




Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Lissé

		Euro
polished chrome	36 427 845-00	777.50
platinum matt	36 427 845-06	1,244.10
matt black	36 427 845-33	1,049.70




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



36 427 710




Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU

		Euro
polished chrome	36 427 710-00	835.80
platinum matt	36 427 710-06	1,337.30




Required miscellaneous

- Concealed thermostat**
- min. recess depth 80 mm
 - max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

- Concealed thermostat with built-in isolators**
- min. recess depth 80 mm
 - max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90

36 427 977




Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Madison

		Euro
polished chrome	36 427 977-00	762.40
platinum matt	36 427 977-06	1,219.50
platinum	36 427 977-08	1,219.50
Durabrass	36 427 977-09	1,509.50
brushed Durabrass	36 427 977-28	1,509.40
Dark Platinum matt	36 427 977-99	1,372.30




Required miscellaneous

- Concealed thermostat**
- min. recess depth 80 mm
 - max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

- Concealed thermostat with built-in isolators**
- min. recess depth 80 mm
 - max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



Shower

36 427 670




Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, Symetrics, IMO, CYO

		Euro
polished chrome	36 427 670-00	765.00
platinum matt	36 427 670-06	1,235.10
platinum	36 427 670-08	1,199.00
brushed Durabrass	36 427 670-28	1,514.60
Dark Platinum matt	36 427 670-99	1,376.90
matt black	36 427 670-33	1,042.20




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50



Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 427 970




Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits Meta, Tara., VAIA

		Euro
polished chrome	36 427 970-00	672.70
platinum matt	36 427 970-06	1,076.30
platinum	36 427 970-08	1,076.30
brushed Durabrass	36 427 970-28	1,331.90
Dark Platinum matt	36 427 970-99	1,210.90
matt white	36 427 970-10	908.10
matt black	36 427 970-33	908.60




Required miscellaneous

Concealed thermostat

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 427 970 90	367.50



Required miscellaneous

Concealed thermostat with built-in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 689

		Euro
Concealed rough parts	35 428 970 90	385.50




Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 360 970 90	90.30



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 704

		Euro
Concealed rough parts	12 340 970 90	90.90


36 337 980



Wall valve with 2 valves with diverter for wall mounting

- cover plate 240 x 60 mm

		Euro
polished chrome	36 337 980-00	605.40
platinum matt	36 337 980-06	968.90
platinum	36 337 980-08	968.70
brushed Durabrass	36 337 980-28	1,198.80
Dark Platinum matt	36 337 980-99	1,089.80



Required miscellaneous

Wall valve module with 2 valves with diverter for wall mounting

- min. recess depth 92 mm
- max. recess depth 158 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 696 970 90	582.50

36 607 980




Wall valve anti-clockwise closing 1/2"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits Symetrics

		Euro
polished chrome	36 607 980-00	217.20
platinum matt	36 607 980-06	347.10
platinum	36 607 980-08	347.60
brushed Durabrass	36 607 980-28	430.10
Dark Platinum matt	36 607 980-99	391.00



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



Shower

36 607 985




Wall valve anti-clockwise closing 1/2"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits Symetrics

		Euro
polished chrome	36 607 985-00	250.20
platinum matt	36 607 985-06	400.30
platinum	36 607 985-08	400.40
brushed Durabrass	36 607 985-28	495.50
Dark Platinum matt	36 607 985-99	450.50



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 608 980




Wall valve anti-clockwise closing 3/4"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits Symetrics

		Euro
polished chrome	36 608 980-00	217.10
platinum matt	36 608 980-06	347.20
platinum	36 608 980-08	347.40
brushed Durabrass	36 608 980-28	429.80
Dark Platinum matt	36 608 980-99	390.80



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 608 985




Wall valve anti-clockwise closing 3/4"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits Symetrics

		Euro
polished chrome	36 608 985-00	250.20
platinum matt	36 608 985-06	400.30
platinum	36 608 985-08	400.40
brushed Durabrass	36 608 985-28	495.50
Dark Platinum matt	36 608 985-99	450.50



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 607 741



Wall valve clockwise closing cold 1/2"

- without rosette
- handle Ø 60mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, Meta, CYO

		Euro
polished chrome	36 607 741-00	242.20
platinum matt	36 607 741-06	387.40
brushed Durabrass	36 607 741-28	479.60
Dark Platinum matt	36 607 741-99	436.00
matt black	36 607 741-33	313.00




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 607 742-00	242.20
platinum matt	36 607 742-06	387.40
Dark Platinum matt	36 607 742-99	436.00
matt black	36 607 742-33	313.00



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 706



Wall valve clockwise closing cold 1/2"

- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 607 706-00	224.50
platinum matt	36 607 706-06	359.40
Dark Platinum matt	36 607 706-99	404.10




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 607 707-00	224.50
platinum matt	36 607 707-06	359.40
Dark Platinum matt	36 607 707-99	404.10



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 617 706



Wall valve clockwise closing cold 1/2"

- with WAVES structure
- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 617 706-00	261.30
platinum matt	36 617 706-06	418.20
Dark Platinum matt	36 617 706-99	470.30




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 617 707-00	261.30
platinum matt	36 617 707-06	418.20
Dark Platinum matt	36 617 707-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



Shower

36 627 706



Wall valve clockwise closing cold 1/2"

- with CASCADE structure
- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 627 706-00	261.30
platinum matt	36 627 706-06	418.20
Dark Platinum matt	36 627 706-99	470.30




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 627 707-00	261.30
platinum matt	36 627 707-06	418.20
Dark Platinum matt	36 627 707-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 716



Wall valve clockwise closing cold 1/2"

- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

Fits CYO

		Euro
polished chrome	36 607 716-00	261.30
platinum matt	36 607 716-06	418.20
brushed Durabron	36 607 716-28	517.30
Dark Platinum matt	36 607 716-99	470.30




Product alternative

Wall valve anti-clockwise closing hot 1/2"

- with hot marking

		Euro
polished chrome	36 607 717-00	261.30
platinum matt	36 607 717-06	418.20
Dark Platinum matt	36 607 717-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 892




Wall valve clockwise closing 1/2"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits Tara.

		Euro
polished chrome	36 607 892-00	160.20
platinum matt	36 607 892-06	256.60
platinum	36 607 892-08	256.60
brushed Durabron	36 607 892-28	317.10
Dark Platinum matt	36 607 892-99	288.40
matt white	36 607 892-10	216.20
matt black	36 607 892-33	216.40



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 607 705




Wall valve clockwise closing 1/2"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 607 705-00	224.50
platinum matt	36 607 705-06	359.40
Dark Platinum matt	36 607 705-99	404.10



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 617 705




Wall valve clockwise closing 1/2"

- with WAVES structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 617 705-00	261.30
platinum matt	36 617 705-06	418.20
Dark Platinum matt	36 617 705-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 627 705




Wall valve clockwise closing 1/2"

- with CASCADE structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 627 705-00	261.30
platinum matt	36 627 705-06	418.20
Dark Platinum matt	36 627 705-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 715




Wall valve clockwise closing 1/2"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 607 715-00	261.30
platinum matt	36 607 715-06	418.20
brushed Durabrass	36 607 715-28	517.30
Dark Platinum matt	36 607 715-99	470.30



Required miscellaneous

Wall valve 1/2"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



Shower

36 607 811 +
11 187 811




Wall valve clockwise closing 1/2"

- without marking
- without rosette
- handle Ø 60mm
- head part with cut-to-length spindle and sleeve

Fits CYO

		Euro
polished chrome	1x 36 607 811-00	231.90
	1x 11 187 811-00	45.60
	Price	277.50
platinum matt	1x 36 607 811-06	371.00
	1x 11 187 811-06	73.10
	Price	444.10
platinum / platinum matt	1x 36 607 811-36	371.10
	1x 11 187 811-06	73.10
	Price	444.20
brushed Durabrand	1x 36 607 811-28	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Durabrand / brushed Durabrand	1x 36 607 811-38	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Dark Platinum matt	1x 36 607 811-99	417.50
	1x 11 187 811-99	82.20
	Price	499.70

Required miscellaneous



Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 607 812 +
11 187 811



Wall valve clockwise closing 1/2"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve
- for three-hole basin mixers and five-hole bath mixers

Fits CYO

		Euro
polished chrome	1x 36 607 812-00	231.90
	1x 11 187 811-00	45.60
	Price	277.50
platinum matt	1x 36 607 812-06	371.00
	1x 11 187 811-06	73.10
	Price	444.10
platinum / platinum matt	1x 36 607 812-36	371.10
	1x 11 187 811-06	73.10
	Price	444.20
brushed Durabrass	1x 36 607 812-28	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Durabrass / brushed Durabrass	1x 36 607 812-38	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Dark Platinum matt	1x 36 607 812-99	417.50
	1x 11 187 811-99	82.20
	Price	499.70



Product alternative

Handle insert hot

- with hot marking

with cold marking: 11 184 811-FF

For details and miscellaneous, see page 072

		Euro
polished chrome	11 183 811-00	45.60
	11 183 811-06	73.10
platinum matt	11 183 811-08	73.10
	11 183 811-28	90.40
brushed Durabrass	11 183 811-09	90.40
	11 183 811-99	82.20



Product alternative

Handle insert red

- with red marking

with blue marking: 11 181 811-FF

For details and miscellaneous, see page 072

		Euro
polished chrome	11 182 811-00	45.60
	11 182 811-06	73.10
platinum matt	11 182 811-08	73.10
	11 182 811-28	90.40
brushed Durabrass	11 182 811-09	90.40
	11 182 811-99	82.20



Product alternative


Handle insert H

- with H for hot marking

with cold marking "C": 11 186 811-FF

For details and miscellaneous, see page 073

		Euro
polished chrome	11 185 811-00	45.60
	11 185 811-06	73.10
platinum matt	11 185 811-08	73.10
	11 185 811-28	90.40
brushed Durabrass	11 185 811-09	90.40
	11 185 811-99	82.20



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



Shower

36 607 710




Wall valve clockwise closing 1/2"

- rosette 78 x 55 mm
 - head part with cut-to-length spindle and sleeve
- Fits LULU**

		Euro
polished chrome	36 607 710-00	211.00
platinum matt	36 607 710-06	337.30

Required miscellaneous



- Wall valve 1/2"**
- min. recess depth 75 mm
 - max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 361




Wall valve clockwise closing 1/2"

- rosette Ø 55 mm
 - head part with cut-to-length spindle and sleeve
 - 3x porcelain insert: HOT, COLD and NEUTRAL
- Fits Madison**

		Euro
polished chrome	36 607 361-00	232.80
platinum matt	36 607 361-06	372.50
platinum	36 607 361-08	372.50
Durabrass	36 607 361-09	460.90
brushed Durabrass	36 607 361-28	461.00
Dark Platinum matt	36 607 361-99	418.90

Required miscellaneous



- Wall valve 1/2"**
- min. recess depth 75 mm
 - max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 782




Wall valve clockwise closing 1/2"

- rosette 60 x 60 mm
 - head part with cut-to-length spindle and sleeve
- Fits MEM**

		Euro
polished chrome	36 607 782-00	220.90
platinum matt	36 607 782-06	353.30
platinum	36 607 782-08	353.30
brushed Durabrass	36 607 782-28	437.50
Dark Platinum matt	36 607 782-99	397.50

Required miscellaneous



- Wall valve 1/2"**
- min. recess depth 105 mm
 - max. recess depth 150 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 809




Wall valve clockwise closing 1/2"

- rosette Ø 60 mm
 - head part with cut-to-length spindle and sleeve
- Fits VAIA**

		Euro
polished chrome	36 607 809-00	188.10
platinum matt	36 607 809-06	301.10
platinum	36 607 809-08	301.00
brushed Durabrass	36 607 809-28	372.50
Dark Platinum matt	36 607 809-99	338.50

Required miscellaneous



- Wall valve 1/2"**
- min. recess depth 75 mm
 - max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 607 740




Wall valve clockwise closing 1/2"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, Meta, CYO

		Euro
polished chrome	36 607 740-00	231.90
platinum matt	36 607 740-06	371.00
brushed Durabrass	36 607 740-28	459.20
Dark Platinum matt	36 607 740-99	417.40
matt black	36 607 740-33	313.00



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 819




Wall valve clockwise closing 1/2"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA

		Euro
polished chrome	36 607 819-00	188.10
platinum matt	36 607 819-06	301.10
platinum	36 607 819-08	301.00
brushed Durabrass	36 607 819-28	372.50
Dark Platinum matt	36 607 819-99	338.50



Required miscellaneous

Wall valve 1/2"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20

36 607 882




Wall valve clockwise closing 1/2"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits Tara.

		Euro
polished chrome	36 607 882-00	183.10
platinum matt	36 607 882-06	293.10
platinum	36 607 882-08	293.10
brushed Durabrass	36 607 882-28	362.50
Dark Platinum matt	36 607 882-99	329.60
matt white	36 607 882-10	247.20
matt black	36 607 882-33	247.50



Required miscellaneous

Wall valve 1/2"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



Shower



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 608 892




Wall valve clockwise closing 3/4"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits Tara.

		Euro
polished chrome	36 608 892-00	160.20
platinum matt	36 608 892-06	256.60
platinum	36 608 892-08	256.60
brushed Durabrass	36 608 892-28	317.10
Dark Platinum matt	36 608 892-99	288.40
matt white	36 608 892-10	216.20
matt black	36 608 892-33	216.40



Required miscellaneous

Wall valve 3/4"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 608 705




Wall valve clockwise closing 3/4"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 608 705-00	224.50
platinum matt	36 608 705-06	359.40
Dark Platinum matt	36 608 705-99	404.10



Required miscellaneous

Wall valve 3/4"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 618 705




Wall valve clockwise closing 3/4"

- with WAVES structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 618 705-00	261.30
platinum matt	36 618 705-06	418.20
Dark Platinum matt	36 618 705-99	470.30



Required miscellaneous

Wall valve 3/4"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 628 705




Wall valve clockwise closing 3/4"

- with CASCADE structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 628 705-00	261.30
platinum matt	36 628 705-06	418.20
Dark Platinum matt	36 628 705-99	470.30



Required miscellaneous

Wall valve 3/4"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 608 715




Wall valve clockwise closing 3/4"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

		Euro
polished chrome	36 608 715-00	261.30
platinum matt	36 608 715-06	418.20
brushed Durabron	36 608 715-28	517.30
Dark Platinum matt	36 608 715-99	470.30



Required miscellaneous

Wall valve 3/4"

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 608 811 +
11 187 811




Wall valve clockwise closing 3/4"

- without marking
- without rosette
- handle Ø 60mm
- head part with cut-to-length spindle and sleeve

Fits CYO

		Euro
polished chrome	1x 36 608 811-00	231.90
	1x 11 187 811-00	45.60
	Price	277.50
platinum matt	1x 36 608 811-06	371.10
	1x 11 187 811-06	73.10
	Price	444.20
platinum / platinum matt	1x 36 608 811-36	371.10
	1x 11 187 811-06	73.10
	Price	444.20
brushed Durabron	1x 36 608 811-28	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Durabron / brushed Durabron	1x 36 608 811-38	459.20
	1x 11 187 811-28	90.40
	Price	549.60
Dark Platinum matt	1x 36 608 811-99	417.50
	1x 11 187 811-99	82.20
	Price	499.70



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 608 710




Wall valve clockwise closing 3/4"

- rosette 78 x 55 mm
- head part with cut-to-length spindle and sleeve

Fits LULU

		Euro
polished chrome	36 608 710-00	211.00
platinum matt	36 608 710-06	337.30



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90



Shower

36 608 361




Wall valve clockwise closing 3/4"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL

Fits Madison

		Euro
polished chrome	36 608 361-00	232.80
platinum matt	36 608 361-06	372.50
platinum	36 608 361-08	372.50
Durabron	36 608 361-09	460.90
brushed Durabron	36 608 361-28	461.00
Dark Platinum matt	36 608 361-99	418.90

Required miscellaneous		Euro	
	Wall valve 3/4"	Concealed rough parts	35 608 970 90
	<ul style="list-style-type: none"> • min. recess depth 75 mm • max. recess depth 145 mm 		95.90
For details and miscellaneous, see page 696			

36 608 782




Wall valve clockwise closing 3/4"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits MEM

		Euro
polished chrome	36 608 782-00	220.90
platinum matt	36 608 782-06	353.30
platinum	36 608 782-08	353.30
brushed Durabron	36 608 782-28	437.50
Dark Platinum matt	36 608 782-99	397.50

Required miscellaneous		Euro	
	Wall valve 3/4"	Concealed rough parts	35 608 970 90
	<ul style="list-style-type: none"> • min. recess depth 105 mm • max. recess depth 150 mm 		95.90
For details and miscellaneous, see page 696			

36 608 809



Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA

		Euro
polished chrome	36 608 809-00	188.10
platinum matt	36 608 809-06	301.10
platinum	36 608 809-08	301.00
brushed Durabron	36 608 809-28	372.50
Dark Platinum matt	36 608 809-99	338.50

Required miscellaneous		Euro	
	Wall valve 3/4"	Concealed rough parts	35 608 970 90
	<ul style="list-style-type: none"> • min. recess depth 75 mm • max. recess depth 145 mm 		95.90
For details and miscellaneous, see page 696			



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

36 608 740




Wall valve clockwise closing 3/4"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, Meta, CYO

		Euro
polished chrome	36 608 740-00	231.90
platinum matt	36 608 740-06	371.00
brushed Durabrass	36 608 740-28	459.20
Dark Platinum matt	36 608 740-99	417.40
matt black	36 608 740-33	313.00




Required miscellaneous

Wall valve 1/2"

For details and miscellaneous, see page 695

		Euro
Concealed rough parts	35 607 970 90	73.20



Required miscellaneous

Wall valve 3/4"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 608 819




Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA

		Euro
polished chrome	36 608 819-00	188.10
platinum matt	36 608 819-06	301.10
platinum	36 608 819-08	301.00
brushed Durabrass	36 608 819-28	372.50
Dark Platinum matt	36 608 819-99	338.50



Required miscellaneous

Wall valve 3/4"

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90

36 608 882




Wall valve clockwise closing 3/4"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits Tara.

		Euro
polished chrome	36 608 882-00	183.10
platinum matt	36 608 882-06	293.10
platinum	36 608 882-08	293.10
brushed Durabrass	36 608 882-28	362.50
Dark Platinum matt	36 608 882-99	329.60
matt white	36 608 882-10	247.20
matt black	36 608 882-33	247.50



Required miscellaneous

Wall valve 3/4"

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 608 970 90	95.90



Shower

20 000 811 +
11 187 811



Deck valve clockwise closing

- without marking
- hole diameter valve 32 mm
- without rosette
- handle Ø 60mm

Fits CYO

		Euro
polished chrome	1x 20 000 811-00	258.70
	1x 11 187 811-00	45.60
	Price	304.30
platinum matt	1x 20 000 811-06	413.80
	1x 11 187 811-06	73.10
	Price	486.90
platinum / platinum matt	1x 20 000 811-36	413.80
	1x 11 187 811-06	73.10
	Price	486.90
brushed Durabrass	1x 20 000 811-28	512.20
	1x 11 187 811-28	90.40
	Price	602.60
Durabrass / brushed Durabrass	1x 20 000 811-38	512.20
	1x 11 187 811-28	90.40
	Price	602.60
Dark Platinum matt	1x 20 000 811-99	465.60
	1x 11 187 811-99	82.20
	Price	547.80



Product alternative

Handle insert hot

- with hot marking
- with cold marking: 11 184 811-FF

For details and miscellaneous, see page 072

		Euro
polished chrome	11 183 811-00	45.60
	11 183 811-06	73.10
platinum matt	11 183 811-08	73.10
	11 183 811-28	90.40
brushed Durabrass	11 183 811-09	90.40
	11 183 811-99	82.20



Product alternative

Handle insert red

- with red marking
- with blue marking: 11 181 811-FF

For details and miscellaneous, see page 072

		Euro
polished chrome	11 182 811-00	45.60
	11 182 811-06	73.10
platinum matt	11 182 811-08	73.10
	11 182 811-28	90.40
brushed Durabrass	11 182 811-09	90.40
	11 182 811-99	82.20



Product alternative

Handle insert H

- with H for hot marking
- with cold marking "C": 11 186 811-FF

For details and miscellaneous, see page 073

		Euro
polished chrome	11 185 811-00	45.60
	11 185 811-06	73.10
platinum matt	11 185 811-08	73.10
	11 185 811-28	90.40
brushed Durabrass	11 185 811-09	90.40
	11 185 811-99	82.20

20 000 705



Deck valve clockwise closing cold

- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits CL.1

		Euro
polished chrome	20 000 705-00	264.90
	20 000 705-06	423.80
Dark Platinum matt	20 000 705-99	476.80



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 000 706-00	264.90
	20 000 706-06	423.80
Dark Platinum matt	20 000 706-99	476.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

20 001 705



Deck valve clockwise closing cold

- with WAVES structure
- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits CL.1

		Euro
polished chrome	20 001 705-00	321.50
platinum matt	20 001 705-06	514.30
Dark Platinum matt	20 001 705-99	578.60



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 001 706-00	321.50
platinum matt	20 001 706-06	514.30
Dark Platinum matt	20 001 706-99	578.60

20 002 705



Deck valve clockwise closing cold

- with CASCADE structure
- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits CL.1

		Euro
polished chrome	20 002 705-00	321.50
platinum matt	20 002 705-06	514.30
Dark Platinum matt	20 002 705-99	578.60



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 002 706-00	321.50
platinum matt	20 002 706-06	514.30
Dark Platinum matt	20 002 706-99	578.60

20 004 705



Deck valve clockwise closing cold

- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

Fits CL.1

		Euro
polished chrome	20 004 705-00	264.90
platinum matt	20 004 705-06	423.80
Dark Platinum matt	20 004 705-99	476.80



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 004 706-00	264.90
platinum matt	20 004 706-06	423.80
Dark Platinum matt	20 004 706-99	476.80

20 005 705



Deck valve clockwise closing cold

- with WAVES structure
- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

Fits CL.1

		Euro
polished chrome	20 005 705-00	321.50
platinum matt	20 005 705-06	514.30
Dark Platinum matt	20 005 705-99	578.60



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 005 706-00	321.50
platinum matt	20 005 706-06	514.30
Dark Platinum matt	20 005 706-99	578.60



Shower

20 006 705



Deck valve clockwise closing cold

- with CASCADE structure
- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

Fits CL.1

		Euro
polished chrome	20 006 705-00	321.50
platinum matt	20 006 705-06	514.30
Dark Platinum matt	20 006 705-99	578.60



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 006 706-00	321.50
platinum matt	20 006 706-06	514.30
Dark Platinum matt	20 006 706-99	578.60

20 000 715



Deck valve clockwise closing hot

- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

Fits CL.1

		Euro
polished chrome	20 000 715-00	321.50
platinum matt	20 000 715-06	514.30
Dark Platinum matt	20 000 715-99	578.60



Product alternative

Deck valve anti-clockwise closing cold

- with hot marking

		Euro
polished chrome	20 000 716-00	321.50
platinum matt	20 000 716-06	514.30
Dark Platinum matt	20 000 716-99	578.60

20 004 715



Deck valve clockwise closing hot

- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking

Fits CL.1

		Euro
polished chrome	20 004 715-00	321.50
platinum matt	20 004 715-06	514.30
brushed Durabrass	20 004 715-28	636.70
Dark Platinum matt	20 004 715-99	578.60



Product alternative

Deck valve anti-clockwise closing cold

- with hot marking

		Euro
polished chrome	20 004 716-00	321.50
platinum matt	20 004 716-06	514.30
brushed Durabrass	20 004 716-28	636.70
Dark Platinum matt	20 004 716-99	578.60

20 000 716



Deck valve anti-clockwise closing cold

- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits CL.1

		Euro
brushed Durabrass	20 000 716-28	636.70



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

20 000 782



Deck valve clockwise closing cold

- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits MEM

		Euro
polished chrome	20 000 782-00	264.90
platinum matt	20 000 782-06	423.80
platinum	20 000 782-08	423.80
brushed Durabrass	20 000 782-28	524.40
Dark Platinum matt	20 000 782-99	476.80



Product alternative

Deck valve anti-clockwise closing hot

		Euro
polished chrome	20 000 783-00	264.90
platinum matt	20 000 783-06	423.80
platinum	20 000 783-08	423.80
brushed Durabrass	20 000 783-28	524.40
Dark Platinum matt	20 000 783-99	476.80

20 000 986



Deck valve clockwise closing cold

- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits Symetrics

		Euro
polished chrome	20 000 986-00	292.50
platinum matt	20 000 986-06	468.00
platinum	20 000 986-08	468.10
brushed Durabrass	20 000 986-28	579.10
Dark Platinum matt	20 000 986-99	526.40



Product alternative

Deck valve anti-clockwise closing hot

- hole diameter 32 mm

		Euro
polished chrome	20 000 985-00	292.50
platinum matt	20 000 985-06	468.00
platinum	20 000 985-08	468.10
brushed Durabrass	20 000 985-28	579.10
Dark Platinum matt	20 000 985-99	526.40

20 000 809



Deck valve clockwise closing cold

- hole diameter 32 mm
- rosette Ø 60 mm
- with cold marking

Fits VAIA

		Euro
polished chrome	20 000 809-00	217.20
platinum matt	20 000 809-06	347.40
platinum	20 000 809-08	347.60
brushed Durabrass	20 000 809-28	430.10
Dark Platinum matt	20 000 809-99	390.90



Product alternative

Deck valve clockwise closing hot

		Euro
polished chrome	20 000 808-00	217.20
platinum matt	20 000 808-06	347.40
platinum	20 000 808-08	347.60
brushed Durabrass	20 000 808-28	430.10
Dark Platinum matt	20 000 808-99	390.90



Shower

20 000 740



Deck valve clockwise closing cold

- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with cold marking

Fits CL.1, Meta, CYO

		Euro
polished chrome	20 000 740-00	258.70
platinum matt	20 000 740-06	413.80
platinum	20 000 740-08	414.00
brushed Durabrass	20 000 740-28	512.20
Dark Platinum matt	20 000 740-99	465.60
matt black	20 000 740-33	349.00



Product alternative

Deck valve anti-clockwise closing hot

- with hot marking

		Euro
polished chrome	20 000 741-00	258.70
platinum matt	20 000 741-06	413.80
brushed Durabrass	20 000 741-28	512.20
Dark Platinum matt	20 000 741-99	465.60
matt black	20 000 741-33	349.00

20 000 892



Deck valve clockwise closing cold or hot

- hole diameter 32 mm
- rosette Ø 55 mm

Fits Tara.

		Euro
polished chrome	20 000 892-00	181.00
platinum matt	20 000 892-06	289.50
platinum	20 000 892-08	289.50
brushed Durabrass	20 000 892-28	358.30
Dark Platinum matt	20 000 892-99	325.60
matt white	20 000 892-10	244.20
matt black	20 000 892-33	244.30

20 000 980



Deck valve anti-clockwise closing cold or hot

- hole diameter valve 32 mm
- rosette 60 x 60 mm

Fits Symetrics

		Euro
polished chrome	20 000 980-00	260.00
platinum matt	20 000 980-06	416.00
platinum	20 000 980-08	416.00
brushed Durabrass	20 000 980-28	514.90
Dark Platinum matt	20 000 980-99	468.10

36 200 705

NEW




Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits CL.1

		Euro
polished chrome	36 200 705-00	524.10
platinum matt	36 200 705-06	838.50
Dark Platinum matt	36 200 705-99	943.40



Required miscellaneous

Concealed two-way diverter

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 201 705

NEW




Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits CL.1

		Euro
polished chrome	36 201 705-00	610.50
platinum matt	36 201 705-06	976.80
Dark Platinum matt	36 201 705-99	1,098.90



Required miscellaneous

Concealed two-way diverter

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous




Kitchen

36 202 705	NEW	Concealed two-way diverter • rotary diverter • rosette 60 x 60 mm Fits CL.1		Euro
			polished chrome	36 202 705-00 610.50
			platinum matt	36 202 705-06 976.80
			Dark Platinum matt	36 202 705-99 1,098.90




Required miscellaneous		Euro
Concealed two-way diverter • min. recess depth 115 mm • max. recess depth 155 mm For details and miscellaneous, see page 696	Concealed rough parts	35 202 970 90 238.20

36 200 710	NEW	Concealed two-way diverter • rotary diverter • rosette 60 x 78 mm Fits LULU		Euro
			polished chrome	36 200 710-00 500.00
			platinum matt	36 200 710-06 800.00




Required miscellaneous		Euro
Concealed two-way diverter • min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 696	Concealed rough parts	35 202 970 90 238.20

36 200 361	NEW	Concealed two-way diverter • rotary diverter • rosette Ø 60 mm • NEUTRAL porcelain insert Fits Madison		Euro
			polished chrome	36 200 361-00 444.80
			platinum matt	36 200 361-06 711.60
			platinum	36 200 361-08 711.60
			Durabrass	36 200 361-09 880.70
			brushed Durabrass	36 200 361-28 880.70
			Dark Platinum matt	36 200 361-99 800.60



Required miscellaneous		Euro
Concealed two-way diverter • min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 696	Concealed rough parts	35 202 970 90 238.20

36 200 782	NEW	Concealed two-way diverter • rotary diverter • rosette 60 x 60 mm Fits MEM		Euro
			polished chrome	36 200 782-00 515.60
			platinum matt	36 200 782-06 825.00
			platinum	36 200 782-08 825.00
			brushed Durabrass	36 200 782-28 1,021.00
			Dark Platinum matt	36 200 782-99 928.10



Required miscellaneous		Euro
Concealed two-way diverter • min. recess depth 115 mm • max. recess depth 155 mm For details and miscellaneous, see page 696	Concealed rough parts	35 202 970 90 238.20



Shower



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 200 661

NEW

Concealed two-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

Fits Meta



Required miscellaneous

Concealed two-way diverter

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 696

		Euro
polished chrome	36 200 661-00	455.10
platinum matt	36 200 661-06	728.10
matt black	36 200 661-33	614.30

		Euro
Concealed rough parts	35 202 970 90	238.20


36 200 980

NEW

Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits Symetrics



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
polished chrome	36 200 980-00	260.00
platinum matt	36 200 980-06	416.00
brushed Durabrass	36 200 980-28	514.80
Dark Platinum matt	36 200 980-99	468.00

		Euro
Concealed rough parts	35 202 970 90	238.20


36 200 985

NEW

Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits Symetrics



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
polished chrome	36 200 985-00	298.70
platinum matt	36 200 985-06	478.00
brushed Durabrass	36 200 985-28	591.60
Dark Platinum matt	36 200 985-99	537.80

		Euro
Concealed rough parts	35 202 970 90	238.20

36 200 882

Concealed two-way diverter

- rotary diverter
- rosette 60 mm



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
polished chrome	36 200 882-00	440.50
platinum matt	36 200 882-06	704.90
platinum	36 200 882-08	704.90
brushed Durabrass	36 200 882-28	872.30
Dark Platinum matt	36 200 882-99	793.00
matt white	36 200 882-10	594.70
matt black	36 200 882-33	594.70

		Euro
Concealed rough parts	35 202 970 90	238.20

36 200 892




Concealed two-way diverter

- rotary diverter
- rosette 60 mm

Fits Tara.

		Euro
polished chrome	36 200 892-00	381.20
platinum matt	36 200 892-06	610.00
platinum	36 200 892-08	610.00
brushed Durabrass	36 200 892-28	754.90
Dark Platinum matt	36 200 892-99	686.20
matt white	36 200 892-10	514.70
matt black	36 200 892-33	514.70



Required miscellaneous

Concealed two-way diverter

- min. recess depth mm
- max. recess depth mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 200 809

NEW




Concealed two-way diverter

- rotary diverter
- rosette Ø 60 mm

Fits VAIA

		Euro
polished chrome	36 200 809-00	399.50
platinum matt	36 200 809-06	639.10
brushed Durabrass	36 200 809-28	791.00
Dark Platinum matt	36 200 809-99	719.10



Required miscellaneous

Concealed two-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 200 819

NEW




Concealed two-way diverter

- rotary diverter
- rosette Ø 60 mm

Fits VAIA

		Euro
polished chrome	36 200 819-00	399.50
platinum matt	36 200 819-06	639.10
brushed Durabrass	36 200 819-28	791.00
Dark Platinum matt	36 200 819-99	719.10



Required miscellaneous

Concealed two-way diverter

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20

36 200 740

NEW




Concealed two-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, Meta, CYO

		Euro
polished chrome	36 200 740-00	275.10
platinum matt	36 200 740-06	440.20
Dark Platinum matt	36 200 740-99	495.20
matt black	36 200 740-33	371.40



Required miscellaneous

Concealed two-way diverter

- min. recess depth 95 mm
- max. recess depth 116 mm


For details and miscellaneous, see page 696

		Euro
Concealed rough parts	35 202 970 90	238.20




Shower

36 210 705	NEW	Concealed three-way diverter • rotary diverter • rosette 60 x 60 mm Fits CL.1	Euro		
			polished chrome	36 210 705-00	524.10
			platinum matt	36 210 705-06	838.50
			Dark Platinum matt	36 210 705-99	943.40




Required miscellaneous			Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00	
• min. recess depth 115 mm • max. recess depth 155 mm For details and miscellaneous, see page 696				

36 211 705	NEW	Concealed three-way diverter • rotary diverter • rosette 60 x 60 mm Fits CL.1	Euro		
			polished chrome	36 211 705-00	610.60
			platinum matt	36 211 705-06	977.00
			Dark Platinum matt	36 211 705-99	1,099.10




Required miscellaneous			Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00	
• min. recess depth 115 mm • max. recess depth 155 mm For details and miscellaneous, see page 696				

36 212 705	NEW	Concealed three-way diverter • rotary diverter • rosette 60 x 60 mm Fits CL.1	Euro		
			polished chrome	36 212 705-00	610.60
			platinum matt	36 212 705-06	977.00
			Dark Platinum matt	36 212 705-99	1,099.10



Required miscellaneous			Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00	
• min. recess depth 115 mm • max. recess depth 155 mm For details and miscellaneous, see page 696				

36 210 710	NEW	Concealed three-way diverter • rotary diverter • rosette 60 x 78 mm Fits LULU	Euro		
			polished chrome	36 210 710-00	500.00
			platinum matt	36 210 710-06	800.00



Required miscellaneous			Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00	
• min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 696				



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous





Kitchen

	NEW 36 210 361 Concealed three-way diverter <ul style="list-style-type: none"> • rotary diverter • rosette Ø 60 mm • NEUTRAL porcelain insert Fits Madison			Euro
		polished chrome	36 210 361-00	444.80
		platinum matt	36 210 361-06	711.60
		platinum	36 210 361-08	711.60
		Durabrass	36 210 361-09	880.70
		brushed Durabrass	36 210 361-28	880.70
		Dark Platinum matt	36 210 361-99	800.60




Required miscellaneous		Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00
<ul style="list-style-type: none"> • min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 696			

	NEW 36 210 782 Concealed three-way diverter <ul style="list-style-type: none"> • rotary diverter • rosette 60 x 60 mm Fits MEM			Euro
		polished chrome	36 210 782-00	515.60
		platinum matt	36 210 782-06	825.00
		platinum	36 210 782-08	825.00
		brushed Durabrass	36 210 782-28	1,021.00
		Dark Platinum matt	36 210 782-99	928.10




Required miscellaneous		Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00
<ul style="list-style-type: none"> • min. recess depth 115 mm • max. recess depth 155 mm For details and miscellaneous, see page 696			

	NEW 36 210 661 Concealed three-way diverter <ul style="list-style-type: none"> • rotary diverter • without rosette • handle Ø 60mm Fits Meta			Euro
		polished chrome	36 210 661-00	455.10
		platinum matt	36 210 661-06	728.10
		matt black	36 210 661-33	614.30



Required miscellaneous		Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00
<ul style="list-style-type: none"> • min. recess depth 115 mm • max. recess depth 155 mm For details and miscellaneous, see page 696			

	NEW 36 210 980 Concealed three-way diverter <ul style="list-style-type: none"> • rotary diverter • rosette 60 x 60 mm Fits Symetrics			Euro
		polished chrome	36 210 980-00	260.00
		platinum matt	36 210 980-06	416.00
		brushed Durabrass	36 210 980-28	514.80
		Dark Platinum matt	36 210 980-99	468.00



Required miscellaneous		Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00
<ul style="list-style-type: none"> • min. recess depth 95 mm • max. recess depth 160 mm For details and miscellaneous, see page 696			



Shower



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


36 210 985

NEW

Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits Symetrics



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
polished chrome	36 210 985-00	298.70
platinum matt	36 210 985-06	478.00
brushed Durabrass	36 210 985-28	591.40
Dark Platinum matt	36 210 985-99	537.60


		Euro
Concealed rough parts	35 203 970 90	290.00

36 210 882

Concealed three-way diverter

- rotary diverter
- rosette 60 mm

Fits Tara.



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
polished chrome	36 210 882-00	440.50
platinum matt	36 210 882-06	704.90
platinum	36 210 882-08	704.90
brushed Durabrass	36 210 882-28	872.30
Dark Platinum matt	36 210 882-99	793.00
matt white	36 210 882-10	594.70
matt black	36 210 882-33	594.70


		Euro
Concealed rough parts	35 203 970 90	290.00

36 210 892

Concealed three-way diverter

- rotary diverter
- rosette 60 mm

Fits Tara.



Required miscellaneous

Concealed three-way diverter

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 696

		Euro
polished chrome	36 210 892-00	381.20
platinum matt	36 210 892-06	610.00
platinum	36 210 892-08	610.00
brushed Durabrass	36 210 892-28	754.90
Dark Platinum matt	36 210 892-99	686.20
matt white	36 210 892-10	514.70
matt black	36 210 892-33	514.70

		Euro
Concealed rough parts	35 203 970 90	290.00


36 210 809

NEW

Concealed three-way diverter

- rotary diverter
- rosette Ø 60 mm

Fits VAIA



Required miscellaneous

Concealed three-way diverter


- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 696

		Euro
polished chrome	36 210 809-00	399.50
platinum matt	36 210 809-06	639.10
brushed Durabrass	36 210 809-28	791.00
Dark Platinum matt	36 210 809-99	719.10


		Euro
Concealed rough parts	35 203 970 90	290.00

	NEW Concealed three-way diverter • rotary diverter • rosette Ø 60 mm Fits VAIA			Euro
		polished chrome	36 210 819-00	399.50
		platinum matt	36 210 819-06	639.10
		brushed Durabrass	36 210 819-28	791.00
		Dark Platinum matt	36 210 819-99	719.10



Required miscellaneous		Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00
• min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 696			

	NEW Concealed three-way diverter • rotary diverter • without rosette • handle Ø 60mm Fits CL.1, Meta, CYO			Euro
		polished chrome	36 210 740-00	275.10
		platinum matt	36 210 740-06	440.20
		Dark Platinum matt	36 210 740-99	495.20
		matt black	36 210 740-33	371.40




Required miscellaneous		Euro	
Concealed three-way diverter	Concealed rough parts	35 203 970 90	290.00
• min. recess depth 95 mm • max. recess depth 116 mm For details and miscellaneous, see page 696			



Shower

Concealed articles



Miscellaneous

from page 702

Drybox

from page 705



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous




Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

xGrid for neat, concealed installation

The all-purpose installation track! Whatever combination of our concealed products you want, installation is fast, safe and above all precise with the xGrid 15 mm grid. Both in the pre-wall and for dry wall installation.


The new xGrid track in detail:




Several xGrid tracks are easily combined:



Mounting kit for strut frame use:




Planning example with an xGrid track



1x xGrid installation track
12 360 970


Planning example with an xGrid set of 3




1x xGrid Set 12 380 970

xGrid installation track and sets:


For details see page 704



12 360 970




12 370 970



12 380 970

xGrid mounting kit (optional)

For details see page 704



12 340 970





CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous




Kitchen

35 700 970

NEW

Concealed wall-mounted mixer Centred spout

Euro



- 3x dust cover
- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet
- 3x sealing plug 1/2"
- gauge 100 mm
- lead-free

Concealed rough parts	35 700 970 90	155.60
-----------------------	---------------	--------



Recommended miscellaneous

Euro

Leak protection 1/2"	Concealed rough parts	12 010 970 90	51.00
----------------------	-----------------------	---------------	-------


This article is needed 2x.

35 720 970

NEW

Concealed wall-mounted mixer variable positioning

Euro



- red brass, lead-free
- 1/2" connection
- 3x sealing plug 1/2"
- 3x dust cover

Concealed rough parts	35 720 970 90	124.10
-----------------------	---------------	--------



Recommended miscellaneous

Euro


Leak protection 1/2"	Concealed rough parts	12 010 970 90	51.00
----------------------	-----------------------	---------------	-------

This article is needed 6x.

35 003 970

Concealed wall mounting

Euro




- red brass, lead-free
- 2x supply connection 1/2" female thread (cold/hot), DN 15
- dust cover
- anti-water packing
- soundproofing

Concealed rough parts	35 003 970 90	258.30
-----------------------	---------------	--------

Can only be combined with exposed trim parts 26 024 661-FF / 36 013 660-FF / 36 045 660-FF / 36 013 970-FF / 36 045 970-FF / 36 804 661-FF.

Recommended miscellaneous

Euro



Extension 25 mm	Concealed rough parts	12 179 970 90	158.60
-----------------	-----------------------	---------------	--------

Can only be combined with exposed trim parts 36 804 661-FF.

For details and miscellaneous, see page 702



Recommended miscellaneous


Euro

Leak protection 1/2"	Concealed rough parts	12 010 970 90	51.00
----------------------	-----------------------	---------------	-------

This article is needed 2x.

Concealed articles

35 050 970



Concealed wall mounting

- red brass, lead-free
- 2x supply connection 1/2" female thread (cold/hot), DN 15
- dust cover
- anti-water packing
- soundproofing

Can only be combined with exposed trim parts 36 002 970-FF / 36 110 970-FF / 36 111 970-FF / 36 112 970-FF / 36 050 970-FF.

This product can be combined with the xGrid track. For more details, see page 704.

		Euro
Concealed rough parts	35 050 970 90	258.30




Recommended miscellaneous

Rosette

- with round rosette

For details and miscellaneous, see page 719

		Euro
polished chrome	12 720 660-00	68.70



Recommended miscellaneous

Rosette

- with angular rosette

For details and miscellaneous, see page 719

		Euro
polished chrome	12 720 980-00	85.20




Recommended miscellaneous

Leak protection 1/2"

This article is needed 2x.

		Euro
Concealed rough parts	12 010 970 90	51.00

35 816 970



Concealed wall-mounted single-lever mixer mixer on right

- 2x female thread 1/2" connections
- 2x 1/2" x 1000mm high pressure hose
- 1x female thread 1/2" outlet for wall spout
- cartridge
- gauge 100 mm
- lead-free

Recommended combination for this fitting:Rear walls with- wall thickness: 12-16 mm- spout hole diameter: 40 mm- mixer hole diameter: 58 mm- clear width behind wall: 25 mm


NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

		Euro
Concealed rough parts	35 816 970 90	310.30



Concealed articles

35 860 970



Concealed wall-mounted single-lever mixer

- red brass, lead-free
- 2x 1/2" connector, (hot/cold), DN 15
- 1x female thread 1/2" outlet for wall spout
- 1x female thread 1/2" outlet
- 2x dust cover
- anti-water packing
- soundproofing
- gauge 100 mm

		Euro
Concealed rough parts	35 860 970 90	180.80

Recommended miscellaneous

Euro



Extension 20 mm

Concealed rough parts	12 869 970 90	171.10
-----------------------	----------------------	---------------

Can only be combined with exposed trim parts 36 86X SSS-FF.

For details and miscellaneous, see page 702

Recommended miscellaneous

Euro



Extension 20 mm

Concealed rough parts	12 870 970 90	171.10
-----------------------	----------------------	---------------

Can only be combined with exposed trim parts 36 86X 664-FF.

For details and miscellaneous, see page 702

Recommended miscellaneous

Euro



Adapter for reversed water connections

Concealed rough parts	12 880 970 90	171.10
-----------------------	----------------------	---------------

Not suitable for combining with META PURE (36 86X 664-FF).

For details and miscellaneous, see page 702

Recommended miscellaneous

Euro



Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above

Concealed rough parts	39 807 970 90	493.40
-----------------------	----------------------	---------------

- Overflow is part of the scope of delivery.

For details and miscellaneous, see page 706



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Concealed articles

35 021 970





Concealed single-lever mixer with backflow preventor


- lead-free, dezincification resistant
- safety combination
- 2x back flow preventer
- 2x supply connection 1/2" female thread (cold/hot), DN 15
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- 2x integrated supply stop
- gauge 60 mm


This product can be combined with the xGRID track. For more details, see page 704.


		Euro
Concealed rough parts	35 021 970 90	272.40

Required miscellaneous		Euro
 xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90
For details and miscellaneous, see page 704		

Recommended miscellaneous		Euro
 Extension 25 mm	Concealed rough parts	12 190 970 90
For details and miscellaneous, see page 703		

Recommended miscellaneous		Euro
 Extension 25 mm	Concealed rough parts	12 191 970 90
For details and miscellaneous, see page 703		


Recommended miscellaneous		Euro
 xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90
For details and miscellaneous, see page 704		

Recommended miscellaneous		Euro
 Drybox Concealed single-lever mixer with and without diverter	Concealed rough parts	39 121 970 90
<ul style="list-style-type: none"> • Overflow is part of the scope of delivery. For details and miscellaneous, see page 705		



Concealed articles

35 020 970





Concealed single-lever mixer


- lead-free, dezincification resistant
- 2x back flow preventer
- 2x supply connection 1/2" female thread (cold/hot), DN 15
- 3x outlet G 1/2"
- 2x integrated supply stop
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 60 mm


This product can be combined with the xGrid track. For more details, see page 704.


			Euro
Concealed rough parts		35 020 970 90	190.70

Required miscellaneous			Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90
For details and miscellaneous, see page 704			

Recommended miscellaneous			Euro
	Extension 25 mm	Concealed rough parts	12 190 970 90
For details and miscellaneous, see page 703			

Recommended miscellaneous			Euro
	Extension 25 mm	Concealed rough parts	12 191 970 90
For details and miscellaneous, see page 703			

Recommended miscellaneous			Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90
For details and miscellaneous, see page 704			

Recommended miscellaneous			Euro
	Drybox Concealed single-lever mixer with and without diverter	Concealed rough parts	39 121 970 90
• Overflow is part of the scope of delivery.			
For details and miscellaneous, see page 705			



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Concealed articles

35 426 970




Concealed thermostat with built-in isolators


- pre-seal
- lead-free, dezincification resistant
- 2x back flow preventer
- 2x supply connection 1/2" female thread (cold/hot), DN 15
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- suitable for xGRID (when using installation track + 12 mm recess depth)
- gauge 70 mm

This product can be combined with the xGrid track. For more details, see page 704.


			Euro
Concealed rough parts	35 426 970 90		368.40

Required miscellaneous			Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90 90.30
For details and miscellaneous, see page 704			

Recommended miscellaneous			Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90 90.90
For details and miscellaneous, see page 704			

Recommended miscellaneous			Euro
	Drybox Concealed thermostat	Concealed rough parts	39 426 970 90 708.50
• Overflow is part of the scope of delivery.			
For details and miscellaneous, see page 706			

35 425 970




Concealed thermostat


- lead-free, dezincification resistant
- 2x back flow preventer
- 2x supply connection 1/2" female thread (cold/hot), DN 15
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- suitable for xGRID (when using installation track + 12 mm recess depth)
- gauge 70 mm

This product can be combined with the xGrid track. For more details, see page 704.

			Euro
Concealed rough parts	35 425 970 90		350.80

Required miscellaneous			Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90 90.30
For details and miscellaneous, see page 704			

Recommended miscellaneous			Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90 90.90
For details and miscellaneous, see page 704			

Recommended miscellaneous			Euro
	Drybox Concealed thermostat	Concealed rough parts	39 426 970 90 708.50
• Overflow is part of the scope of delivery.			
For details and miscellaneous, see page 706			



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

35 428 970




Concealed thermostat with built-in isolators


- pre-seal
- lead-free, dezincification resistant
- 2x back flow preventer
- 2x supply connection 1/2" female thread (cold/hot), DN 15
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 70 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)


Can only be combined with exposed trim parts 36 427 SSS-FF

This product can be combined with the xGrid track. For more details, see page 704.


			Euro
Concealed rough parts		35 428 970 90	385.50

Required miscellaneous				Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90	90.30
For details and miscellaneous, see page 704				

Recommended miscellaneous				Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90	90.90
For details and miscellaneous, see page 704				

Recommended miscellaneous				Euro
	Drybox Concealed thermostat	Concealed rough parts	39 426 970 90	708.50
• Overflow is part of the scope of delivery.				
For details and miscellaneous, see page 706				

35 427 970




Concealed thermostat


- lead-free, dezincification resistant
- 2x back flow preventer
- 2x supply connection 1/2" female thread (cold/hot), DN 15
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 70 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)


Can only be combined with exposed trim parts 36 427 SSS-FF

This product can be combined with the xGrid track. For more details, see page 704.

			Euro
Concealed rough parts		35 427 970 90	367.50


Required miscellaneous				Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90	90.30
For details and miscellaneous, see page 704				

Recommended miscellaneous				Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90	90.90
For details and miscellaneous, see page 704				

Recommended miscellaneous				Euro
	Drybox Concealed thermostat	Concealed rough parts	39 426 970 90	708.50
• Overflow is part of the scope of delivery.				
For details and miscellaneous, see page 706				

Concealed articles

35 503 970




xTOOL Concealed thermostat module without volume control 3/4"


- red brass, lead-free
- 2x back flow preventer
- 2x supply connection 3/4" female thread (cold/hot), DN 15
- 2x female thread 3/4" outlet for additional valves
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track. For more details, see page 704.

		Euro
Concealed rough parts	35 503 970 90	695.90

Required miscellaneous		Euro
 xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90
For details and miscellaneous, see page 704		

Recommended miscellaneous		Euro
 xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90
For details and miscellaneous, see page 704		

Recommended miscellaneous		Euro
 Drybox Thermostat module without volume control	Concealed rough parts	39 503 970 90
• Overflow is part of the scope of delivery.		
For details and miscellaneous, see page 705		

Recommended miscellaneous		Euro
 Extension 28 mm	Concealed rough parts	12 177 970 90
For details and miscellaneous, see page 703		


Recommended miscellaneous		Euro
 Extension 46 mm	Concealed rough parts	12 178 970 90
For details and miscellaneous, see page 703		

Recommended miscellaneous		Euro
Leak protection 3/4"	Concealed rough parts	12 012 970 90
This article is needed 2x.		



Concealed articles

35 511 970





xTOOL Concealed thermostat module with 1 valve 3/4"


- red brass, lead-free
- 2x back flow preventer
- 2x supply connection 3/4" female thread (cold/hot), DN 15
- 1x female thread 3/4" outlet for additional valves
- 1x female thread 3/4" outlet, right/left alternatively
- 2x dust cover
- 2x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)


This product can be combined with the xGrid track. For more details, see page 704.


			Euro
Concealed rough parts		35 511 970 90	570.10

Required miscellaneous				Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90	90.30
For details and miscellaneous, see page 704				

Recommended miscellaneous				Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90	90.90
For details and miscellaneous, see page 704				

Recommended miscellaneous				Euro
	Extension 28 mm	Concealed rough parts	12 177 970 90	49.10
For details and miscellaneous, see page 703				

Recommended miscellaneous				Euro
	Extension 46 mm	Concealed rough parts	12 178 970 90	49.10
For details and miscellaneous, see page 703				

Recommended miscellaneous				Euro
	Leak protection 3/4"	Concealed rough parts	12 012 970 90	51.00
This article is needed 2x.				



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Concealed articles

35 521 970




xTOOL Concealed thermostat module with 2 valves 3/4"


- red brass, lead-free
- 2x back flow preventer
- 2x supply connection 3/4" female thread (cold/hot), DN 15
- 1x female thread 3/4" outlet for additional valves
- 2x female thread 3/4" outlet, right/left alternatively
- 3x dust cover
- 3x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)


This product can be combined with the xGrid track. For more details, see page 704.


			Euro
Concealed rough parts		35 521 970 90	950.30

Required miscellaneous			Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90
For details and miscellaneous, see page 704			90.30

Recommended miscellaneous			Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90
For details and miscellaneous, see page 704			90.90

Recommended miscellaneous			Euro
	Extension 28 mm	Concealed rough parts	12 177 970 90
For details and miscellaneous, see page 703			49.10


Recommended miscellaneous			Euro
	Extension 46 mm	Concealed rough parts	12 178 970 90
For details and miscellaneous, see page 703			49.10

Recommended miscellaneous			Euro
	Drybox Thermostat module with 2 valves	Concealed rough parts	39 521 970 90
<ul style="list-style-type: none"> • Overflow is part of the scope of delivery. For details and miscellaneous, see page 705			927.30



Concealed articles

35 524 970





xTOOL Concealed thermostat module with 2 valves 3/4"


- red brass, lead-free
- 2x back flow preventer
- 2x supply connection 3/4" female thread (cold/hot), DN 15
- 1x female thread 3/4" outlet for additional valves
- 2x female thread 3/4" outlet
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)


This product can be combined with the xGrid track. For more details, see page 704.


			Euro
Concealed rough parts		35 524 970 90	939.90

Required miscellaneous			Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90
For details and miscellaneous, see page 704			

Recommended miscellaneous			Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90
For details and miscellaneous, see page 704			

Recommended miscellaneous			Euro
	Extension 28 mm	Concealed rough parts	12 177 970 90
For details and miscellaneous, see page 703			

Recommended miscellaneous			Euro
	Extension 46 mm	Concealed rough parts	12 178 970 90
For details and miscellaneous, see page 703			

Recommended miscellaneous			Euro
	Leak protection 3/4"	Concealed rough parts	12 012 970 90
This article is needed 4x.			



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Concealed articles

35 531 970




xTOOL Concealed thermostat module with 3 valves 3/4"


- red brass, lead-free
- 2x back flow preventer
- 2x supply connection 3/4" female thread (cold/hot), DN 15
- 1x female thread 3/4" outlet for additional valves
- 3x female thread 3/4" outlet, right/left alternatively
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track. For more details, see page 704.

			Euro
Concealed rough parts		35 531 970 90	1,021.20

Required miscellaneous				Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90	90.30
For details and miscellaneous, see page 704				

Recommended miscellaneous				Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90	90.90
For details and miscellaneous, see page 704				

Recommended miscellaneous				Euro
	Extension 28 mm	Concealed rough parts	12 177 970 90	49.10
For details and miscellaneous, see page 703				


Recommended miscellaneous				Euro
	Extension 46 mm	Concealed rough parts	12 178 970 90	49.10
For details and miscellaneous, see page 703				

Recommended miscellaneous				Euro
	Drybox Thermostat module with 3 valves	Concealed rough parts	39 531 970 90	1,021.10
This article is needed 2x.				
For details and miscellaneous, see page 705				



Concealed articles

35 534 970





xTOOL Concealed thermostat module with 3 valves 3/4"


- red brass, lead-free
- 2x back flow preventer
- 2x supply connection 3/4" female thread (cold/hot), DN 15
- 1x female thread 3/4" outlet for additional valves
- 3x female thread 3/4" outlet
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)


This product can be combined with the xGrid track. For more details, see page 704.


			Euro
Concealed rough parts		35 534 970 90	1,106.40

Required miscellaneous			Euro
	xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90
For details and miscellaneous, see page 704			90.30


Recommended miscellaneous			Euro
	xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90
For details and miscellaneous, see page 704			90.90

Recommended miscellaneous			Euro
	Extension 28 mm	Concealed rough parts	12 177 970 90
For details and miscellaneous, see page 703			49.10

Recommended miscellaneous			Euro
	Extension 46 mm	Concealed rough parts	12 178 970 90
For details and miscellaneous, see page 703			49.10

Recommended miscellaneous			Euro
	Leak protection 3/4"	Concealed rough parts	12 012 970 90
This article is needed 5x.			51.00

35 607 970




Wall valve 1/2"

- red brass, lead-free
- female thread 1/2" connection
- 1x female thread 1/2" outlet
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track. For more details, see page 704.

			Euro
Concealed rough parts		35 607 970 90	73.20

Recommended miscellaneous			Euro
	Leak protection 1/2"	Concealed rough parts	12 010 970 90
This article is needed 2x.			51.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Concealed articles

35 608 970



Wall valve 3/4"

- red brass, lead-free
- female thread 3/4" connection
- 1x female thread 3/4" outlet
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track. For more details, see page 704.

		Euro	
Concealed rough parts	35 608 970 90		95.90




Recommended miscellaneous

Leak protection 3/4"

Concealed rough parts	12 012 970 90	Euro	51.00
-----------------------	---------------	------	-------

This article is needed 2x.

35 696 970



Wall valve module with 2 valves with diverter for wall mounting

- red brass, lead-free
- 2x female thread 1/2" connections
- 2x female thread 1/2" outlet
- 3x anti-water packing
- 3x dust cover
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track. For more details, see page 704.

		Euro	
Concealed rough parts	35 696 970 90		582.50



Recommended miscellaneous


Leak protection 1/2"

Concealed rough parts	12 010 970 90	Euro	51.00
-----------------------	---------------	------	-------

This article is needed 4x.

35 202 970

NEW



Concealed two-way diverter

- red brass, lead-free
- 2x female thread 1/2" connections
- 3x female thread 1/2" outlet
- cut-to-length spindle and sleeve
- dust cover
- anti-water packing
- soundproofing

		Euro	
Concealed rough parts	35 202 970 90		238.20



Recommended miscellaneous


Leak protection 1/2"

Concealed rough parts	12 010 970 90	Euro	51.00
-----------------------	---------------	------	-------

This article is needed 2x.

35 203 970

NEW



Concealed three-way diverter

- red brass, lead-free
- 2x female thread 1/2" connections
- 2x female thread 1/2" outlet
- cut-to-length spindle and sleeve
- dust cover
- anti-water packing
- soundproofing

		Euro	
Concealed rough parts	35 203 970 90		290.00



Recommended miscellaneous

Leak protection 1/2"

Concealed rough parts	12 010 970 90	Euro	51.00
-----------------------	---------------	------	-------

This article is needed 4x.



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

35 944 970



Concealed floor mounting

- stainless steel
- 2x 1/2" connection angle
- gauge 150 mm
- 2x anti-water packing
- 2x dust cover
- soundproofing

		Euro
Concealed rough parts	35 944 970 90	433.00




Recommended miscellaneous

Leak protection 1/2"

Concealed rough parts	12 010 970 90	51.00
-----------------------	----------------------	--------------

This article is needed 2x.

35 945 970



Concealed floor mounting

- red brass, lead-free
- 2x female thread 1/2" connections
- dust cover
- anti-water packing

		Euro
Concealed rough parts	35 945 970 90	676.20



Recommended miscellaneous


Drybox for floor mounting

Concealed rough parts	38 945 970 90	533.80
-----------------------	----------------------	---------------

- Overflow is part of the scope of delivery.

For details and miscellaneous, see page 705

35 948 970



Concealed floor mounting

- 1x 1/2" connection angle
- dust cover
- anti-water packing

		Euro
Concealed rough parts	35 948 970 90	676.20

Can only be combined with exposed trim parts 25 963 979-FF/ 25 964 979-FF.




Recommended miscellaneous

Leak protection 1/2"

Concealed rough parts	12 010 970 90	51.00
-----------------------	----------------------	--------------

This article is needed 2x.

35 085 970



Concealed wall elbow

- red brass, lead-free
- female thread 1/2" connection
- 1x female thread 1/2" outlet
- dust cover
- anti-water packing
- soundproofing

		Euro
Concealed rough parts	35 085 970 90	98.80

For wall-mounted spouts and wall outlet elbows with 1/2" connection.




Recommended miscellaneous

Leak protection 1/2"

Concealed rough parts	12 010 970 90	51.00
-----------------------	----------------------	--------------

Concealed articles

35 205 970




Concealed wall installation box

- female thread 1/2" connection
- dust cover
- anti-water packing

		Euro
Concealed rough parts	35 205 970 90	179.50


Required miscellaneous		Euro
 xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90 90.30

For details and miscellaneous, see page 704

Recommended miscellaneous		Euro
 WATER POINTS Adapter plate	Concealed rough parts	12 305 970 90 29.00

- adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.


For details and miscellaneous, see page 704

Recommended miscellaneous		Euro
 Leak protection 1/2"	Concealed rough parts	12 010 970 90 51.00

Recommended miscellaneous		Euro
 xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90 90.90

For details and miscellaneous, see page 704

35 206 970



Concealed wall installation box

- female thread 1/2" connection
- dust cover
- anti-water packing


		Euro
Concealed rough parts	35 206 970 90	242.80

This product can be combined with the xGrid track. For more details, see page 704.

Required miscellaneous		Euro
 xGRID Installation track 555 mm	Concealed rough parts	12 360 970 90 90.30

For details and miscellaneous, see page 704

Recommended miscellaneous		Euro
 Leak protection 1/2"	Concealed rough parts	12 010 970 90 51.00

Recommended miscellaneous		Euro
 xGRID Attachment set for integrating in the dry wall construction	Concealed rough parts	12 340 970 90 90.90

For details and miscellaneous, see page 704



Concealed articles



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

35 741 970

**eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings**

- lead-free
- 2x male thread 1/2" connection
- 2x back flow preventer
- 2x integrated supply stop
- concealed installation
- min. recess depth 90 mm
- max. recess depth 125 mm

Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series

Cannot be combined with spouts with a pull-rod pop-up waste.

Please combine with item no. 10 126 970-FF

Other series and finishes on request (x-TRA SERVICE)

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
Concealed rough parts	35 741 970 90	252.50




Recommended miscellaneous

Leak protection 1/2"

Concealed rough parts	12 010 970 90	51.00
-----------------------	---------------	-------

This article is needed 2x.

35 743 970

**eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings**

- lead-free
- 1x back flow preventer
- 1x male 1/2" connector
- dust cover
- 1x pre-seal
- concealed installation
- min. recess depth 90 mm
- max. recess depth 125 mm

Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series

Cannot be combined with spouts with a pull-rod pop-up waste.

Please combine with item no. 10 126 970-FF

Other series and finishes on request (x-TRA SERVICE)

ATTENTION: Separate terms and conditions for electronic articles are applicable.

		Euro
Concealed rough parts	35 743 970 90	229.40




Recommended miscellaneous

Leak protection 1/2"

Concealed rough parts	12 010 970 90	51.00
-----------------------	---------------	-------

This article is needed 2x.

35 740 970

**eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings**

- lead-free
- 2x back flow preventer
- 2x male thread 1/2" connection
- outlet with high-pressure hose
- surface-mounted installation

Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series

Cannot be combined with spouts with a pull-rod pop-up waste.

Please combine with item no. 10 126 970-FF


Not suitable for combination with steel basins.


Other series and finishes on request (x-TRA SERVICE)


ATTENTION: Separate terms and conditions for electronic articles are applicable.


		Euro
Concealed rough parts	35 740 970 90	252.50


Concealed articles


35 742 970	eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings	Euro			
	<ul style="list-style-type: none"> • lead-free • 1x back flow preventer • 1x male 1/2" connector • surface-mounted installation <p>Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series</p> <p>Cannot be combined with spouts with a pull-rod pop-up waste.</p> <p>Please combine with item no. 10 126 970-FF</p> <p>Other series and finishes on request (x-TRA SERVICE)</p> <p>ATTENTION: Separate terms and conditions for electronic articles are applicable.</p>	<table border="0" style="width: 100%;"> <tr> <td style="border-top: 1px solid black;">Concealed rough parts</td> <td style="text-align: right; border-top: 1px solid black;">35 742 970 90</td> <td style="text-align: right; border-top: 1px solid black;">229.40</td> </tr> </table>	Concealed rough parts	35 742 970 90	229.40
Concealed rough parts	35 742 970 90	229.40			


35 610 970	NEW RAINMOON Concealed rain panel	Euro			
	<ul style="list-style-type: none"> • concealed rough parts • 1x rain panel ceiling installation enclosure • Ceiling installation bracket: 53.1" x 53.1" x 11" • 2 x supply lines, 3/4"-14 NPT (mixed water), NPS 1/2" • 1 x connector, 110-230 V AC power supply 	<table border="0" style="width: 100%;"> <tr> <td style="border-top: 1px solid black;">Concealed rough parts</td> <td style="text-align: right; border-top: 1px solid black;">35 610 970 90</td> <td style="text-align: right; border-top: 1px solid black;">5,761.10</td> </tr> </table>	Concealed rough parts	35 610 970 90	5,761.10
Concealed rough parts	35 610 970 90	5,761.10			

35 087 970	POT FILLER Concealed wall elbow	Euro			
	<ul style="list-style-type: none"> • female thread 1/2" connection • anti-water packing • soundproofing • dust cover • min. recess depth 80 mm • max. recess depth 125 mm 	<table border="0" style="width: 100%;"> <tr> <td style="border-top: 1px solid black;">Concealed rough parts</td> <td style="text-align: right; border-top: 1px solid black;">35 087 970 90</td> <td style="text-align: right; border-top: 1px solid black;">117.20</td> </tr> </table>	Concealed rough parts	35 087 970 90	117.20
Concealed rough parts	35 087 970 90	117.20			

	<p>Recommended miscellaneous</p> <p>Leak protection 1/2"</p>	Euro
Concealed rough parts	12 010 970 90	51.00

35 033 970	NEW Concealed ceiling installation box for ceiling installation	Euro			
	<ul style="list-style-type: none"> • concealed rough parts • 2x female thread 1/2" connections • flush-mounted installation box Ø 360 mm RAL 9003 signal white 	<table border="0" style="width: 100%;"> <tr> <td style="border-top: 1px solid black;">Concealed rough parts</td> <td style="text-align: right; border-top: 1px solid black;">35 033 970 90</td> <td style="text-align: right; border-top: 1px solid black;">803.50</td> </tr> </table>	Concealed rough parts	35 033 970 90	803.50
Concealed rough parts	35 033 970 90	803.50			


	<p>Recommended miscellaneous</p> <p>Leak protection 1/2"</p> <p>This article is needed 2x.</p>	Euro
Concealed rough parts	12 010 970 90	51.00


35 043 970	NEW Concealed ceiling installation box for ceiling installation	Euro			
	<ul style="list-style-type: none"> • concealed rough parts • 2x female thread 1/2" connections • flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm 	<table border="0" style="width: 100%;"> <tr> <td style="border-top: 1px solid black;">Concealed rough parts</td> <td style="text-align: right; border-top: 1px solid black;">35 043 970 90</td> <td style="text-align: right; border-top: 1px solid black;">803.50</td> </tr> </table>	Concealed rough parts	35 043 970 90	803.50
Concealed rough parts	35 043 970 90	803.50			




Concealed articles


35 034 970	NEW	Concealed ceiling installation box for ceiling installation with light			Euro
			Concealed rough parts	35 034 970 90	1,206.20
		<ul style="list-style-type: none"> • concealed rough parts • 2x female thread 1/2" connections • flush-mounted reflection box Ø 360 mm RAL 9003 signal white • Supply pipe 10 m • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class II • ZigBee Light Link RGBW controller • Provided by customer: Zigbee gateway 			




		Recommended miscellaneous			Euro
	Leak protection 1/2"	Concealed rough parts	12 010 970 90	51.00	
This article is needed 2x.					


35 044 970	NEW	Concealed ceiling installation box for ceiling installation with light			Euro
			Concealed rough parts	35 044 970 90	1,206.20
		<ul style="list-style-type: none"> • concealed rough parts • 2x female thread 1/2" connections • flush-mounted installation box 360x 300 mm RAL 9003 signal white • Supply pipe 10 m • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class II • ZigBee Light Link RGBW controller • Provided by customer: Zigbee gateway 			




		Recommended miscellaneous			Euro
	Leak protection 1/2"	Concealed rough parts	12 010 970 90	51.00	
This article is needed 2x.					


35 041 970	NEW	Concealed ceiling installation box with ceiling fixing			Euro
			Concealed rough parts	35 041 970 90	400.70
		<ul style="list-style-type: none"> • concealed rough parts • 2x female thread 1/2" connections 			



		Recommended miscellaneous			Euro
	Leak protection 1/2"	Concealed rough parts	12 010 970 90	51.00	
This article is needed 2x.					

35 042 970	NEW	Concealed ceiling installation box for ceiling fixing with light			Euro
			Concealed rough parts	35 042 970 90	602.10
		<ul style="list-style-type: none"> • concealed rough parts • 2x female thread 1/2" connections • Supply pipe 10 m • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class II • ZigBee Light Link RGBW controller • Provided by customer: Light switch 			



		Recommended miscellaneous			Euro
	Leak protection 1/2"	Concealed rough parts	12 010 970 90	51.00	
This article is needed 2x.					



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Concealed articles

35 085 970



Concealed wall elbow

- red brass, lead-free
- female thread 1/2" connection
- 1x female thread 1/2" outlet
- dust cover
- anti-water packing
- soundproofing

For wall-mounted spouts and wall outlet elbows with 1/2" connection.

		Euro
Concealed rough parts	35 085 970 90	98.80



Recommended miscellaneous

Leak protection 1/2"

		Euro
Concealed rough parts	12 010 970 90	51.00

12 880 970



Adapter for reversed water connections

for 35 860 970 90

Not suitable for combining with META PURE (36 86X 664-FF).

		Euro
Concealed rough parts	12 880 970 90	171.10

12 869 970



Extension 20 mm

- up to 20 mm: 1 x 12 869 970 90
- 21 mm - 40 mm: 2 x 12 869 970 90

for 35 860 970 90

Can only be combined with exposed trim parts 36 86X SSS-FF.

		Euro
Concealed rough parts	12 869 970 90	171.10

12 870 970



Extension 20 mm


- up to 20 mm: 1 x 12 870 970 90
- 21 mm - 40 mm: 2 x 12 870 970 90

for 35 860 970 90

Can only be combined with exposed trim parts 36 86X 664-FF.

		Euro
Concealed rough parts	12 870 970 90	171.10

12 179 970



Extension 25 mm

for wall mounting 35 003 970 90

Can only be combined with exposed trim parts 36 86X 661-FF.

		Euro
Concealed rough parts	12 179 970 90	158.60

12 190 970

Extension 25 mm

- up to 25 mm: 1 x 12 190 970 90
- 26 mm - 50 mm: 2 x 12 190 970 90

for concealed single-lever shower and bath mixer 36
02X SSS-FF



		Euro
Concealed rough parts	12 190 970 90	176.20

12 191 970

Extension 25 mm

- up to 25 mm: 1 x 12 191 970 90
- 26 mm - 50 mm: 2 x 12 191 970 90

for concealed single-lever shower and bath mixer 36
12X SSS-FF




		Euro
Concealed rough parts	12 191 970 90	210.40

12 177 970

Extension 28 mm

for xTOOL thermostat modules 35 503 / 511 / 521 / 531
/ 524 / 534 970 90




		Euro
Concealed rough parts	12 177 970 90	49.10

12 178 970

Extension 46 mm

for xTOOL thermostat modules 35 503 / 511 / 521 / 531
/ 524 / 534 970 90



		Euro
Concealed rough parts	12 178 970 90	49.10



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

Concealed articles

12 305 970




WATER POINTS Adapter plate

- width 135mm
- height 135 mm
- depth 33 mm

Adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.

		Euro
Concealed rough parts	12 305 970 90	29.00

12 340 970




xGRID Attachment set for integrating in the dry wall construction

- width 135mm
- height 135 mm
- depth 33 mm
- variable across the range

More about integrating xGRID in the dry wall construction can be found in the Shower Book brochure

		Euro
Concealed rough parts	12 340 970 90	90.90

12 360 970




xGRID Installation track 555 mm

- width 555mm
- height 135 mm
- depth 12 mm
- retaining screws and plugs

More about the xGRID installation track can be found in the Shower Book brochure

		Euro
Concealed rough parts	12 360 970 90	90.30

12 370 970



xGRID Installation track set


- width 555mm
- height 135 mm
- depth 12 mm
- retaining screws and plugs

This set contains 2 xGrid installation tracks and includes fixing material

More about the xGRID installation track can be found in the Shower Book brochure

		Euro
Concealed rough parts	12 370 970 90	158.00

12 380 970



xGRID Installation track set

- width 555mm
- height 135 mm
- depth 12 mm
- retaining screws and plugs

This set contains 3 xGrid installation tracks and includes fixing material

More about the xGRID installation track can be found in the Shower Book brochure

		Euro
Concealed rough parts	12 380 970 90	225.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

38 945 970




Drybox for floor mounting

- Dimensions 300 x 300 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

		Euro
Concealed rough parts	38 945 970 90	533.80

39 521 970

NEW




Drybox Thermostat module with 2 valves

- Dimensions 300 x 600 x 108 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

		Euro
Concealed rough parts	39 521 970 90	927.30

39 531 970

NEW




Drybox Thermostat module with 3 valves

- Dimensions 300 x 800 x 108 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

		Euro
Concealed rough parts	39 531 970 90	1,021.10

39 503 970

NEW




Drybox Thermostat module without volume control

- Dimensions 300 x 400 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

		Euro
Concealed rough parts	39 503 970 90	667.60

39 121 970




Drybox Concealed single-lever mixer with and without diverter

- Dimensions 300 x 400 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

		Euro
Concealed rough parts	39 121 970 90	665.30

Concealed articles

39 426 970



Drybox Concealed thermostat

- Dimensions 300 x 400 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.


Concealed rough parts

39 426 970 90

Euro

708.50

39 708 970



Drybox Wall-mounted basin mixer Centred spout

- Dimensions 400 x 300 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.


Concealed rough parts

39 708 970 90

Euro

664.00

39 807 970



Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above

- Dimensions 300 x 300 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

Concealed rough parts

39 807 970 90

Euro

493.40

39 100 970



Drybox Overflow

- coupling
- rosette Ø 70 mm
- screw-fitting M40x1,5 PA 6 black

polished chrome

39 100 970-00

Euro

51.00



Concealed
articles

Miscellaneous installation items



Washstand Bidet

from page 708

Shower Bath

from page 712



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Miscellaneous installation items

22 900 360



Angle valve

- rosette Ø 60 mm
- porcelain insert COLD

		Euro
polished chrome	22 900 360-00	172.30
platinum matt	22 900 360-06	275.80
platinum	22 900 360-08	275.80
Durabrass	22 900 360-09	341.10
brushed Durabrass	22 900 360-28	341.10
Dark Platinum matt	22 900 360-99	310.10

22 900 361



Angle valve

- rosette Ø 60 mm
- porcelain insert HOT

		Euro
polished chrome	22 900 361-00	172.30
platinum matt	22 900 361-06	275.80
platinum	22 900 361-08	275.80
Durabrass	22 900 361-09	341.10
brushed Durabrass	22 900 361-28	341.10
Dark Platinum matt	22 900 361-99	310.10

22 901 782



Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

		Euro
polished chrome	22 901 782-00	173.10
platinum matt	22 901 782-06	277.00
platinum	22 901 782-08	277.00
brushed Durabrass	22 901 782-28	342.80
Dark Platinum matt	22 901 782-99	311.70
matt black	22 901 782-33	233.90

22 900 892



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

		Euro
polished chrome	22 900 892-00	165.90
platinum matt	22 900 892-06	265.40
platinum	22 900 892-08	265.40
brushed Durabrass	22 900 892-28	328.50
Dark Platinum matt	22 900 892-99	298.60
matt white	22 900 892-10	224.00
matt black	22 900 892-33	224.00

10 060 970



Siphon for basin

- rosette Ø 70 mm

		Euro
polished chrome	10 060 970-00	272.50
platinum matt	10 060 970-06	436.20
platinum	10 060 970-08	436.20
Durabrass	10 060 970-09	539.60
brushed Durabrass	10 060 970-28	539.60
Dark Platinum matt	10 060 970-99	490.50
matt white	10 060 970-10	367.90
matt black	10 060 970-33	368.00



12 715 970

Cover for tap hole



		Euro
polished chrome	12 715 970-00	34.60
platinum matt	12 715 970-06	55.40
platinum	12 715 970-08	55.40
Durabrass	12 715 970-09	68.70
brushed Durabrass	12 715 970-28	68.70
Dark Platinum matt	12 715 970-99	62.50
matt white	12 715 970-10	46.80
matt black	12 715 970-33	46.90

10 300 970

Basin Waste 1 1/4"

• length of knee lever 185 mm

Only suitable for basins with an overflow.



		Euro
polished chrome	10 300 970-00	63.30
platinum matt	10 300 970-06	101.30
platinum	10 300 970-08	101.30
Durabrass	10 300 970-09	125.40
brushed Durabrass	10 300 970-28	125.40
Dark Platinum matt	10 300 970-99	113.80
matt white	10 300 970-10	85.50
matt black	10 300 970-33	85.50

10 125 970

Basin Waste with push fastening 1 1/4"

Only suitable for basins with an overflow.



		Euro
polished chrome	10 125 970-00	72.10
platinum matt	10 125 970-06	115.40
platinum	10 125 970-08	115.40
Durabrass	10 125 970-09	142.90
brushed Durabrass	10 125 970-28	142.90
Dark Platinum matt	10 125 970-99	129.80
matt white	10 125 970-10	97.40
matt black	10 125 970-33	97.30

10 200 970

Basin Waste with knob for deck mounting 1 1/4"

Only suitable for basins with an overflow.



		Euro
polished chrome	10 200 970-00	131.30
platinum matt	10 200 970-06	210.00
platinum	10 200 970-08	210.00
Durabrass	10 200 970-09	260.10
brushed Durabrass	10 200 970-28	260.10
Dark Platinum matt	10 200 970-99	236.40
matt white	10 200 970-10	177.40
matt black	10 200 970-33	177.10

10 126 970

Basin Waste without press-closing 1 1/4"

Only suitable for sinks without an overflow.



		Euro
polished chrome	10 126 970-00	72.50
platinum matt	10 126 970-06	116.00
platinum	10 126 970-08	116.00
Durabrass	10 126 970-09	143.70
brushed Durabrass	10 126 970-28	143.70
Dark Platinum matt	10 126 970-99	130.70
matt white	10 126 970-10	98.00
matt black	10 126 970-33	98.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Miscellaneous installation items

10 050 970

Siphon for bidet 1 1/4"

- rosette Ø 65 mm



		Euro
polished chrome	10 050 970-00	70.00
platinum matt	10 050 970-06	111.90
platinum	10 050 970-08	111.90
Durabrass	10 050 970-09	138.50
brushed Durabrass	10 050 970-28	138.50
Dark Platinum matt	10 050 970-99	126.00
matt white	10 050 970-10	94.60
matt black	10 050 970-33	94.60

10 040 970

Siphon for basin 1 1/4"

- rosette Ø 80 mm



		Euro
polished chrome	10 040 970-00	392.70
platinum matt	10 040 970-06	628.10
platinum	10 040 970-08	628.10
Durabrass	10 040 970-09	777.40
brushed Durabrass	10 040 970-28	777.40
Dark Platinum matt	10 040 970-99	706.90

10 060 780

Siphon for basin 1 1/4"

- rosette 78 x 78 mm



		Euro
polished chrome	10 060 780-00	311.80
platinum matt	10 060 780-06	498.90
platinum	10 060 780-08	498.90
brushed Durabrass	10 060 780-28	617.30
Dark Platinum matt	10 060 780-99	561.20
matt black	10 060 780-33	421.10

10 100 970

Grated waste 1 1/4"



		Euro
polished chrome	10 100 970-00	35.70
platinum matt	10 100 970-06	56.90
platinum	10 100 970-08	56.90
Durabrass	10 100 970-09	70.60
brushed Durabrass	10 100 970-28	70.60
matt white	10 100 970-10	48.20

10 105 970

Grated waste 1 1/4"

Only suitable for basins with an overflow.



		Euro
polished chrome	10 105 970-00	47.00
platinum matt	10 105 970-06	75.10
platinum	10 105 970-08	75.10
Durabrass	10 105 970-09	93.10
brushed Durabrass	10 105 970-28	93.10
Dark Platinum matt	10 105 970-99	84.50
matt white	10 105 970-10	63.40
matt black	10 105 970-33	63.40



Miscellaneous

10 110 970



Grated waste 1 1/4"

Only suitable for sinks without an overflow.

		Euro
polished chrome	10 110 970-00	47.00
platinum matt	10 110 970-06	75.10
platinum	10 110 970-08	75.10
Durabrass	10 110 970-09	93.10
brushed Durabrass	10 110 970-28	93.10
Dark Platinum matt	10 110 970-99	84.50
matt white	10 110 970-10	63.40
matt black	10 110 970-33	63.40



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Miscellaneous installation items

28 490 660




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 660-00	181.00
platinum matt	28 490 660-06	289.40
platinum	28 490 660-08	289.40
brushed Durabrass	28 490 660-28	358.30
Dark Platinum matt	28 490 660-99	325.40
matt white	28 490 660-10	244.20
matt black	28 490 660-33	244.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 490 970




Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 490 970-00	191.90
platinum matt	28 490 970-06	307.20
platinum	28 490 970-08	307.20
brushed Durabrass	28 490 970-28	379.90
Dark Platinum matt	28 490 970-99	345.00
matt black	28 490 970-33	242.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 845




Wall elbow

- 3/8" shower outlet
- rosette 60 x 78 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 845-00	96.90
platinum matt	28 450 845-06	155.00
matt black	28 450 845-33	130.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 710




Wall elbow

- 3/8" shower outlet
- rosette 78 x 55 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 710-00	138.90
platinum matt	28 450 710-06	222.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



Miscellaneous

28 450 370




Wall elbow

- 1/2" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 370-00	95.10
platinum matt	28 450 370-06	152.10
platinum	28 450 370-08	152.10
Durabrass	28 450 370-09	188.30
brushed Durabrass	28 450 370-28	188.30
Dark Platinum matt	28 450 370-99	171.10



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 410




Wall elbow

- 1/2" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 410-00	86.00
platinum matt	28 450 410-06	137.50
platinum	28 450 410-08	137.50
Durabrass	28 450 410-09	170.30
brushed Durabrass	28 450 410-28	170.30
Dark Platinum matt	28 450 410-99	154.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 809




Wall elbow

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 809-00	108.00
platinum matt	28 450 809-06	172.50
platinum	28 450 809-08	172.80
brushed Durabrass	28 450 809-28	213.90
Dark Platinum matt	28 450 809-99	194.40



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Miscellaneous installation items

28 450 625




Wall elbow

- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 625-00	93.10
platinum matt	28 450 625-06	149.00
platinum	28 450 625-08	149.00
brushed Durabrass	28 450 625-28	184.40
Dark Platinum matt	28 450 625-99	167.60
matt white	28 450 625-10	125.70
matt black	28 450 625-33	125.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 450 980




Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

		Euro
polished chrome	28 450 980-00	133.00
platinum matt	28 450 980-06	212.90
platinum	28 450 980-08	212.90
brushed Durabrass	28 450 980-28	263.30
Dark Platinum matt	28 450 980-99	239.30
matt black	28 450 980-33	179.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see main items

		Euro
Concealed rough parts	35 085 970 90	98.80

28 050 845



Wall bracket

- rosette 60 x 78 mm

		Euro
polished chrome	28 050 845-00	124.80
platinum matt	28 050 845-06	199.60
matt black	28 050 845-33	168.40

28 050 710



Wall bracket

- rosette 78 x 55 mm

		Euro
polished chrome	28 050 710-00	184.70
platinum matt	28 050 710-06	295.80

28 050 625



Wall bracket

- rosette Ø 55 mm

		Euro
polished chrome	28 050 625-00	130.00
platinum matt	28 050 625-06	208.20
brushed Durabrass	28 050 625-28	257.40
matt black	28 050 625-33	175.60



Miscellaneous

28 050 809

Wall bracket

- rosette Ø 60 mm



		Euro
polished chrome	28 050 809-00	164.00
platinum matt	28 050 809-06	263.10
platinum	28 050 809-08	262.50
brushed Durabrass	28 050 809-28	324.90
Dark Platinum matt	28 050 809-99	295.50

28 050 980

Wall bracket

- rosette 60 x 60 mm



		Euro
polished chrome	28 050 980-00	172.60
platinum matt	28 050 980-06	276.40
platinum	28 050 980-08	276.40
brushed Durabrass	28 050 980-28	341.70
Dark Platinum matt	28 050 980-99	310.70
matt black	28 050 980-33	233.10

28 050 892

Wall bracket

- rosette Ø 55 mm



		Euro
polished chrome	28 050 892-00	149.20
platinum matt	28 050 892-06	238.90
platinum	28 050 892-08	238.90
brushed Durabrass	28 050 892-28	295.50
Dark Platinum matt	28 050 892-99	268.60
matt white	28 050 892-10	201.30
matt black	28 050 892-33	201.50

28 060 970

Wall bracket swivel



		Euro
polished chrome	28 060 970-00	159.20
platinum matt	28 060 970-06	254.90
platinum	28 060 970-08	254.90
brushed Durabrass	28 060 970-28	315.30
Dark Platinum matt	28 060 970-99	286.60
matt white	28 060 970-10	215.00
matt black	28 060 970-33	215.10

12 570 970

Slide unit

- for pipe diameter 23.5 mm



		Euro
polished chrome	12 570 970-00	110.20
platinum matt	12 570 970-06	176.60
platinum	12 570 970-08	176.60
brushed Durabrass	12 570 970-28	218.50
Dark Platinum matt	12 570 970-99	198.60
matt white	12 570 970-10	148.90
matt black	12 570 970-33	149.00

12 580 970

Slide unit

- for pipe diameter 18 mm



		Euro
polished chrome	12 580 970-00	110.20
platinum matt	12 580 970-06	176.60
platinum	12 580 970-08	176.60
brushed Durabrass	12 580 970-28	218.50
Dark Platinum matt	12 580 970-99	198.60
matt white	12 580 970-10	148.90
matt black	12 580 970-33	149.00



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Miscellaneous installation items

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

		Euro
polished chrome	36 243 970-00	177.90
platinum matt	36 243 970-06	284.80
platinum	36 243 970-08	284.80
Durabrass	36 243 970-09	352.20
brushed Durabrass	36 243 970-28	352.20
Dark Platinum matt	36 243 970-99	320.20
matt white	36 243 970-10	240.10
matt black	36 243 970-33	240.40



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 227 970 90	144.30

36 247 970



bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	269.10
platinum matt	36 247 970-06	430.70
platinum	36 247 970-08	430.70
Durabrass	36 247 970-09	532.80
brushed Durabrass	36 247 970-28	532.80
Dark Platinum matt	36 247 970-99	484.40
matt white	36 247 970-10	363.20
matt black	36 247 970-33	363.30



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

		Euro
Concealed rough parts	35 248 970 90	397.30



Required miscellaneous

Vacuum breaker

- rosette 70 mm

		Euro
polished chrome	36 150 970-00	73.80
platinum matt	36 150 970-06	118.10
platinum	36 150 970-08	118.10
Durabrass	36 150 970-09	146.00
brushed Durabrass	36 150 970-28	146.00
Dark Platinum matt	36 150 970-99	132.80
matt white	36 150 970-10	99.50
matt black	36 150 970-33	99.70



Required miscellaneous

Vacuum breaker

- 3/4" connection

		Euro
Concealed rough parts	35 150 970 90	253.30



Miscellaneous

11 000 980

Door handle



		Euro
polished chrome	11 000 980-00	224.80
platinum matt	11 000 980-06	224.80
matt black	11 000 980-33	224.80



Required miscellaneous

Attachment set for towel bar/tumbler mounting on one side

- for installation on glass tiles

Concealed rough parts	12 350 970 90	43.20
-----------------------	---------------	-------



Required miscellaneous

Attachment set for towel bar/tumbler mounting on two sides

Concealed rough parts	12 351 970 90	65.20
-----------------------	---------------	-------



Recommended miscellaneous

Cover

For details and miscellaneous, see page 717

		Euro
polished chrome	11 001 980-00	79.50
platinum matt	11 001 980-06	127.50
matt black	11 001 980-33	107.50

11 001 980

Cover



		Euro
polished chrome	11 001 980-00	79.50
platinum matt	11 001 980-06	127.50
matt black	11 001 980-33	107.50

12 202 979

Adapter for shower outlet 3/8" x 1/2"



- adapter M 20 x 1 female thread x 1/2" male thread for the connection of a shower hose 1/2" female thread

		Euro
polished chrome	12 202 979-00	40.30
platinum matt	12 202 979-06	64.80
platinum	12 202 979-08	64.80
brushed Durabronze	12 202 979-28	80.00
Dark Platinum matt	12 202 979-99	72.60
matt white	12 202 979-10	53.40
matt black	12 202 979-33	53.40

28 323 970

Metal shower hose in two parts 1/2" x 3/8" x 2250 mm



		Euro
polished chrome	28 323 970-00	143.30
platinum matt	28 323 970-06	415.70
platinum	28 323 970-08	415.70
Durabronze	28 323 970-09	457.30
brushed Durabronze	28 323 970-28	80.00
Dark Platinum matt	28 323 970-99	253.00
matt white	28 323 970-10	189.80
matt black	28 323 970-33	54.50



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Miscellaneous installation items

28 104 970

Metal shower hose 1/2" x 1/2" x 1250 mm



		Euro
polished chrome	28 104 970-00	114.70
platinum matt	28 104 970-06	193.60
platinum	28 104 970-08	193.60
Durabrass	28 104 970-09	213.00
brushed Durabrass	28 104 970-28	222.90
Dark Platinum matt	28 104 970-99	193.60
matt white	28 104 970-10	143.30
matt black	28 104 970-33	143.30



Product alternative

Metal shower hose 1/2" x 3/8" x 1250 mm

- 1/2" conical joint x 3/8" male thread

		Euro
polished chrome	09 30 02 072-00	114.70
platinum matt	09 30 02 072-06	193.60
platinum	09 30 02 072-08	193.60
Durabrass	09 30 02 072-09	213.00
brushed Durabrass	09 30 02 072-28	222.90
Dark Platinum matt	09 30 02 072-99	193.60
matt white	09 30 02 072-10	143.30
matt black	09 30 02 072-33	143.30



Product alternative

Metal shower hose 1/2" x 1/2" x 1750 mm

- 1/2" x 1/2" double conical joint

		Euro
polished chrome	28 204 970-00	143.30
platinum matt	28 204 970-06	251.00
platinum	28 204 970-08	251.00
Durabrass	28 204 970-09	276.10
brushed Durabrass	28 204 970-28	276.10
Dark Platinum matt	28 204 970-99	251.00
matt white	28 204 970-10	193.60
matt black	28 204 970-33	193.60



Product alternative

Metal shower hose 1/2" x 3/8" x 1750 mm

- 1/2" conical joint x 3/8" male thread

		Euro
polished chrome	28 322 970-00	114.70
platinum matt	28 322 970-06	193.60
platinum	28 322 970-08	193.60
Durabrass	28 322 970-09	213.00
brushed Durabrass	28 322 970-28	222.90
Dark Platinum matt	28 322 970-99	206.30
matt white	28 322 970-10	143.30
matt black	28 322 970-33	143.30



Product alternative

Metal shower hose 1/2" x 3/8" x 1500 mm

- 1/2" conical joint x 3/8" male thread

		Euro
polished chrome	28 304 970-00	126.80
platinum matt	28 304 970-06	203.50
platinum	28 304 970-08	203.50
Durabrass	28 304 970-09	251.10
brushed Durabrass	28 304 970-28	251.10
Dark Platinum matt	28 304 970-99	228.50
matt white	28 304 970-10	167.50
matt black	28 304 970-33	167.50



Miscellaneous

12 720 660




Rosette

- rosette Ø 70 mm

Can only be combined with exposed trim parts 36 002 970-FF / 36 110 970-FF / 36 111 970-FF / 36 112 970-FF / 36 050 970-FF.

		Euro
polished chrome	12 720 660-00	68.70
platinum matt	12 720 660-06	110.10
platinum	12 720 660-08	110.10
brushed Durabrand	12 720 660-28	136.00
Dark Platinum matt	12 720 660-99	123.80
matt white	12 720 660-10	90.80
matt black	12 720 660-33	90.80

12 720 980



Rosette

- rosette 70 x 70 mm

Can only be combined with exposed trim parts 36 002 970-FF / 36 110 970-FF / 36 111 970-FF / 36 112 970-FF / 36 050 970-FF.

		Euro
polished chrome	12 720 980-00	85.20
platinum matt	12 720 980-06	136.70
platinum	12 720 980-08	136.70
brushed Durabrand	12 720 980-28	168.70
Dark Platinum matt	12 720 980-99	153.60

12 120 970



Extension for shower with fixed riser

- length 200 mm

		Euro
polished chrome	12 120 970-00	150.20
platinum matt	12 120 970-06	240.20
platinum	12 120 970-08	240.20
Durabrand	12 120 970-09	297.30
brushed Durabrand	12 120 970-28	297.30
Dark Platinum matt	12 120 970-99	270.30
matt white	12 120 970-10	202.80
matt black	12 120 970-33	202.80



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen



Kitchen

Single-lever mixer

from page 724

Single-lever mixer extending spout

from page 730

Single-lever mixer Profi fitting

from page 736

Miscellaneous

from page 740

The price list, with our full range of products and additional information, can be obtained from your Account Manager.

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous



Kitchen



Single-lever mixer

Sieger Design



CL. 1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.


Single-lever mixer

33 800 790

Elio

Single-lever mixer

- 234 mm projection
- pivotable spout 360°
- spout, end-piece with 20° rotation
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 800 790-00	635.50
chrome matt	33 800 790-93	762.60
platinum matt	33 800 790-06	1,016.70
platinum	33 800 790-08	1,016.70
brushed Durabrass	33 800 790-28	1,258.20
Dark Platinum matt	33 800 790-99	953.30



Recommended miscellaneous

		Euro
Dispenser without rosette		
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20

For details and miscellaneous, see main items



Recommended miscellaneous

		Euro
Strainer waste with control handle		
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30


For details and miscellaneous, see page 741

33 800 760

eno

Single-lever mixer

- 220 mm projection
- pivotable spout 130°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 800 760-00	470.20
chrome matt	33 800 760-93	564.20
platinum matt	33 800 760-06	752.30
platinum	33 800 760-08	752.30
brushed Durabrass	33 800 760-28	931.00
Dark Platinum matt	33 800 760-99	705.40



Recommended miscellaneous

		Euro
Dispenser without rosette		
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20

For details and miscellaneous, see main items



Recommended miscellaneous

		Euro
Strainer waste with control handle		
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30


For details and miscellaneous, see page 741

33 810 625

Meta.02

Single-lever mixer

- 235 mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free



Recommended miscellaneous

Dispenser with rosette

For details and miscellaneous, see page 740



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	33 810 625-00	639.20
platinum matt	33 810 625-06	1,022.80
platinum	33 810 625-08	1,022.80
brushed Durabross	33 810 625-28	1,265.70
Dark Platinum matt	33 810 625-99	958.90

		Euro
polished chrome	82 434 970-00	240.50
platinum matt	82 434 970-06	384.70
platinum	82 434 970-08	384.70
brushed Durabross	82 434 970-28	476.10
Dark Platinum matt	82 434 970-99	432.80


		Euro
polished chrome	10 710 970-00	155.60
platinum matt	10 710 970-06	248.90
platinum	10 710 970-08	248.90
brushed Durabross	10 710 970-28	308.00
Dark Platinum matt	10 710 970-99	233.30

33 800 888

Tara.

Single-lever mixer

- 201 mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free



Recommended miscellaneous

Dispenser with rosette

For details and miscellaneous, see page 740



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	33 800 888-00	698.70
chrome matt	33 800 888-93	838.50
platinum matt	33 800 888-06	1,118.00
platinum	33 800 888-08	1,118.00
Durabross	33 800 888-09	1,383.50
brushed Durabross	33 800 888-28	1,383.60
Dark Platinum matt	33 800 888-99	1,048.20
matt black	33 800 888-33	943.30

		Euro
polished chrome	82 434 970-00	240.50
chrome matt	82 434 970-93	288.60
platinum matt	82 434 970-06	384.70
platinum	82 434 970-08	384.70
Durabross	82 434 970-09	476.20
brushed Durabross	82 434 970-28	476.10
Dark Platinum matt	82 434 970-99	432.80
matt black	82 434 970-33	318.30

		Euro
polished chrome	10 710 970-00	155.60
chrome matt	10 710 970-93	186.70
platinum matt	10 710 970-06	248.90
platinum	10 710 970-08	248.90
Durabross	10 710 970-09	308.10
brushed Durabross	10 710 970-28	308.00
Dark Platinum matt	10 710 970-99	233.30



Single-lever mixer


33 845 875

Tara Ultra

PIVOT Single-lever mixer



- 552 mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free



Recommended miscellaneous

Dispenser with rosette

For details and miscellaneous, see page 740



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	33 845 875-00	1,111.00
chrome matt	33 845 875-93	1,333.20
platinum matt	33 845 875-06	1,777.50
platinum	33 845 875-08	1,777.50
Durabron	33 845 875-09	2,199.80
brushed Durabron	33 845 875-28	2,199.60
Dark Platinum matt	33 845 875-99	1,666.50

		Euro
polished chrome	82 434 970-00	240.50
chrome matt	82 434 970-93	288.60
platinum matt	82 434 970-06	384.70
platinum	82 434 970-08	384.70
Durabron	82 434 970-09	476.20
brushed Durabron	82 434 970-28	476.10
Dark Platinum matt	82 434 970-99	432.80

		Euro
polished chrome	10 710 970-00	155.60
chrome matt	10 710 970-93	186.70
platinum matt	10 710 970-06	248.90
platinum	10 710 970-08	248.90
Durabron	10 710 970-09	308.10
brushed Durabron	10 710 970-28	308.00
Dark Platinum matt	10 710 970-99	233.30



Single-lever mixer extending spout

Sieger Design



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed
articles



Miscellaneous



Kitchen


Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Single-lever mixer extending spout

33 840 790

Elio **Single-lever mixer Pull-out**

- 235 mm projection
- pivotable spout 360°
- air-enriched flow
- fabric braided hose 1500 mm
- max. flow 8.8 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 840 790-00	671.70
chrome matt	33 840 790-93	806.10
platinum matt	33 840 790-06	1,074.80
platinum	33 840 790-08	1,074.80
brushed Durabrass	33 840 790-28	1,330.10
Dark Platinum matt	33 840 790-99	1,007.70



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20



Recommended miscellaneous

Strainer waste with control handle


For details and miscellaneous, see page 741

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30

33 870 790

Elio **Single-lever mixer Pull-out with spray function**

- 235 mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 870 790-00	706.70
chrome matt	33 870 790-93	848.00
platinum matt	33 870 790-06	1,130.60
platinum	33 870 790-08	1,130.60
brushed Durabrass	33 870 790-28	1,399.30
Dark Platinum matt	33 870 790-99	1,060.00



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20



Recommended miscellaneous


Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30



33 840 760



eno **Single-lever mixer Pull-out**

- 220 mm projection
- pivotable spout 130°
- air-enriched flow
- fabric braided hose 1500 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items



Recommended miscellaneous

Strainer waste with control handle


For details and miscellaneous, see page 741

		Euro
polished chrome	33 840 760-00	533.40
chrome matt	33 840 760-93	640.10
platinum matt	33 840 760-06	853.40
platinum	33 840 760-08	853.40
brushed Durabrass	33 840 760-28	1,056.10
Dark Platinum matt	33 840 760-99	800.10

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30

33 845 760



eno **Single-lever mixer Pull-out**

- 220 mm projection
- pivotable spout 130°
- air-enriched flow
- 1600mm metal shower hose
- max. flow 10 l/min at 3 bar flow pressure
- lead-free



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	33 845 760-00	592.40
chrome matt	33 845 760-93	710.90
platinum matt	33 845 760-06	947.70
platinum	33 845 760-08	947.70
brushed Durabrass	33 845 760-28	1,172.80
Dark Platinum matt	33 845 760-99	888.60

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


Single-lever mixer extending spout

33 870 760

eno

Single-lever mixer Pull-out with spray function

- 225 mm projection
- pivotable spout 130°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 8.3 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 870 760-00	568.50
chrome matt	33 870 760-93	682.20
platinum matt	33 870 760-06	909.60
platinum	33 870 760-08	909.60
brushed Durabrass	33 870 760-28	1,125.50
Dark Platinum matt	33 870 760-99	852.80



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741


		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30

33 875 760

eno

Single-lever mixer Pull-out with spray function

- 225 mm projection
- pivotable spout 130°
- air-enriched flow and spray flow
- 1600mm metal shower hose
- max. flow 9.6 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 875 760-00	627.20
chrome matt	33 875 760-93	752.70
platinum matt	33 875 760-06	1,003.60
platinum	33 875 760-08	1,003.60
brushed Durabrass	33 875 760-28	1,242.00
Dark Platinum matt	33 875 760-99	940.90



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741


		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30

33 870 895

Sync

Single-lever mixer Pull-down with spray function

- 240 mm projection
- pivotable spout 360°
- optional limiting, pivoting 110°
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 870 895-00	780.90
chrome matt	33 870 895-93	937.10
platinum matt	33 870 895-06	1,249.30
platinum	33 870 895-08	1,249.30
Durabrand	33 870 895-09	1,546.20
brushed Durabrand	33 870 895-28	1,546.00
Dark Platinum matt	33 870 895-99	1,171.40



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
Durabrand	82 424 970-09	436.90
brushed Durabrand	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741


		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
Durabrand	10 712 970-09	308.10
brushed Durabrand	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30

33 875 895

Sync

Single-lever mixer Pull-down with spray function

- 240 mm projection
- pivotable spout 360°
- optional limiting, pivoting 110°
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 875 895-00	780.90
chrome matt	33 875 895-93	937.10
platinum matt	33 875 895-06	1,249.30
platinum	33 875 895-08	1,249.30
Durabrand	33 875 895-09	1,546.20
brushed Durabrand	33 875 895-28	1,546.00
Dark Platinum matt	33 875 895-99	1,171.40



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
Durabrand	82 424 970-09	436.90
brushed Durabrand	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
Durabrand	10 712 970-09	308.10
brushed Durabrand	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


Single-lever mixer extending spout

33 870 875

Tara Ultra

Single-lever mixer Pull-down with spray function

- 240 mm projection
- pivotable spout 360°
- optional limiting, pivoting 110°
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	33 870 875-00	706.70
chrome matt	33 870 875-93	848.00
platinum matt	33 870 875-06	1,130.60
platinum	33 870 875-08	1,130.60
Durabrass	33 870 875-09	1,399.30
brushed Durabrass	33 870 875-28	1,399.30
Dark Platinum matt	33 870 875-99	1,059.80
matt black	33 870 875-33	954.10

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
Durabrass	82 424 970-09	436.90
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20
matt black	82 424 970-33	297.90



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
Durabrass	10 712 970-09	308.10
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30



Single-lever mixer Profi fitting

Sieger Design



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen


Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.

Single-lever mixer Profi fitting

33 865 895

Sync **Profi single-lever mixer**

- 200 mm projection
- Flexible silicone hose with large operating range of up to 350 mm
- pivotable 360°
- optional limiting, pivoting 110°
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 9.5 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 865 895-00	1,015.30
chrome matt	33 865 895-93	1,218.30
platinum matt	33 865 895-06	1,624.40
platinum	33 865 895-08	1,624.40
Durabron	33 865 895-09	2,010.20
brushed Durabron	33 865 895-28	2,010.20
Dark Platinum matt	33 865 895-99	1,522.70



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
Durabron	82 424 970-09	436.90
brushed Durabron	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20



Recommended miscellaneous

Strainer waste with control handle


For details and miscellaneous, see page 741

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
Durabron	10 712 970-09	308.10
brushed Durabron	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30

33 880 888

Tara. **Profi single-lever mixer**

- 200 mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free



		Euro
polished chrome	33 880 888-00	1,450.00
chrome matt	33 880 888-93	1,739.90
platinum matt	33 880 888-06	2,320.10
platinum	33 880 888-08	2,320.10



Recommended miscellaneous

Dispenser with rosette

For details and miscellaneous, see page 740

		Euro
polished chrome	82 434 970-00	240.50
chrome matt	82 434 970-93	288.60
platinum matt	82 434 970-06	384.70
platinum	82 434 970-08	384.70



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	10 710 970-00	155.60
chrome matt	10 710 970-93	186.70
platinum matt	10 710 970-06	248.90
platinum	10 710 970-08	248.90




33 860 875

Tara Ultra

Profi single-lever mixer

- 240 mm projection
- pivotable 360°
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free



Recommended miscellaneous

Dispenser without rosette

For details and miscellaneous, see main items

		Euro
polished chrome	33 860 875-00	1,221.80
chrome matt	33 860 875-93	1,466.10
platinum matt	33 860 875-06	1,954.90
platinum	33 860 875-08	1,954.90

		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10



Recommended miscellaneous

Strainer waste with control handle

For details and miscellaneous, see page 741

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Miscellaneous



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles



Miscellaneous



Kitchen

Detailed product information, appropriate files, dimensioned drawings and 3D objects can be found online at www.dornbracht.com.


Miscellaneous

82 424 970



Dispenser without rosette

- 124 mm projection
- 500 ml bottle
- can be filled from the top
- rotating pump head
- width 30mm




		Euro
polished chrome	82 424 970-00	220.70
chrome matt	82 424 970-93	264.90
platinum matt	82 424 970-06	353.10
platinum	82 424 970-08	353.10
Durabrass	82 424 970-09	436.90
brushed Durabrass	82 424 970-28	436.90
Dark Platinum matt	82 424 970-99	397.20
matt black	82 424 970-33	297.90

82 434 970



Dispenser with rosette


- 124 mm projection
- 500 ml bottle
- can be filled from the top
- rotating pump head



		Euro
polished chrome	82 434 970-00	240.50
chrome matt	82 434 970-93	288.60
platinum matt	82 434 970-06	384.70
platinum	82 434 970-08	384.70
Durabrass	82 434 970-09	476.20
brushed Durabrass	82 434 970-28	476.10
Dark Platinum matt	82 434 970-99	432.80
matt black	82 434 970-33	318.30



10 710 970




Strainer waste with control handle

- control for single basin
- including adapter for Bowden cable

		Euro
polished chrome	10 710 970-00	155.60
chrome matt	10 710 970-93	186.70
platinum matt	10 710 970-06	248.90
platinum	10 710 970-08	248.90
Durabrass	10 710 970-09	308.10
brushed Durabrass	10 710 970-28	308.00
Dark Platinum matt	10 710 970-99	233.30

10 712 970



Strainer waste with control handle

- control for single basin
- including adapter for Bowden cable

		Euro
polished chrome	10 712 970-00	155.60
chrome matt	10 712 970-93	186.70
platinum matt	10 712 970-06	248.90
platinum	10 712 970-08	248.90
Durabrass	10 712 970-09	308.10
brushed Durabrass	10 712 970-28	308.00
Dark Platinum matt	10 712 970-99	233.30



CL.1



CYO



IMO



Lissé



LULU



Madison



MEM



Meta



Symetrics



Tara.



VAIA



Shower



Concealed articles




Miscellaneous



Kitchen

General information



Representatives in other countries

Europe

AT Dornbracht Austria GmbH	IZ. NÖ-Süd, Straße 7 Objekt 58 D, Top 6 2355 Wiener Neudorf (AT)	Phone +43 1 417 06 90	E-Mail at@dornbracht.com
BE Dornbracht B.V.	Rivium Boulevard 21 2909 LK Capelle aan den IJssel	Phone +32 (0)53 81 02 78 (NL) Phone +32 (0)53 81 02 79 (FR)	E-Mail bnl@dornbracht.com
CH Dornbracht Schweiz AG	Postfach, 4663 Aarburg Showroom: Letziweg 9, 4663 Aarburg	Phone +41 (0) 62 787 20 30	Fax +41 (0) 62 787 20 40 E-Mail ch@dornbracht.com
CZ, SK Katja Kramárová	Wiesenthalova 8 155 00 Praha 5	Mobile +420 724 207 528	E-Mail kramarova@dornbrachtgroup.cz
DE Dornbracht Deutschland GmbH & Co. KG	Köbbingser Mühle 6 D-58640 Iserlohn	Phone +49 (0) 2371 8899 950	Fax +49 (0) 2371 433-2345 E-Mail: mail@dornbracht.com
ES Dornbracht España S.L.	Joaquim Molins 5-7, 1º 4ª 08028 Barcelona (Spain)	Phone +34 932 723 910	Fax +34 932 723 913 E-Mail iberia@dornbracht.com
FR Dornbracht France SARL	3 rue de Téhéran 75008 Paris	Phone +33 (0) 1 40 21 10 70	E-Mail Général fr@dornbracht.com E-Mail SAV / Technique service.fr@dornbracht.com
GR Klimatechniki S.A.	Areopoleos 1, 14564 Kifissia - Athens	Phone +30 (210) 81 60 061	Fax +30 (210) 81 61 255 E-Mail info@davoline.gr
HU Z-A Design Stúdió Kft.	Kondor Béla utca 2. 2000 Szentendre	Phone +36 26 381553 Mobile +36 70 775 0954	Fax +36 26 381553 E-Mail dornbracht@zadesign.hu
IT Dornbracht Italia s.r.l.	Via Morimondo 2/5 20143 Milano	Phone +39 02 81 83 43 1	E-Mail it@dornbracht.com
LT, EE, LV Arunas Jazukevicius	Sv.Gertrudos g. 68/5 LT-44269 Kaunas / Lithuania	Phone +370 686 303 13	E-Mail arunas.jazukevicius@burgbad-baltics.com
NL Dornbracht B.V.	Rivium Boulevard 21 2909 LK Capelle aan den IJssel	Phone +31 (0) 10 52 43 400	E-Mail bnl@dornbracht.com
PL Honorata Broniowska	ul. Janockiego 41 66-400 Gorzow Wlkp.	Phone +48 (0) 95-728 261 7 Mobile +48 (0) 602471319	E-Mail biuro@dornbrachtgroup.pl
PT Gama Uno	Rua da Cruz, 86 2565-031 Campelos	Phone +351 261 430 070	Fax +351 261 430 079 E-Mail gamauno@gamauno.pt
RO, BG, MD Reallize Consult SRL	Strada Grivitei, 98 105600 Campina, Prahova	Phone +40 741 288 516 Mobile +40 722 654 654	E-Mail office@reallize.ro
RU, BY, KZ OSA GmbH & Co. KG	Panfilovskiy pereulok 5 121099 Moscow	Phone +7 (499) 241 8259	E-Mail osa@o-s-a.de
DK, SE, NO, FI, IS Dornbracht Nordic A/S	Masteskurene, Skur 7 Galionsvej 33 1437 Köpenhamn K (DK)	Phone +45 8987 7150	Customer Service E-Mail nordic@dornbracht.com
SI Leon Ladic s.p.	Nikova ulica 10 2000 Maribor	Phone +386 51 387 458	E-Mail leon.ladic@gmail.com
SRB, BiH, MNE, MK, HR DOZEN Stars d.o.o.	Nenad Djukic Omladinskih Brigada 90A Airport City Belgrade 11070 Belgrade (SRB)	Phone +381 (11) 6555120 +381 (11) 6555119 +381 (11) 6555118	Fax +381 (11) 22 83 966 E-Mail nenadkop@yahoo.com E-mail zoja@dozenstars.com
AM, AZ, GE, GR, KG, TJ, TR, TM, UZ, Northern Cyprus Dornbracht Turkey/ Central Asia	Regus Maslak Orjin Orjin Maslak İş Merkezi, Eski Büyükdere Cad. No: 27, Zemin Kat Maslak Sarıyer 34485 İstanbul (TR)	Phone +90 (0) 212 284 9495	E-Mail tr@dornbracht.com
UA Olena Khelemendik	24/1 Levka Matsievich str., ap.1 UA-03151 Kyiv	Phone +38 (0) 44-244 7682	Fax +38 (0) 44-244 7682 E-Mail office@helena.com.ua
UK, IE Dornbracht UK Ltd.	Unit 8 Bow Court Fletchworth Gate, Coventry CV5 6SP	Phone +44 (0) 2476 717 129	Fax +44 (0) 2476 718 907 E-Mail gb@dornbracht.com

Representatives in other countries

Americas

US, CA, Central America, South America Dornbracht Americas Inc.	1700 Executive Drive South, Suite 600 Duluth, GA 30096 (US)	Phone +1 800-774-1181 +1 770-564-3599	Fax +1 800-899-8527 E-Mail americas@dornbracht.com
---	--	--	---

Mexico German Concepts S.A. de C.V. Dornbracht Americas Inc.	Presas No 3 Nave 1 Col.Santiago Occipacco Naucalpan de Juarez Edo Mex C.P. 53250 1700 Executive Drive South, Suite 600 Duluth, GA 30096 (US)	Phone +52 (55) 53 43 84 50 Phone +1 800-774-1181 +1 770-564-3599	Fax +52 (55) 53 43 90 97 E-Mail rmijares@germanconcepts.com.mx Fax +1 800-899-8527
---	--	--	---

Asia Pacific

HK/ MAC, JP, KR, TW, NZ, AUS Dornbracht Asia Pacific Ltd.	Room 1305 & 1307, Sino Favour Centre, 1 On Yip Street Chai Wan (HK)	Phone +852 2505 6254	Fax +852 2505 9722 E-Mail mail@dornbracht.com
---	---	----------------------	--

SG, MY, ID, PH, TH, VN, KH, MM, MV Dornbracht South East Asia Pte. Ltd.	Level 18, Republic Plaza II 9 Raffles Place 048619 Singapore	Phone +65 9118 8658	E-Mail sea@dornbracht.com
---	---	---------------------	---------------------------

CN Dornbracht (Shanghai) Commercial Ltd.	Unit 3-1, No. 2937 Longteng Avenue Xuhui District, Shanghai Shanghai 200030	Phone +86 (0) 21-6360 6930 +86 (0) 21-5150 6775	Fax +86 (0) 21-6361 4155 E-Mail cn@dornbracht.com
--	---	--	--

IN Dornbracht India Pvt. Ltd.	1102, Wing-A, Cello Triumph, I.B. Patel road Opp. Laghu Udyog, Goregaon (East), Mumbai-400063	Phone +91 22 26853900 +91 22 26853912	Fax +91 22 26853900 E-Mail in@dornbracht.com
---	--	--	---

Middle East

AE, BH, EG, IQ, JO, KW, LB, OM, PK, QA, SA, SY, YE Dornbracht Group International GmbH - Rep. Office	PO Box 114268 Dubai (UAE)	Phone +971 4 380 6611	Fax +971 4 380 6606 E-Mail middleeast@dornbracht.com
---	------------------------------	-----------------------	---

Services

Sales team

Personal advice and guidance on all commercial matters.
Intensive support covering every aspect of selling.

Phone +49 (0) 2371 433-460

Fax +49 (0) 2371 433-135

Fax +49 (0) 2371 433-5506

Fax +49 (0) 2371 433-5507

E-Mail mail@dornbracht.com

x-tra Service

Individual made-to-order productions and special finishes to suit your need.

Phone +49 (0) 2371 433-460

E-Mail mail@dornbracht.com

Spare part service

Phone +49 (0) 2371 433-460

E-Mail mail@dornbracht.com

You can contact our Service Centre from Monday to Thursday between 07:00 to 18:00 and on Fridays between 07:00 and 15:30.

Terms and Conditions of Sale, Delivery and Payment

1. General

1.1. The following terms apply exclusively to all our quotations, sales and deliveries both now and in the future. We do not accept purchasers' terms of business which conflict with or differ from our Terms and Conditions unless we have expressly agreed to them in writing. This also applies in cases where we execute in the knowledge of the conflicting or differing Terms and Conditions of the purchaser or a third party delivery to the purchaser unconditionally or refer to a letter or document of the purchaser containing conflicting or differing Terms and Conditions of the latter or of a third party or refer to them without objecting to the Terms and Conditions concerned. Differing arrangements apply only to a specific contract and not to subsequent contracts, save where expressly otherwise agreed.

1.2. All agreements, subsidiary agreements and contractual amendments must be made in writing. To be effective, verbal or written agreements deviating from our contractual conditions and/or the order confirmation must be approved by the proper number of directors or authorised officers. Our office staff or field staff are not authorised to make differing agreements or grant special conditions.

2. Information, advice

Information and advice given on our products are based on our previous experience. The figures quoted are average values found. Information and advice do not obviate the need for acceptance tests on goods supplied or compliance with processing instructions. Information given verbally is not binding.

3. Quotation, contract signature

3.1. Our quotations are made without engagement. A supply contract or other contract becomes binding on us only when we have confirmed the customer's order or other order in writing or have delivered the goods.

3.2. Samples and specimens are supplied without engagement for inspection purposes. A purchase according to sample and/or specimen is subject to commercially acceptable deviations or those falling within normal manufacturing tolerances. Unless expressly specified in the order confirmation, the supply of patterns or samples does not constitute a guarantee of quality or service life.

3.3. Samples and specimens must be returned to us in perfect condition within 4 weeks. If they are not returned within this period we shall be entitled to charge the list purchase price. Price lists are available on request at any time.

3.4. Save where expressly otherwise agreed, the information provided by us in text or illustrated form (e.g. descriptions, illustrations or drawings) in catalogues, brochures or other publications conclusively define the quality of the goods we supply and their potential applications. The information we provide is not a guarantee of service life or quality and corresponds to our current state of knowledge. We accept no liability for successful use.

4. Prices

4.1. All prices agreed are net exclusive of VAT, which the purchaser must pay at the relevant statutory rate.

4.2. A minimum quantity surcharge of € 5.00 will be made on orders with a net merchandise value of under € 50.00.

4.3. If there is any increase in our sundry material procurement costs, energy costs or labour costs/incidental wage costs between the date of order confirmation and the date of delivery, we shall be entitled to adjust the agreed price accordingly. The purchaser will be entitled to cancel the contract with immediate effect if the price rise exceeds 5 %, but no later than within 10 days of the price increase becoming known to purchaser.

5. Delivery

5.1. The delivery periods will begin on the date of our order confirmation, but not before any agreed down payment has been received, all of the purchaser's other obligations have been duly and punctually fulfilled and not before all the order details have been finally clarified, the requisite certificates procured and/or all necessary documents provided. The delivery period

is deemed to have been met if the goods have left our factory or warehouse before this period has expired, or have been notified as ready for delivery but cannot then be forwarded on time for reasons beyond our control. Delivery dates are deemed to be approximate where there is no provision to the contrary and do not constitute a fixed transaction without a specific agreement to this effect. The purchaser is to inform us no later than at the time of conclusion of contract of any contractual default penalties that may be due vis-à-vis his customer in case of late delivery. Without such prior notification, the purchaser may not assert vis-à-vis us any claims arising from contractual default penalties he may incur.

5.2. When a delivery date not expressly designated as „fixed“ in the order confirmation is overrun, the purchaser may set a reasonable extension period for delivery. We can only be in default on expiry of this extension period.

5.3. Without prejudice to our rights arising from delays in payment by the purchaser, delivery dates will be extended by the period of time that the purchaser fails to honour his obligations towards us.

5.4. We reserve the right to make proper and timely self-supply if irregular self-supply is beyond our control.

5.5. Unforeseen, exceptional circumstances beyond our control such as strikes, lock-outs and other industrial action, operational breakdown e.g. due to fire and similar occurrences, difficulties in the sourcing of materials and energy, lack of labour resources, energy and raw materials, government action, transport disruption, difficulties in the obtaining of permits with specific regard to import and export licences or other instances of force majeure beyond our control and area of influence, irrespective of whether we or our suppliers are affected by such circumstances or whether they occur during an ongoing delay, the period of delivery is to be extended by the duration of the disruption in addition to a reasonable start-up period. Should the delay/disruption not be of a temporary nature and should delivery subsequently become impossible or compliance with the contract unreasonable for one party as a result, either party will be entitled to terminate the contract. Claims for compensation are excluded in such cases where neither party is to blame.

5.6. Our liability for loss due to delay arising from slightly negligent breach of duty is excluded, save where the breach of duty results in damage to life, limb or health. A change in the burden of proof to the disadvantage of the purchaser has no connection with this provision.

5.7. Should liability for loss due to delay arise not only from slightly negligent breach of duty, the purchaser may, insofar as he proves the existence of damage due to delay and subject to the exclusion of further claims, only claim compensation amounting to 0.5 % for each full week of delay, up to a maximum of 5 % in total, of the value of that part of the total delivery which owing to the delay could not be used on time or for its contractual purpose.

5.8. We shall be entitled to make part deliveries where acceptable to the purchaser. Part deliveries may be invoiced separately.

6. Forwarding, passage of risk

6.1. Delivery will be ex works (Iserlohn) unless otherwise agreed. If Incoterms have been agreed as delivery terms, the version applicable on the date of contract signature shall apply.

6.2. If at the purchaser's request the goods have been forwarded to a place other than the place of performance, the purchaser will meet all the costs thereby incurred. The choice of transit route and carrier will be at our discretion. We and the carrier must be notified in writing by the purchaser of the type and extent of any transit damage immediately on receipt of the goods. Goods will only be insured against damage, loss or breakage in transit at the purchaser's express request and at his expense.

6.3. Forwarding and transportation are always at the purchaser's risk when goods are supplied ex works. This is also applicable if we make delivery to a third party (drop shipment deliveries) and when goods or empties (reusable packaging) are returned. Even when part deliveries are made, the risk will pass to the purchaser as soon as the consignment has been transferred to the carrier or has left our warehouse for forwarding or, in the case of delivery ex works, has left our plant.

6.4. For drop shipment deliveries we add a surcharge of 10% on the net value of the goods.

6.5. If forwarding is delayed due to circumstances for which the purchaser is responsible, or if the purchaser himself is arranging transportation, the risk will pass to the purchaser on notification that the goods are ready for dispatch. The purchaser must meet storage charges incurred after the passage of risk. The monthly storage charge for goods stored to our factory or warehouse will be 0.5% of the invoiced amount. We reserve the right to make higher storage charges subject to proof. Once a reasonable period of time has elapsed to no effect, we shall be entitled to otherwise dispose of the goods and to supply the purchaser within a reasonably extended period.

7. Payment

7.1. Payment must be made in Euro (€) and must be free of charges and postage. It must be remitted only to the bank indicated by us. Checks will only be valid as payment after encashment and are accepted without obligation for due presentation and protestation.

7.2. Unless expressly otherwise agreed, invoices must be paid within 10 days of the invoice date at a 2 % discount and within 30 days of the invoice date with no deduction. There will be no discount entitlement if previous outstanding invoices remain unpaid.

7.3. When the period allowed for payment has been exceeded we shall be entitled to charge interest at 8 % p.a. above the basic interest rate (Section 247 of the German Civil Code [BGB]). All our outstanding accounts will also become due immediately.

7.4. The offsetting of any counterclaims by the purchaser is permissible only if such counterclaims are undisputed or established in law. The purchaser may at most withhold a sum amounting to three times the cost of subsequent performance due to deficiency. When exercising his right of retention the purchaser agrees to pay us security of our choice to the amount of the unpaid portion by bank guarantee or by depositing it with a notary of his choosing, whichever we choose.

8. Reservation of title

8.1. All goods delivered shall remain our property (reserved-title goods) pending settlement of all outstanding accounts on any legal grounds whatsoever, including all future and conditional claims arising from contracts signed simultaneously or subsequently. The same shall apply if payments are made on specially designated accounts outstanding. Should there be justifiable grounds for assuming that a purchaser is unable to pay or that such inability is impending, we shall be entitled to terminate the contract without notice and to demand restitution of the goods.

8.2. Reserved-title goods are manufactured and processed on our behalf as manufacturers in accordance with Section 950 BGB without incurring any obligation on our part. Processed goods are deemed to be reserved-title goods as defined in para. 8.1. If the reserved-title goods are processed, interconnected, mingled or mixed with supplied goods by the purchaser, we shall be entitled to co-ownership of the new goods to the ratio of the invoice value of the reserved-title goods. Should our title cease as a result of the combination or inclusion, the purchaser agrees with immediate effect to assign to us his title or expectant rights in the new goods or object to the extent of the invoice value of the reserved-title goods and to retain same on our behalf at no charge. The co-ownership rights at issue shall be deemed to be reserved-title goods as defined in para. 8.1.

8.3. The purchaser may sell on, process or combine the reserved-title goods with other items or otherwise install them (resale) only as part of his normal business operations and as long as he is not in default. He shall not be entitled to dispose of the reserved-title goods in any other manner. We must be informed immediately of any third party seizure or other access to the reserved-title goods.

8.4. The purchaser agrees with immediate effect to assign to us his claims arising from the resale of the reserved-title goods. These rights shall be considered as security to the same extent as the reserved-title goods. The purchaser will only be entitled and authorised to resell on the assurance that the claims thereby owed him are transferred to us.

8.5. If the reserved-title goods are sold by the purchaser at an inclusive price together with third-party

goods, the claims arising from the sale shall be assigned to us in the same ratio as the invoice value of our reserved-title goods sold in each case.

8.6. If the claim assigned is included in a current account, the purchaser hereby assigns to us a part of the balance corresponding to the amount of this claim inclusive of the final balance from the current account.

8.7. The purchaser will be entitled to collect the claim assigned us until such time as we revoke. We shall be entitled to revoke if the purchaser fails to meet his payment obligations arising from the business transactions with us or if we become aware of circumstances likely to substantially lessen the purchaser's credit worthiness. If the conditions are such that we wish to exercise our right to revoke, the purchaser must on request inform us forthwith of the claims assigned and the debtors thereof, provide all the information necessary to collect the debt, hand over the associated documents to us and notify the debtor of the assignment. The buyer is not authorised to assign any claims, not even on the basis of our direct debit authorisation.

8.8. Should the realizable value (invoice amount of goods or nominal amount of the receivables) exceed 50% of the securities existing for us, we are obliged to release securities of our own choice upon the purchaser's demand.

8.9. Our assertion of reservation of title shall not constitute revocation of the contract unless we expressly state this in writing. The purchaser's right to own the reserved-title goods shall lapse if he fails to perform his obligations under this or any other contract.

9. Liability for faulty goods

9.1. We do not accept liability for unsuitable or improper use, particularly excessive loading, faulty assembly or faulty operation by the purchaser or third parties, natural wear and tear, faulty or negligent usage or handling, particularly by untrained staff.

9.2. The purchaser agrees to inspect deliveries carefully for completeness and adequacy immediately on receipt – even if patterns or samples were previously supplied. The delivery is deemed to have been accepted if a deficiency has not been reported to us by letter, telex or fax within 10 working days of the goods arriving at their destination, or, if the deficiency could not be found during proper inspection, within 10 working days of discovering same. This also applies to multiple deliveries. A multiple delivery is deemed to have been accepted if no complaint is lodged within 10 days of the goods arriving at their destination. Our field staff are not authorised to acknowledge quantity or deficiency complaints.

9.3. A purchaser accepting faulty goods knowing them to be defective shall only be entitled to the claims and rights in respect of deficiencies if he reserves the right to these by reason of deficiency on acceptance.

9.4. We guarantee to meet the purchaser's claims for defective goods for a period of two years, starting with the date of each delivery. This will not affect liability for defects in title under statutory regulations. The liability for losses contingent on defects shall be governed by para. 10.

9.5. Where there are grounds for complaint, the purchaser will initially only have a claim to subsequent performance which we may effect as we deem fit, either by repair or by supplying a defect-free item. If subsequent performance fails or is unacceptable or dispensable to the purchaser (Section 440 BGB), the purchaser will have the right to reduce the purchase price or, if he so chooses, to revoke the contract or to demand damages in place of performance or reimbursement of wasted expenditure in accordance with para. 10 because

- a) we finally refuse subsequent performance,
- b) we do not effect subsequent performance on a contractually agreed date or within a specific period and in the contract the purchaser has bound the continuance of his interest in performance to the timely delivery of performance,
- c) there are special circumstances which justify immediate cancellation on a consideration of the interests of both parties (Section 323 para. 2 BGB).

9.6. Where we deem it necessary to effect repairs or replacement deliveries, the purchaser shall allow us sufficient time and opportunity for such repairs or

replacement deliveries, otherwise our liability for the deficiency shall be deemed to have been discharged. Only in urgent cases of risk to operating safety or to avert considerable damage, in which case we must be informed immediately, or when we are late in rectifying the defect shall the purchaser have the right to remedy the defect himself or have it remedied by a third party and to demand compensation of the requisite cost from us.

9.7. Our manufacturer's warranty is regulated in the respective applicable warranty conditions. You can find it under www.dornbracht.com.

10. Liability for damages

10.1. We accept liability for damages arising from injury to life, limb or health and in accordance with the Product Liability Act pursuant to the relevant statutory provisions.

10.2. Our liability for breach of duty and our non-contractual liability shall, moreover, be limited to malicious intent and gross negligence. Liability for gross negligence by our non-senior employees, staff and vicarious agents is hereby limited to the level of contractually typical, foreseeable damage, the occurrence of which we could have expected at the time of conclusion of contract on the basis of the circumstances known to us at the given time to the exclusion of damage not incurred directly by the object of delivery such as and above all the lack of economic success, lost profit, indirect damage, consequential damage due to a given defect and third-party claims.

10.3. The above limitation of liability pursuant to para. 10.2. does not apply to the breach of duties material to contract (cardinal duties). The latter are those duties compliance with which permits proper and due fulfillment of contract at all and in the compliance with which the contracting party trusts and is entitled to trust. In this case, even in the event of slight negligence, we shall be liable for our own negligence and that of our employees, staff or vicarious agents, limited however to the level of contractually typical, foreseeable damage, the occurrence of which we could have expected at the time of conclusion of contract on the basis of the circumstances known to us at the given time.

10.4. The above limitations on liability apply equally to claims for the reimbursement of wasted expenditure (Section 284 BGB).

10.5. Claims against us for damages on any legal grounds whatsoever shall become statute-barred within two years of the statutory commencement of the limitation period.

10.6. A shift in the burden of proof to the disadvantage of the purchaser is not connected with the above provisions.

11. Returned goods

The reconsignment of goods sold or the reversal of the contract are only admissible in exceptional cases and upon our explicit prior consent, except in the cases stated in these Terms and Conditions. Goods sent back without our consent will be rejected, respectively returned to the Buyer freight forward. Reconsigned goods as described above always go at the Buyer's risk and account. When reimbursing the value of reconsigned goods, we will charge handling expenses amounting to 25% of the net value of the goods and make deductions according to the usability of the goods.

12. Data Protection / Confidentiality Agreement

12.1. We process and use personal data under consideration of applicable data protection law. The processing and use is effected for the purpose of fulfillment of our services rendered to the purchaser. In this context it might be necessary to transfer the data to third parties, for example to the data processing center being employed by us, logisticians or collection agencies. Furthermore, an exchange of data might occur within our company group. If necessary, we will obtain the required consent for the processing of the data from the purchaser. Further information with regard to the handling of data can be gathered from our data protection policy which is available in the internet under www.dornbracht.com. In addition, our data protection officer will be at your disposal for any questions.

12.2. The purchaser is obliged to keep the content of our offer / the agreement or other confidential

information respectively company and business secrets in strict confidence. Those information may only be disclosed to third parties if this is legally compulsory or if we have given our prior written consent. Information known to the purchaser prior to the receipt of our offer or publicized prior to or after conclusion of the contract without our or the purchaser's involvement are not regarded as confidential information.

13. Place of performance, court of jurisdiction, applicable law

13.1. The place of performance for the obligations of either party under this contract shall be Iserlohn.

13.2. Any disputes involving registered merchants shall exclusively be settled before a competent court of law having jurisdiction for our headquarters. We shall, however, be entitled to bring an action against the purchaser at another legal place of jurisdiction.

13.3. The relationship between ourselves and the purchaser shall be governed by German law to the exclusion of the United Nations Convention on the International Sale of Goods (CISG) and the provisions of international patent law.

13.4. Should subsequent circumstances cause individual provisions of these Terms and Conditions to be or become invalid, this shall not affect the validity of the remaining provisions.

Issued November 2021

With customised productions, there is almost no limit to individuality

Thanks to our wide selection of design series, finishes and shower solutions, you have the opportunity to design creative bathroom projects under the Dornbracht promise of stylish and functional durability.

If you want your project to be even more individual, then consider our x-TRA SERVICE. We have a team of specialists that loves new challenges and has an almost infinite number of ways to match your imagination and creativity. Form, material, finish, colour and technology are skilfully mastered. We are only satisfied once your dream is fulfilled in a quality that does justice to our shared aspiration.

x-tra Service

Individual environments call for individual solutions. Which is why we offer a variety of solutions. We have been developing tailor-made solutions for our customers for almost 70 years – even going as far as one-off production. “Everything from a single source” is our motto. So our range of services includes adapting dimensions (such as extending spouts), made-to-order productions, customised finishes including refining other manufacturers’ components, using special materials, customised manufacturing and treating products to preserve their value.

Range of services:

Product:


- Modifying product dimensions
- Modifying functionality
- Customised design

Finish:

- Individual finishes
- Special materials
- Identification and labelling

Special services:

- Service refinement of complementary products
- Value preservation



x-tra Service
Are you interested in an individual solution? We look forward to your call or message to our Customer Service.

Overview of
x-TRA SERVICE
accomplishments
inside.

< Dornbracht MEM
Free-standing bath spout in a Jade Finish


x-tra Service – Range of services



Modifying product dimensions

Modifications of Product Dimensions If, during the planning of a bathroom or kitchen, it turns out that the standard fitting does not fit perfectly into the architecture, our x-tra Service can produce individual fittings for almost every series.

< Dornbracht IMO
Individual adaptation of a wall-mounted basin mixer



Modifications of Product

Performance For special requirements, we also modify the function of a product. For example, the flow rate of the water in wash basin fittings can be pre-defined.


< Dornbracht Performance
Example of the different flow modes



Custom Manufacturing

Our technical system components provide the platform for bespoke products. Thus, even in this exclusive area, you can rely on the technical performance. The development of your idea is only partially oriented to the serial product.

< Dornbracht TARA.
Deck valve in 3D-printed metal



Surface Finishing of Complementary Components

Surface finishing ensures that products not supplied by Dornbracht match selected Dornbracht fittings.


< Service refinement
Refining various complementary products

Custom Finishing

The possibilities that we achieve with our electroplating technology, PVD processes, powder and lacquer coating and water transfer printing are almost unlimited in terms of colour and structure.

> Dornbracht Finishing

Some examples of the different finishes



Special Materials

Products can be embellished with unique materials including glass, wood, stone and even leather.

> Dornbracht MEM

Deck valves with a mother-of-pearl handle




Signage

With our signage service, we mark functionally relevant details or add aesthetic decors or your logo to our products. This can be implemented independent of quantity.

> Signatures

Examples of individual labelling and logos



Refurbishment

To maintain our customers' pleasure in their Dornbracht classics for as long as possible, our x-tra Service offers the complete restoration of function and individual finishing for fittings which are no longer available.

> Dornbracht Madison

Bath spout during reprocessing



Dornbracht AG & Co. KG
Köbbingser Mühle 6
D-58640 Iserlohn
Phone +49 (0) 2371 433-460
Fax +49 (0) 2371 433-135
mail@dornbracht.com
dornbracht.com



03.2022

